# Index to Volumes 25, 26 and 27

(1941, 1942 and 1943)\*

## SYMPOSIA

#### 1941

January (Chicago)
March (Baltimore)
May (New York)
July (Mayo Clinic)
September (Boston)
November (Nationwide)
PAIN
LEGAL AND INDUSTRIAL MEDICINE
NEW METHODS IN DIAGNOSIS AND TREATMENT
X-RAY AND RADIUM IN DIAGNOSIS AND TREATMENT
November (Nationwide)
MILITARY MEDICINE

### 1942

January (Chicago)
March (St. Louis)
May (New York)
July (Nationwide)
September (Boston)
November (Philadelphia)
TREATMENT OF COMMON SKIN DISEASES
MEDICAL EMERGENCIES
GASTRO-INTESTINAL DISEASES
INDUSTRIAL MEDICINE
SPECIFIC METHODS OF TREATMENT

#### 1943

January (Chicago)
March (Nationwide)
May (New York)
July (Mayo Clinic)
September (Boston)
November (Philadelphia)
OFFICE GYNECOLOGY
NUTRITION
INFECTIOUS AND TROPICAL DISEASES
PHYSICAL THERAPY
SPECIFIC METHODS OF TREATMENT
November (Philadelphia)
MEDICAL EMERGENCIES ON THE HOME FRONT

ABDOMEN, acute, 1942: May, 773
trauma to, 1942: May, 783
Abdominal conditions, acute, differential diagnosis, 1943: Nov., 1463
emergencies, medical, in Naval personnel, 1941: Nov., 1627
pain, acute, diagnosis, 1943: Nov., 1456
and colic in infants and children, 1942: May, 734
significance to clinician, 1941: Jan.,

trauma, 1941: March, 377 Abortion, 1942: March, 494 infectious, in domestic animals, 1943: May, 698 Abortion, threatened, 1941: Jan., 45; 1942: March, 496; 1943: Nov., 1601, 1603

vitamins in, 1941: May, 616, 617 with severe hemorrhage, 1943: Nov., 1603

Abruptio placentae, 1943; Nov., 1607 vitamins in, 1941; May, 618 Absess acute radium treatment 194

Abscess, acute, radium treatment, 1941: July, 954

cold, 1942: March, 568, 612 of breast, roentgen treatment, 1941:

May, 643 ischiorectal, operation for, prevention and management of complications, 1943: Jan., 221

\* Note: The volume year is given in italic type.

Abscess of chest wall, simulating tu- | berculosis, 1941: Sept., 1261 of lung, 1941: March, 545, Sept., 1257

Absenteeism rates due to sickness in in-

dustry, 1942: July, 1106 Acarophobia, 1942: Jan., 119

Accidents in industry, correlation of psychiatric cases with, 1942: July, 1100

- Achilles tendon, bursitis of, 1943: July,

inflamed, 1943: July, 1143

Achlorhydria, malnutrition due to, 1943: March, 572

Acidophilus in constipation, 1942: May, 796

Acidosis, diabetic, 1942: March, 375 in children, 1942: March, 456 postoperative, 1942: March, 358

Acne, 1941: Jan., 186; 1942: Jan., 175, 178

keloid, radium treatment, 1942: Jan., 135

roentgen treatment, 1941: July, 966 vitamin D in, 1942: Jan., 62 Acnitis, 1942: Jan., 79

Acrocyanosis, 1942: Sept., 1468 Acrodynia, thiamine in, 1942: Jan.,

54 Acromegaly, 1942: Nov., 1675, 1691 Actinomycosis, irradiation in, 1941: July, 955, 962 ·

Addison's disease, 1941: May, 797; 1942: March, 391, Nov., 1806 hypoglycemic crises in, 1943: Nov., 1621

Addition diet in gastro-intestinal allergy, 1942: May, 748

Adenitis, simple, roentgen treatment, 1941: July, 959 tuberculous, irradiation in, 1941:

July, 954, 963

Adenoma of pituitary, 1942: Nov., 1679,

1698, 1706 of stomach, roentgen diagnosis, 1941: July, 1130

Adenomatous goiter, 1942: Nov., 1733,

Adenylic acid in nutrition, 1943: March,

Adiposogenital dystrophy, 1942: Nov., 1669, 1835, 1837

Adolescents, mental disturbances in, 1941: March, 515

Adrenal cortex extract in Addison's disease, 1942: March, 397 in burns, 1942: March, 513 in shock, 1942: March, 426

cortex, tumors of, 1942: Nov., 1811

Adrenal crises, in Addison's disease, 1941: May, 800; 1942: Nov., 1809, 1810

glands, disease of, 1942: Nov., 1803 hypoglycemic crises in, 1943: Nov., 1621

infarction of, 1943: Nov., 1553 insufficiency, 1942: March, 391, Nov.,

medulla, tumors of, 1942: Nov., 1806 symptoms of central nervous origin, 1942: Nov., 1904

tuberculosis, 1942: March, 608 virilism, 1942: Nov., 1811

Adrenocorticotropic hormone, Nov., 1664

Adrenotropic hormone, 1942: Nov., 1664

Advisory Committees, Selective Service, local, 1941: Nov., 1511, 1513 national, 1941: Nov., 1514

Aero-embolism, 1941: Nov., 1643; 1942: July, 1314

Aero-otitis media, 1942: July, 1214 Affiliated units, Army medical service, 1941: Nov., 1550

African tick fever, 1943: May, 734 trypanosomiasis, 1943: Nov., 1491 Agglutination tests in brucellosis, 1943:

May, 710 in Rocky Mountain spotted fever, 1943: May, 730

in shigellosis, 1943: May, 694 in typhus fever, 1943: May, 781 Agitated depression, 1942: March, 409

Ainhum, 1943: July, 1150 Air composition, deviations in industry, 194?: July, 1193

conditioning, in industry, 1942: July,

disinfection, in industry, 1942: July, 1193

motion, measurement, 1942: July, 1182

pressures, high, effects of, 1942: July, 1213 purity, in industry, 1942: July, 1192

swallowing, 1942: May, 880 temperature and humidity,

July, 1181 Albumin-globulin ratio, 1942: May,

Albuminuria, chronic, 1943: Jan., 235 Alcohol injection, intraspinal, in cancer,

1041: Jan., 120, 127 subarachnoid, deleterious effects, 1942: Jan., 255

use of, in hypertension, 1942: Sept., 1428

Alcoholic neuritis, 1943: March, 424 pellagra, 1943: March, 393 psychoses, 1941: May, 715 Alcoholism, acute, 1942: March, 411 military service and, 1941: Nov., 1724, 1751 nutritional deficiency in, 1943: March, Allergic arthritis, 1943: Sept., 1331 therapy in migraine, 1941: Sept., 1323 Allergy, cutaneous, 1941: Jan., 185, March, 538; 1942: Jan., 14, 153 food, 1941: March, 529 emergencies due to, 1942: March, 429 gastro-intestinal, 1941: March, 540; 1942: March, 436, May, 737 nasal, 1942: March, 434 physical, 1942: March, 439 Alloys, toxic properties, 1942: July, 1281 Alpha rays, 1941: July, 876 Alpha-tocopherol, 1941: May, 617 Altitudes, high, effects on ocular function, 1941: Nov., 1642 emergencies due to, 1942: March, Aluminum hydroxide, drip, 1942: May, 649; 1943: Nov., 1583 in peptic ulcer, 1941: Sept., 1375 Ambinon in hypogonadism, 1942: Nov., Amblyopia, toxic, vitamin therapy, 1943: March, 559 Amebic dysentery, 1941: Sept., 1387; 1943: May, 687, 688, 691, Nov., 1480, 1481 simulating tuberculosis, Sept., 1262 Amenorrhea, 1942: Nov., 1831; 1943: Jan., 36 dysfunctional, 1942: Nov., 1834 hormone therapy, 1943: Sept., 1374 in cachexia nervosa, 1941: May, 768 in Fröhlich's syndrome, 1942: Nov., 1835 of ovarian origin, 1942: Nov., 1845 of pituitary origin, 1942: Nov., 1835 of uterine origin, 1942: Nov., 1851 roentgen treatment, 1941: July, 972; 1942: Nov., 1841, 1849 thyroid therapy, 1941: May, 608 American mucocutaneous leishmaniasis, 1943: Nov., 1493 trypanosomiasis, 1943: Nov., 1492 Ametropia, 1942: Sept., 1611

Amigen, intravenous use, 1943: March,

oral use, 1943: March, 309

Amino acids, 1943: March, 303 Aminophylline in bronchial asthma, 1942: March, 431 in left ventricular failure, 1943: Jan., 140 Amputation stump, ideal, 1943: July, Amputations, after-treatment, physical therapy in, 1943: July, 1109 hypothermia in, 1943: July, 1173 Andresen diet in hemorrhagic peptic u.cer, 1942: May, 661; 1943: Nov., 1582 Androgens, assays, diagnostic value, 1942: Nov., 1930 preparations, 1941: Jan., 156, 157, May, 612 Androsterone, 1942: Nov., 1888, 1930 Anemia, Cooley's, 1942: Jan., 223 roentgen diagnosis, 1941: May, 671 target cell in, 1941: May, 673 erythroblastic, roentgen diagnosis, 1941: May, 671 hemolytic, congenital, 1942: Jan., 219, Sept., 1453 roentgen diagnosis, 1941: May, 671 sternal aspiration in, 1941: May, 669 hypochromic, idiopathic, 1942: Sept., 1450 in hemorrhagic peptic ulcer, 1942: Sept., 1451 in relation to gastro-intestinal disorders, 1942: May, 897 in sprue, 1943: March, 455 macrocytic, nutritional, 1943: March, 467, 479 pernicious, 1942: Sept., 1439; 1943: March, 467, 477 sickle cell, 1942: Jan., 224 abdominal symptoms, 1943: Nov., 1474 roentgen diagnosis, 1941: May, 671 treatment, common problems, 1942: Sept., 1439 Anemometer, 1942: July, 1182, 1183 Anesthesia, general, in home and office practice, 1941: March, 579 in industrial injuries, 1941: March, 365 in warfare surgery, 1941: Nov., 1834 Anesthetization of lumbar ganglia in phlebitis, 1943: July, 990 Aneurysm, aortic, 1942: March, 318; 1943: Sept., 1289 cardiac, 1942: May, 919

intracranial, 1942: March, 329

Angina of effort, 1941: Sept., 1187; Anxiety in nutritional deficiency, 1943: 1942: March, 320 March, 435 pectoris, 1943: Sept., 1286, Nov., 1531

Angioma cavernosum, radium treatment, 1942: Jan., 134

malignant, 1941: July, 1063

Angioneurotic edema, 1941: March, 537; 1942: March, 437

Angioscotoma in military forces, 1941: Nov., 1650 Anhydremia in children, 1942: March,

454 Anhydro - hydroxy - progesterone threatened abortion, 1942: March, 496

Aniline dyes in burns, 1943: Sept., 1232, 1239

Aniseikonia in military forces, 1941: Nov., 1648

Ankle, sprain, 1941: Nov., 1855 Anorectal surgery, complications, prevention and management, 1943: Jan., 209

tuberculosis, 1942: March, 598 Anorexia nervosa, 1941: May, 609, 755; 1942: Nov., 1911 nutritional deficiency in, 1943: March,

322

of perplexing origin, 1941: Jan., 147 Anoscopy, 1942: May, 762

Anoxia in aviation, 1942: July, 1304 Antacids in peptic ulcer, 1941: Sept., 1369

Anteron in hypogonadism, 1942: Nov., 1881

Anthraco-silicosis, 1942: July, 1239 Anthracosis, 1942: July, 1239, 1243 Antidotes, chemical, 1942: March, 464

universal, 1942: March, 462 Antigens, injection of, reactions to, 1942: March, 440

Antimony in schistosomiasis, 1943: May, 859, 860 toxic properties, 1942: July, 1301

Antiseptics, urinary. See under Urinary tract infections.

Antitoxin, diphtheria, 1941: Sept., 1275 erysipelas, 1942: Jan., 90 Antuitrin S in hypogonadism, 1942:

Nov., 1881 Anuria, emergency aspects,

March, 351; 1943: Nov., 1572 in nephritis, 1941: Sept., 1405 obstructive, treatment, 1943: Nov., 1573

Anus, diseases, diagnosis, 1942: May, 755

pruritus, 1942: Jan., 117 roentgen treatment, 1941: July, 970

neurosis, 1942: Sept., 1620 states, military service and, 1941:

Nov., 1723, 1740 Aorta, aneurysm, 1942: March, 318; 1943: Sept., 1289

coarctation, symptomless, 1942: Jan., 269

rupture, 1942: March, 331

Aortitis, syphilitic, 1941: Sept., 1185, 1943: Sept., 1289

A.P.G., 1942: Nov., 1879

A.P.L. in hypogonadism, 1942: Nov., 1881

Apoplexy, intra-abdominal, 1941: Jan.,

Appendicitis, acute, 1942: March, 365, May, 773

differential diagnosis, 1941: Jan., in Naval forces, 1941: Nov., 1635

pain of, 1941: Jan., 21 Ariboflavinosis, 1943: March, 399, 495,

Army, cardiovascular disease in, 1941: Nov., 1615

communicable diseases in, 1941: Nov., 1589

eye disorders and, 1941: Nov., 1677 examination for special branches,

1941: Nov., 1518 feeding of, 1941: Nov., 1699; 1943: March, 581

foot disorders in, 1941: Nov., 1843; 1943: July, 1129 gastro-intestinal problems in, 1941:

Nov., 1859 hospitalization needs, 1941: Nov.,

1530 Induction Boards, 1941: Nov., 1529

Medical Department, personnel requirements, 1941: Nov., 1531 medical organization, in field, 1941: • Nov., 1527

in permanent camps, 1941: Nov., 1527

physical therapy in, symposium on, 1943: July, 1024

physician in, requirements, duties and opportunities, 1941: Nov., 1511 psychiatric problems, 1941: Nov.,

1717 skin disease and syphilis in, 1941: Nov., 1677

tuberculosis in, 1941: Nov., 1553,

x-ray examinations of chest for, 1941: Nov., 1773

Arrhenoblastoma of ovary, 1942: Nov., | Arthritis, rheumatoid, gold salts ther-Arsenic in psoriasis, 1942: Jan., 190 sensitivity and dermatitis, ascorbic acid in, 1943: March, 578 Arsenical polyneuritis, pyridoxine in, 1942: Jan., 57 Arterial circulation, physical measures to improve, 1943: July, 962 compression, intermittent, 1943: July, 989 arteriosclerotic, deficiency, Sept., 1457 disease, occlusive, physical medicine in, 1943: July, 951 in aged, 1943: July, 1013 physiologic mechanisms therapeutic implications, 1943: Sept., 1402 embolism, 1942: Sept., 1471 occlusion, peripheral, 1943: Nov., spasm, cerebral, 1942: March, 328 traumatic, 1942: Sept., 1470 vasoconstrictions and vasospasms, 1942: Sept., 1467 Arteriosclerosis, coronary, 1943: Sept., 1285 obliterans, 1942: March, 334 renal, with hypertensive vascular disease, 1943: Jan., 237 Arteriosclerotic arterial deficiency, 1942: Sept., 1457 Arteriovenous fistula of spinal cord, 1941: July, 1084 Arthralgias, 1943: Sept., 1311 Arthritides, infections, sulfonamides in, 1942: Sept., 1529 Arthritis, 1943: Sept., 1320 allergic, 1943: Sept., 1331 backache due to, 1943: July, 1070 gonorrheal, 1942: Sept., 1531; 1943: Sept., 1326 in child, 1943: Jan., 80 physical therapy in, 1943: July, 915 hypertrophic, 1943: Sept., 1338 of hip, physical therapy in, 1943: July, 920 of spine, physical therapy in, 1943: July, 919 physical therapy, 1943: July, 1002 infections, 1943: Sept., 1324 sulfonamides in, 1942: Sept., 1529; 1943: Sept., 1327 metabolic, 1943: Sept., 1328 metatarsophalangeal, 1941: Jan., 108

neuropathic, 1943: Sept., 1331 rheumatoid, 1943: Sept., 1332

fever therapy, 1943: July, 1123

apy, 1943: Sept., 1336 physical therapy, 1943: July, 1008 roentgen treatment, 1941: July, 963 Strümpell-Marie, 1943: Sept., 1338 syphilitic, 1943: Sept., 1326 traumatic, 1943: Sept., 1322 tuberculous, 1943: Sept., 1326 vitamin D in, 1942: Jan., 62 Arthroplasty, physical therapy with, 1943: July, 916 splint, 1943: July, 916 Artificial respiration, Schaefer method, 1942: March, 520 Asbestosis, 1942: July, 1239, 1257 Ascorbic acid, assays, 1943: March, 441 clinical uses, 1942: Sept., 1369 deficiency, 1943: March, 441 early, 1943: March, 495 laboratory diagnosis, 1943: March, 502 pathology, 1943: March, 515 wound healing and, 1943: March, 561 enzyme relationships, 1943: March, 283 in arsenic sensitivity and dermatitis, 1943: March, 578 in deficiency diseases, 1943: March, 274 in lead poisoning, 1943: March, 578 in pregnancy, 1943: March, 540 in skin diseases, 1942: Jan., 58 in wound healing, 1943: March, 562, 577 requirements and sources, 1943: March, 295, 442 Asphyxia, 1942: March, 522 Aspiration pneumonia, 1942: Jan., 253 Asthenia, neurocirculatory, in military forces, 1941: Nov., 1747 Asthma, bronchial, 1942: March, 439 cardiac, 1942: Sept., 1411 chemotherapy, 1941: Sept., 1210 histaminase in, chemical results, 1941: May, 857 in children, 1942: March, 452 perennial, 1941: March, 536 prolonged, 1942: March, 432 roentgen treatment, 1941: July, 972 simulating tuberculosis, 1941: Sept., 1259 treatment, 1942: Sept., 1501 Astigmatism, 1942: Sept., 1603 A.T. 10 in hypoparathyroidism, 1943: Nov., 1627 Atabrines in malaria, 1943: May, 627, Sept., 1423, Nov., 1480

in tuberculosis, 1942: March, 561 Athlete's foot, 1942: Jan., 151; 1943:

July, 1144 in military forces, 1941: Nov., 1683 Atmosphere, environmental, in industry,

1942: July, 1179 Atony of stomach, 1942: May, 884

Atopic dermatitis, 1941: Jan., 185, March, 538; 1942: Jan., 14, 102, 153 Atoxyl in African trypanosomiasis, 1943: May, 842 Atropine in bronchial asthma, 1942:

March, 431

in hemorrhagic peptic ulcer, 1942: May, 668

Aura of epilepsy, 1941: May, 728 Auricular fibrillation, digitalis in, 1943: Jan., 145

Auto-intoxication, intestinal.

May, 791 Aviation, aeroembolism in, 1941: Nov.,

1643; 1942: July, 1314 fatigue in pilots and, 1942: July, 1322 medicine, recent progress, 1942: July,

oxygen administration in, 1942: July, 1304

apparatus for, 1942: July, 1308 personnel, selection of, 1941: Nov., 1518; 1942: July, 1325, 1326

Axillary thrombosis, 1942: Sept., 1478 Azotemia, 1942: May, 904 nonrenal (extrarenal), 1940: Nov.,

BACILLARY dysentery, 1941: Sept., 1392, 1469; 1943: May, 687, 692, Sept., 1206, 1213, Nov., 1481

Bacillus coli arthritis, sulfonamides in, 1942: Sept., 1544

Back injuries and infections, physical therapy in, 1943: July, 919

Backache, 1941: Jan., 70 differential diagnosis, 1943: July, 1062 low, due to lumbosacral instability,

1942: Sept., 1551 management, in military hospitals, 1943: July, 1057 manipulative therapy for, 1943: July,

1071 pelvic origin, 1941: Jan., 50; 1943:

Jan., 12 psychogenic, 1943: July, 1071 1942: Bacteremia, sulfonamides Sept., 1377, 1380, 1384

Bancroftian filariasis, 1943: May, 862, Nov., 1485

Atelectasis, emergency aspects, 1942: Bandages, special 1941: Nov., 1762

March, 421 use of, in after-treatment of amputations, 1943: July, 1115

Bandaging to prevent edema, 1943: July, 959

Bang's disease, 1943: May, 698, 702 Barber's itch, 1942: Jan., 86

Barbiturates, anesthesia with, 1941: March, 588

ingestion, suicide from, 1941: March.

skin eruption due to, 1942: Jan., 145 Barium, toxic properties, 1942: July,

Base hospitals, duties of medical officer, 1941: Nov., 1524

Basophilia, punctate, in lead poisoning 1942: July, 1265

Basophilism, pituitary, 1942: Nov., 1692 Bath, colloid. See Colloid baths. contrast, in occlusive arterial disease, 1943: July, 963

Battalion aid stations, 1941: Nov., 1541, 1542

Bayer 205 in African trypanosomiasis, 1943: May, 843 Begonie and Tribondeau law, 1941:

May, 811

Bends, 1942: July, 1222 Benzedrine sulfate in seasickness, therapeutic evaluation in 100 cases, 1943:

Nov., 1652 Benzidine test for occult blood, 1941: March, 562

Bequerel rays, 1941: July, 874 Beriberi, 1943: March, 409

vitamin therapy, 1943: March, 274, 417

Beta rays, 1941: July, 876 Between-meal feedings in industry, 1942: July, 1075

Bile ducts, dysfunction, 1942: May, 855 preparations in cholecystitis, 1941: Sept., 1385

Bilharziasis, 1943: May, 848 Biliary calculi. See Cholelithiasis and Gal'bladder disease.

colic, 1942: May, 865 drainage by dundenal intubation, 1943: Nov., 1659

dyskinesia, 1942: May, 866, 870 tract diseases, diagnosis, 1943: Nov.,

laboratory aids, 1942: May, 899 pain, 1941: Jan., 23

test of hepatic function, 1942: Sept., 1401

Bimanual examination in gonorrhea in women, 1943: Jan., 92

Biologic oxidation, vitamins and, 1942: Jan., 50

Biopsy, cervical, 1942: Jan., 210 endometrial, 1943: Jan., 64 in carcinoma of cervix, 1941: July,

in rectocolonic tumor, 1942: May, 770 Birth marks, radium treatment, 1941: July, 946

Bladder, calculi, 1941: Jan., 263 carcinoma, roentgen treatment, 1941: July, 1002

decompression of, 1943: Nov., 1564 diverticulum, 1941: Jan., 263

elusive (Hunner) ulcer, 1941: Jan.,

injuries, 1941: March, 380 fibrosis, 1941: Jan., 257

neurogenic, 1943: Nov., 1566 tumors, 1941: Jan., 268

Blastomycosis, roentgen treatment, 1941: July, 963

Blepharitis ciliaris, 1943: March, 556 Blisters, foot, in soldiers, 1941: Nov.,

Blood, chemical values, in health and disease, 1942: Sept., 1406

disorders, in infancy and childhood, 1941: May, 659 dyscrasias, fever in, 1941: Jan., 295

roentgen diagnosis, 1941: May, 669 occult, benzidine test, 1941: March, 562

pressure, scoring system in industrial poisonings, 1942: July, 1148

reactions from sulfonamides, marrow examination by puncture in, 1941: May, 663

serum, its application in medicine, 1941: Jan., 219

phosphatase determination, in differential diagnosis of jaundice, 1941: May, 841, 844

sodium concentration, in Addison's disease, 1941: May, 798

stored, for transfusion, 1941: Jan., 219, 235 show, in carcinoma of cervix, 1941:

July, 887 substitutes, use of, 1943: Jan., 157,

transfusion. See Transfusion. vitamin levels, 1942: Sept., 1395 Blood-fluke disease, 1943: May, 848 Bockhart's impetigo, 1942: Jan., 87

Body language, 1943: Nov., 1638 temperature, regulation of, 1942: July, 1179

Boils, 1942: Jan., 91

Bombs, incendiary, burns from, 1941: Nov., 1689

1675

Bone marrow examination by sternal puncture, 1941: May, 663

Bones, pain in, 1941: Jan., 63 tumors, roentgen diagnosis, 1941: July, 1041

roentgen treatment, 1941: July, 1004

tuberculosis, 1942: March, 605

Borak's method for roentgen irradiation of pituitary in hyperthyroidism, 1942: Nov., 1764

Brachial birth palsy, physical therapy in, 1943: July, 917 plexus, injuries, physical therapy in, 1943: July, 917

Brain, congenital defects, convulsions in, 1941: March, 509

injuries, 1941: March, 393

by shock treatment in psychoses, 1941: May, 741

organic diseases, military service and, 1941: Nov., 1725, 1751

tumors, electroencephalography in, 1941: Sept., 1486 head pain from, 1941: Jan., 4, 12 roentgen treatment, 1941: July,

993 vascular accidents, 1943: Nov., 1554 waves, study of, 1941: Sept., 1477

Braxton Hicks version in placenta praevia, 1941: May, 653 Breakbone fever, 1943: May, 808

Breast, abscess, roentgen treatment, 1941: May, 643 carcinoma of roentgen treatment,

1941: July, 996 feeding, 1941: Sept., 1435

pain in, premenstrual, hormone therapy, 1943: Sept., 1382 Breech delivery, 1941: Jan., 271

extraction, 1941: Jan., 271 Brewer's yeast, 1942: Sept., 1366; 1943: March, 300

in pregnancy, 1941: May, 621 Bright's disease. See Nephritis. Brill's disease, 1941: Sept., 1473; 1943:

May, 786 Brombenzycyanide, 1941: Nov., 1642

Bromides in epilepsy, 1941: Sept., 1339 in peptic ulcer, 1941: Sept., 1365 skin eruption due to, 1942: Jan., 144

Broncheal asthma. See Asthma Bronchiectasis, 1941: Sept., 1255 carcinoma Bronchiogenic roentgen

treatment, 1941: July, 1000 Bronchiolitis of infants, 1942: March,

Bronchitis, acute, in infants and children, 1942: Jan., 249 capillary, 1942: Jan., 250

Bronchopneumonia in infants and children, 1942: Jan., 251 simulating tuberculosis, 1941: Sept.,

1269

Bronchoscopic drainage in pulmonary abscess, 1941: March, 553

Brucellin, 1943: Jan., 266, May, 716 Brucellosis, 1941: Jan., 290; 1943: Jan., 259, May, 698

arthritis of, sulfonamides in, 1942: Sept., 1546 agnosis, 1943: Jan., 262, May, 704

diagnosis, 1943: Jan., 262, May, 704 epidemiology, 1943: Jan., 259, May, 700

fever therapy in, 1943: July, 920 treatment and prevention, 1943: Jan., 264, May, 714, 718

Buerger's disease. See Thrombo-angittis obliturans.

exercises, 1942: March, 337; 1943: July, 962

Buerger-Allen exercises, 1942: Sept., 1458; 1943: July, 962

Bulgarian treatment of von Economo's encephalitis, 1943: May, 648 Bunion, 1943: July, 1141

in soldiers, 1941: Nov., 1853

Burns, aniline dyes in, 1943: Sept., 1232, 1239

blood and blood substitutes in, 1943: Jan., 170

complications, 1943: Sept., 1240, 1241 dermatologic management, 1941: Nov., 1686

emergency treatment, 1941: Nov., 1766; 1942: March, 509

in military forces, 1941: Nov., 1666 local treatment, 1943: Sept., 1231, 1236

in war, 1941: Nov., 1831 of eye, 1941: March, 370

plasma administration in, 1941: Nov., 1819; 1942: March, 510, 513; 1943: Sept., 1231, 1235

pressure dressing of Koch in, 1943: Sept., 1237

Sept., 1237 shock in, 1941: Nov., 1818; 1942: March, 510; 1943: Sept., 1230, 1233 skin grafting in, 1943: Sept., 1243

sulfonamides in, 1941: Nov., 1832; 1942: Sept., 1382; 1943: Sept., 1231, 1238

tannic acid in, 1943: Sept., 1232, 1237 toxemia of 1943: Sept., 1236 treatment, 1941: Nov., 1668, 1813,

1817; 1943: Sept., 1229

Bursitis, 1941: Jan., 65 foot, 1943: July, 1141

in soldiers, 1941: Nov., 1852 of Achilles tendon, 1943: July, 1143

of Achilles tendon, 1943: July, 1143 subacromial physical therapy in, 1943: July, 917

subdeltoid, diathermy in, 1943: July,

physical therapy in, 1943: July, 917, 1012

CACHEXIA nervosa, 1941: May, 755 Cadmium, toxic properties, 1942: July, 1294

Cafeteria menus in industry, 1942: July, 1068, 1080

Caisson disease, 1942: July, 1213 Calcaneus, epiphysitis, 1941: Jan., 106 Calciferol in pregnancy, 1941: May, 622

Calcium as nutrient, 1943: March, 283 dietary requirements, 1943: March, 297

gluconate in cancer, 1941: Jan., 128 metabolism, physical therapy and, relationships, 1943: July, 1178 therapy in lichen urticatus, 1942:

Jan., 166 in pregnancy, 1943: March, 538 Calculi, biliary. See Cholelithiasis and Gallbladder disease.

vesical, 1941: Jan., 263 Calluses, 1943: July, 1135, 1142

foot, in soldiers, 1941: Nov., 1851 Caloric requirements, 1943: March, 291 Calvarium, tumors, and conditions which may simulate them roentgenologically, 1941: July, 1106

Capillary fragility tests, 1942: Jan.,

Carbarsone in amebic dysentery, 1941: Sept., 1390; 1943: May, 692 Carbohydrate metabolism, 1943: March, 315

disorders of, 1943: March, 320 Carbon dioxide, high pressure, effects, 1942: July, 1218

Carbon monoxide poisoning, 1941: March, 437; 1942: March, 524

Carbuncle, 1942: Jan., 95 radium treatment, 1941: July, 954 roentgen treatment, 1941: July, 958 sulfonamides in, 1942: Sept., 1382

Carcinoma, bronchiogenic, roentgen treatment, 1941: July, 1000 embryonal, of kidney, 1941: July,

of testis, 1941: July, 1002 fever in, 1941: Jan., 296

ment, 1941: July, 991 metastatic, of bone, roentgen diagnosis, 1941: July, 1050 of skull, roentgen diagnosis, 1941:

July, 1111

of bladder, roentgen treatment, 1941: July, 1002

of breast, roentgen treatment, 1941: July, 996 of cervix, 1941: July, 886, 894; 1942:

Jan., 210

direction of therapeutic, effort in, 1941: July, 885

prophylaxis, 1942: Jan., 215

radiologic treatment, 1941: July, 899, 908, 989

of fallopian tubes, radium treatment, 1941: July, 905

of female genitalia, malignancy according to location, 1941: July, 912

radium therapy, 1941: July, 905 of gastro-intestinal tract in Naval forces, 1941: Nov., 1634 roentgen treatment, 1941: July,

of larynx, roentgen treatment, 1941: July, 992

of liver, primary, 1942: May, 855 of lung simulating tuberculosis, 1941: Sept., 1257

of ovary, radium treatment, 1941:

July, 905 of rectum, 1941: July, 915, 921, 924 radiologic treatment, 1941: July, 929, 936, 1005

surgical diathermy for, 1941: July, 937

surgical management, 1941: July, 925

of stomach in military forces, 1941: Nov., 1864

of uterus, radiologic treatment, 1941:

July, 909, 1006 of vagina, radium treatment, 1941: July, 911

of vulva, radium treatment, 1941: July, 911

pain in, control, 1941: Jan., 117 post-irradiation, 1941: July, 1013

Cardiac. See also Heart. asthma, 1942: Sept., 1411 Cardiospasm, 1942: May, 883

in military forces, 1941: Nov., 1860 Cardiovascular diseases, and military medicine, 1941: Nov., 1615

hypertensive, 1943: Jan., 237, 238, 239

Carcinoma, intra-oral, roentgen treat- | Cardiovascular diseases in aged, physical therapy in, 1943: July, 1013 psychosomatic aspect, in military forces, 1941: Nov., 1747

Caries, dental, nutrition and, 1943: March, 547

Carnotite, 1941: July, 877

Carotene in pregnancy, 1941: May, 623 Carotid body, tumors, 1941: July, 995 Caruncle, urethral, 1941: Jan., 255

Castrates, testosterone therapy, 1942: Nov., 1893

Cataract, 1942: May, 958

vitamin therapy, 1943: March, 559 Cathartics, irritable colon and, 1942: Jan., 228

Catheters, urethral, 1943: Nov., 1563, 1564

Cauda equina, injuries, 1943: July, 1086 Causalgia, 1941: Jan., 67

Celiac disease, diarrhea due to, 1942: May, 730 nutritional deficiency in, 1943:

March, 322 Cells, specific sensitiveness to irradiation, 1941: July, 975

Cement dermatitis, 1942: Jan., 26 Central artery of retina, occlusion of,

1943: Nov., 1552 nervous system, manifestations of nutritional deficiencies in, 1943: March, 431

Cephalin flocculation reaction in differential diagnosis of jaundice, 1941: May, 843, 844

Cerebral arterial spasm, 1942: March, 328

defects, congenital, convulsions in, 1941: March, 509 embolism, 1942: March, 328; 1942:

Nov., 1554 hemorrhage, 1942: March, 325;

1943: Nov., 1554 obesity, 1942: Nov., 1676

poisonings in infants and children, 1941: March, 505

thrombosis, 1941: March, 500; 1942: March, 327; 1943: Nov., 1554 Cerebrovascular accidents, 1943: Nov.,

Cervical gland fluid examination in African trypanosomiasis, 1943: May, 839

rib, 1941: Jan., 60

vertebrae, disease, head pain from, 1941: Jan., 7, 13 Cervicitis, chronic, 1943: Jan., 49, 99 electrosurgical treatment, 1943: Jan., 52, 99

Cervix uteri, biopsy, 1942: Jan., 210 carcinoma. See Carcinoma of cervix. dilatation, in amenorrhea, 1942: Nov., 1850 diseases, as cause of leukorrhea, 1943: Jan., 49 electrosurgery of, 1943: Jan., 6, 53, 103, 105 erosions, 1943: Jan., 6, 53, 100

examination, 1942: Jan., 200 smears from, 1943: Jan., 91

Cesarean section in breech presenta-tion, 1941: Jan., 284 in eclampsia, 1943: Nov., 1600 in placenta praevia, 1941: May, 654 Cevitamic acid in feeding of newborn, 1941: May, 626

Chagas' disease, 1943: May, 822; 1943:

Nov., 1492

Chancre, 1942: Jan., 65 Chancroid in military forces, 1941:

Nov., 1697 laboratory diagnosis, 1941: May, 835 sulfanilamide in, 1941: March, 459

Charcot's joint, 1943: Sept., 1331 Cheilosis in early nutritional deficiencies, 1943: March, 492

in riboflavin deficiency, 1943: March, 399, 400, 405, 550

Chemical balance, hormones in main-taining, 1943: Nov., 1615

poisoning in industry, 1942: July, 1145 blood pressure scoring system. 1942: July, 1148

warfare agents, skin damage by, 1941: Nov., 1686

Chemicals, harmful, ill health in industry due to, prevention, 1942: July, 1145

Chemotherapy. See also the various sulfonamides, mandelic acid, etc. in compound fractures, 1942: March, 491

in infectious arthritides, 1942: Sept., 1529; 1943: Sept., 1327

in meningococcal infections, 1941: Nov., 1605; 1942: Sept., 1384; 1943: Sept., 1204, 1205, 1253, Nov.,

in pneumonia, 1941: Jan., 205; Sept., 1199; 1942: Sept., 1379, 1382, 1383, 1487, 1489; 1943: Sept., 1299, Nov., 1452

in sinusitis, 1942: Sept., 1518, 1527 in streptococcal infections, 1941: Nov., 1608; 1942: Sept., 1377; 1943: Sept., 1203, 1253

in urinary tract infections, 1943: Sept., 1254, Nov., 1457

Chemotherapy in war injuries, 1941: Nov., 1836

present status, 1942: Sept., 1375; 1943: Sept., 1247

uses and abuses in, 1941: March, 453

Chest, diseases, abdominal pain in, 1941: Jan., 29 injuries, 1941: March, 373

lesions, roentgen d'agnosis, medicolegal aspects, 1941: March, 341 roentgen examination, for U. S. Army, 1941: Nov., 1773

wall, abscess of, simulating tuberculosis, 1941: Sept., 1261

Chickenpox, 1943: Nov., 1528 convalescent serum, 1941: Jan., 234 Chigoe flea bites, 1943: July, 1150

Childbirth. See Labor. Children, feeding of, 1943: Sept., 1355 emergencies of, 1942: March, 445 refusal of food by, management, 1943: Sept., 1369

respiratory tract diseases in, 1942: Jan., 237

skin diseases in, 1942: Jan., 163 Chimani-Moos test for malingering in deafness, 1941: Nov., 1664

Chiniofon in amebic dysentery, 1941: Sept., 1391; 1943: May, 691 Chloracetophenone, 1941: Nov., 1642

Chlorhydroxyquinoline in impetigo contagiosa, 1942: Jan., 171

Chlorides, loss of, at operation, 1942: March, 357

Chlorine poisoning, 1941: Nov., 1675 Chloroform anesthesia, 1941: March,

Chloropicrin poisoning, 1941: Nov., 1676

Cholecystitis, 1941: Sept., 1377, 1380; 1942: May, 778; 1943: Nov., 1583. See also Gallbladder disease.

in military forces, 1941: Nov., 1868 Cholelithiasis, 1941: Sept., 1380. See also Gallbladder disease.

Cholera, 1943: May, 766, Nov., 1490 treatment and prevention, May, 769, 773, Nov., 1490

Cholesterol in arthritis, 1940: July, 1230

studies, 1942: May. 901 Chondrodysplasia, 1941: July, 1054 Chondrodystrophy, 1941: July, 1054

Chondroma, roentgen diagnosis, 1941: July, 1054, 1055 Chondrosarcoma, 1941: July. 1061

Chorea, physical therapy in, 1943: July, 915

Choriomeningitis, lymphocytic, 1941: March, 497; 1943: Nov., 1517 Chorionic gonadotropins, 1942: Nov., 1880, 1881; 1943: Jan., 10, 28, 31

Chorioretinitis, 1943; March, 557 Christmas tree dermatitis, 1942: Jan.,

Chrome dermatitis, 1942: Jan., 25, July, 1288

hole, 1942: July, 1288 Chromium, toxic properties, 1942: July,

Chronic illness, psychosomatic study in, 1943: Nov., 1636

Chrysanthemum dermatitis, 1942: Jan.,

Chrysarobin in psoriasis, 1942: Jan.,

Circulation, adequacy, use of fluorescein to determine, 1942: May, 943 Circulatory system, depressants, poison-

ing by, 1942: March, 466 pain arising in, 1941: Jan., 77 Clavus, roentgen treatment, 1941: July,

Claw toe in soldiers, 1941: Nov., 1854

Clay-shoveler's fracture, 1943: July, 1080

Cleansers, skin, in industry, 1942: July, 1195, 1203

list of giving composition, 1942: July, 1211

synthetic wetting agents and detergents, 1942: July, 1204 Clearing station, combatant service, 1941: Nov., 1541, 1546

Climacteric. See also Menopause. male, 1942: Nov., 1891

Clinical laboratories, relation to practicing physician, 1941: May, 823

Coarctation of aorta, symptomless, 1942: Jan., 269

Cobalt as nutrient, 1943: March, 285 Cobra venom in incurable cancer, 1941: Jan., 118

Cocaine addiction, psychosis due to, 1941: May, 720 and opiate addiction, 1941: May. 721

Coccidicidal granuloma, 1943: May, 794, 798

Coccidioides immitis, 1943: May, 790 Coccidioidin serological tests, 1943: May, 802

skin test, 1943: May, 800 Coccidio domycosis, 1943: May, 790 Coccygodynia, physical therapy in, 1943: July, 920 Cod liver oil, 1943: March, 354

in pregnancy, 1941: May, 622

Cod liver oil in rickets, 1943: March, 366

Coenzymes, 1943: March, 279 Cold abscess, 1942: March, 568, 612 Cold, application of, in military prac-

tice, 1943: July, 1166 Colds, common, 1941: Jan., 195 in infants and children, 1942: Jan., 237; 1943: Nov., 1525 in military forces, 1941: Sept.,

1464, Nov., 1598 Colic, biliary, 1942: May, 865

diagnostic import, 1943: Nov., 1464 in infants, 1942: March, 457, May, 734; 1943: Nov., 1524 renal, 1942: March, 347; 1943: Nov.,

Colitis, mucous, 1942: May, 805 ulcerative, arthritis of, sulfonamides in, 1942: Sept., 1548 in military forces, 1941: Nov., 1866 sulfonamides in, 1943: Jan., 190,

193 Collapse therapy in tuberculosis, 1941:

Sept., 1248; 1942: March, 546 Collecting stations, combatant service, 1941: Nov., 1543, 1545

Colloid baths in lichen urticatus, 1942: Jan., 167

in pruritus, 1942: Jan., 116 Colon bacillus infection, puerperal, 1941: May, 634

Colon, diseases, diagnostic, pitfalls, 1942: May, 755

pain in, 1941: Jan., 22 diverticulitis, acute, 1942: March, 372 infectious diseases, sulfonamides in,

1943: Jan., 189 irritable, 1942: Jan., 227, May, 805; 1943: Sept., 1385

Colposcopy, 1942: Jan., 213 Combat troops, duties of medical officer, 1941: Nov., 1524, 1525

medical service for, 1941: Nov., 1533 in field, 1941: Nov., 1541

Comma bacillus, 1943: May, 766 Commitment proceedings in insanity, 1941: March, 321

Communicable diseases and military medicine, 1941: Nov., 1589

of infants, 1943: Nov., 1530 Compensation, workmen's. See Workmen's compensation.

Complement fixation test in American trypanosomiasis, 1943: May,

> in syphilis, 1941: May, 829, 832 in typhus fever, 1943: May, 781

Compressed air illness, prevention and treatment, 1942: July, 1213, 1219

Compression sponge in prevention of edema, 1943: July, 961

Compulsion neurosis, 1942: Sept., 1622 Concentration test of renal function, 1942: Sept., 1398

Concussion of brain, 1941: March, 394, 398

Condyloma acuminata, 1942: Jan., 194 latum, 1942: Jan., 68 Conization of cervix, 1943: Jan., 53,

Conjunctiva, tumors, treatment, 1941:

July, 995 Conjunctivitis, 1942: May, 956 diet as cause, 1943: March, 556 gonorrheal, in military forces, 1941:

Nov., 1650 in pellagra, 1943: March, 389 shipyard, 1943: Nov., 1641

Constipation in infants and children, 1942: May, 732; 1943: Nov., 1524 in military forces, 1941: Nov., 1867 nature and treatment, 1942: May, 787 Contact dermatitis, 1942: Jan., 13, 154 Contracts, making, competency of individual, 1941: March, 326

Contrast baths in occlusive arterial disease, 1943: July, 963 myelography, 1941: July, 1067

Convalescent hospital, Army combat service, 1941: Nov., 1548 serum, in measles, 1941: Jan., 230,

232 in poliomyelitis, 1941: May, 688 in scarlet fever, 1941: Jan., 222,

223, 224 its application in medicine, 1941: Jan., 219

types, doses and indications, 1943: Jan., 157, 158

Conversion hysteria, military service and, 1941: Nov., 1723, 1739

Convulsions in infancy and childhood, 1941: March, 485; 1942: March, 445; 1943: Nov., 1530

Cook's emulsion base, 1942: Jan., 116 Cooley's anemia, 1942: Jan., 223 roentgen diagnosis, 1941: May, 671

target cell in, 1941: May, 673 Copper as nutrient, 1943: March, 284 Cordotomy in cancer, 1941: Jan., 125 Cornea, lesions, 1942: May. 954. 957 ulcers, vitamin therapy, 1943: March,

Corns, 1943: July, 1142 in soldiers, 1941: Nov., 1850 plantar, 1943: July, 1135

Corns, roentgen treatment, 1941: July, 967

Coronary arteriosclerosis, 1943: Sept., 1285

artery disease, 1941: Jan., 95 hypertension, 1943: Sept., 1263

syphilis of, 1941: May, 789 insufficiency, 1942: May, 907 emergency aspects, 1942, March, 319

thrombosis, 1941: Sept., 1187, 1190; 1942: Sept., 1414; 1943: Nov., 1531, 1533

abdominal pain in, 1941: Jan., 29 Corps Area Commanders, duties, 1941: Nov., 1528

Service Command, organization, 1941: Nov., 1529

Corticosterone, 1942: Nov., Cough in infants and children, 1942: Jan., 241

treatment, 1941: Jan., 200 Court, doctor as witness in, 1941: March, 303, 434

Criminal responsibility, insanity and, 1941: March, 313

Croup, 1942: March, 447

in infants, 1943: Nov., 1526 spasmodic, 1942: Jan., 248 Cryptorchidism 'with hypogonadism, 1942: Nov., 1877, 1880

Cul-de-sac, anatomic variations, contract myelography in, 1941: July,

Cultures, material for, obtaining in gonorrhea in female, 1943: Jan.,

Curies and radium, 1941: July, 875 Cushing's syndrome, 1942: Nov., 1692, 1811

Cutaneous. See Skin. Cutis marmorata, 1942: Sept., 1469 Cystic hygroma, irradiation of, 1941: July, 948, 995 Cystitis, gonorrheal, 1943: Jan., 88

postoperative, 1941: Sept., 1431 Cystotomy, suprapubic, 1943: Nov., 1565

Cysts, hemorrhagic, of bone, roentgen diagnosis, 1941: July, 1058 ovarian, 1942: Nov., 1818 Rathke's c'eft, 1942: Nov., 1680 urethral, 1941: Jan., 248

D.A.H. in World War I troops, 1941: Nov., 1621 Darier's disease, vitamin A in, 1942: Jan., 53

Dark adaptation in vitamin A deficiency, 1942: May, 968 poor, 1943: March, 355, 554

Deafness, feigning of, tests for, 1941: Nov., 1662

from labyrinthine war injuries, 1941: Nov., 1656, 1657

Death by violence, 1941: March, 423 circumstances of, 1941: March, 429 determination of, 1941: March, 426 duration of, 1941: March, 428

Decompression of bladder, 1943: Nov., 1564

Débridement of flesh wounds in war, 1941: Nov., 1834

of wound in compound fractures, 1942: March, 483, 486 Decompression following exposure in

compressed air, 1942: July, 1226 Deep-sea diving, examination for, 1941:

Nov., 1518 Deficiency diseases, early, recognition and treatment, 1943: March, 485

in industrial workers, 1942: July, laboratory diagnosis, 1943: March,

pathology, 1943: March, 509 role of gastro-intestinal tract in

conditioning, 1943: March, 519 Dehydration, diagnostic, import, 1943: Nov., 1466

in diabetic acidosis, 1942: March, 377 in epilepsy, 1941: Sept., 1344 postoperative, 1942: March, 356 with intestinal intoxication in chil-

dren, 1942: March, 454 Dehydrocholesterol, activated,

Jan., 60 Delirium, alcoholic, chronic, 1941: May. 716

in military forces, 1941: Nov., 1753 tremens, 1941: May, 715

Delivery. See Labor.

Dementia paralytica, 1941: May, 729 praecox, 1941: May, 710; 1942: March, 409

prepsychotic and postpsychotic personalities, military service and, 1941: Nov., 1723, 1749

shock therapy, 1941: May, 735 Dengue fever, 1943: May, 808, Nov.,

Dental Advisory Committee, Selective Service, 1941: Nov., 1515 Dental caries, diet and, 1943: March,

Dermacentroxenus rickettsi, 1943: May, 723

Dermatitis, 1941: Jan., 181 atropic, 1941: Jan., 185, March, 538; 1942: Jan., 14, 102, 153

chrome, 1942: July, 1288 contact, 1942: Jan., 13, 154 eczematous, 1942: Jan., 13 "emotional," of fingers, 1942: Jan.,

hair-dye, 1942: Jan., 98 in military forces, 1941: Nov., 1677 industrial, 1942: Jan., 21 mycotic, 1941: Jan., 188

nonsensitization, 1942: Jan., 13 occupational, 1941: Jan., 183 papillaris capillitii, radium treatment,

1942: Jan., 135 pellagrous, 1943: March, 382 seborrheic, 1942: Jan., 180 sensitization, 1942: Jan., 13, 14

supposedly psychogenic, 1942: Jan., 101

venenata, 1942: Jan., 13

Dermatologic conditions, roentgen treatment, 1941: July, 965 Dermatomycosis pedum, 1943: July,

Dermatophytosis, 1942: Sept., 1459,

1465 Dermatoses, toxic, 1942: Jan., 139 Dermoid tumor of ovary, pregnancy complicating, in young girl, 1943:

Jan., 23 Desoxycorticosterone, 1942: Nov., 1804

in Addison's disease, 1941: May, 797, 799; 1942: March, 397, 398, Nov., 1809 pellet implantation, 1942: March,

399 Detergents in industry, 1942: July, 1203 list of, with description, 1942: July,

1204 Diabetes insipidus, 1942: Nov., 1658 neurogenic factors, 1942: Nov., 1906

Diabetes mellitus, 1942: Nov., 1785 acidosis in, 1942: March, 375 diagnosis and onset, 1941: Sept., 1213

diet in, 1941: Sept., 1216, 1217; 1942: Nov., 789 etiology. 1943: March, 323

gangrene of, 1942: Sept., 1461 heredity in, 1941: Sept., 1213 insulin in, 1941: Sept., 1213; 1942: Nov., 1793

long duration, 1941: Sept., 1236 difficulties in diagnosis without hospital stay, 1941: Sept., 1224

1942: Nov., 1902 obesity in, 1941: Sept., 1213 protamine-zinc insulin in, 1941: Sept., 1213; 1942: Nov., 1794 simulating tuberculosis, 1941: Sept., thyrotoxicosis complicated 1941: Sept., 1351 trauma in, 1941: Sept., 1213 treatment, 1941: Sept., 1213; 1942: Nov., 1788 Diabetic, automobile driving by, 1941: Sept., 1219 Diabetogenic hormone, 1942: Nov., 1664 Diagnosis, laboratory aids, 1942: Sept., Diarrhea, deficiency state due to, 1943: March, 524, 571 Diaphyseal aclasis, 1941: July, 1054 Diarrhea, chronic, nature and treatment, 1942: May, 798 in infants and children, 1942: May, 727, 730 in sprue, 1943: March, 454 Diathermy, calcium metabolism and, 1943: July, 1183 short wave, 1941: May, 815 in carbuncle, 1942: Jan., 96 short wave, in occlusive arterial disease, 1943: July, 967 surgical, for carcinoma of rectum, 1941: July, 937, 939 Dick test in scarlet fever, 1943: May, toxin in scarlet fever, 1943: May, 668 Diencephalic syndrome, hypertension with, 1943: Sept., 1261 Diet, adequate, for military personnel, 1941: Nov., 1709 Andresen, 1942: May, 661; 1943: Nov., 1582 Army, 1943: March, 581 basic, for sick patients, 1943: March, 576 bland, low residue, for constipation and diarrhea, 1942: May, 794 eye lesions and, 1943: March, 553 fatigue and, 1942: July, 1067 for infants, 1941: Sept., 1448, 1449; 1943: Sept., 1361 for older children, 1943: Sept., 1361 for sick child, 1943: Sept., 1366 in amebic dysentery, 1941: Sept., 1388

in deficiency diseases, 1943: March,

in diabetes mellitus, 1941: Sept., 1216,

1217; 1942: Nov., 1789

531

Diabetes mellitus, neurogenic factor, | Diet in essential hypertension, 1941: Jan., 136 in hyperinsulinism, 1942: Nov., 1800 in hypertension, 1942: Sept., 1427 in irritable stomach and colon, 1943: Sept., 1388, 1390, 1394 in liver dysfunction, 1942: May, 844, 849 in migraine, 1941: Sept., 1327 in peptic ulcer, 1941: Sept., 1365; 1942: May, 648, 661 in pregnancy, 1943: March, 537, 574 in prevention of colds, 1941: Jan., in renal disease, 1941: Sept., 1403, 1404, 1410; 1943: Jan., 243 in spastic colon, 1942: May, 813 in sprue, 1943: March, 462, 463 inadequate, malnutrition 1943: March, 521, 575 ketogenic in epilepsy, 1941: Sept., 1342 Meulengracht, 1942: May, 661; 1943: Nov., 1582 psychoses and, 1941: May, 742 reduction, 1943: March, 345, 346 requirements of, 1943: March, 288, Sippy, modified, 1943: Nov., 1581 teeth and, 1943: March, 545 therapeutic, malnutrition 1943: March, 522, 575 vitamins in, 1942: Sept., 1347 weight-building, for children, 1943: Sept., 1368 worker's, 1942: July, 1068, 1076, 1079, 1154 Diethylstilbestrol. See Stilbestrol. Dietitian in industrial plant, July, 1079 Digestive disorders of infants and children, 1942: May, 725 Digifoline, 1943: Jan., 153 Digilanid, 1942: May, 934; 1943: Jan., Digitalis, dosage and administration, 1943: Jan., 152 glycosides, use of, 1942: May, 929 therapy, recent advances, 1942: May, 929 toxic effects, 1943: Jan., 149 uses and abuses, 1943: Jan., 143 Digiti quinti varus, 1943: July, 1134 D'gitoxin, 1942: May, 938; 1943: Jan., Digoxin, 1942: May, 937

Dihydrotachysterol in hypoparathyroid-

ism, 1943: Nov., 1627

Dilantin sodium in epilepsy, 1941: Sept., 1 Dilatation of stomach, acute, 1942: March, 364 Dilution test of renal function, 1942: Sept., 1399 Diodoquin in amebiasis, 1943: May, 691 Diphtheria, 1943: Nov., 1529 epidemiology, 1943: May, 651 exudate of, 1942: March, 448 immunization, 1943: May, 655, 659 in military forces, 1941: Sept., 1468, Nov., 1607 Schick test, 1943: May, 656, 659 treatment, 1941: Sept., 1273 Diplegia, spastic, 1941: March, 510 Disama diatulu, 1943: May, 841 Dislocations, physical therapy in, 1943: July, 914 Diuretics in nephrotic edema, 1941: Sept., 1412 Divers, deep-sea, compressed air illness in, 1942: July, 1213 Diverticula of bladder, 1941: Jan., 263 of esophagus, 1942: May, 889 urethral, 1941: Jan., 251 Diverticulitis of colon acute, 1942: March, 372 Dream state, postepileptic, 1941: May, 729 Dress shield dermatitis, 1942: Jan., 17 Dressings, improvised, in military surgery, 1941: Nov., 1761 Drip feeding, 1942: May, 649 Droplet nuclei in transmission of airborne infections, 1941: Nov., 1597 Drug eruptions, 1942: Jan., 141, 142 psychoses, 1941: May, 717 reaction, serum transfusion in, 1943: Jan., 169 sensitivity, vitamin C in, 1942: Jan., Duodenal drainage in cholecystitis, 1941: Sept., 1385 in liver dysfunction, 1942: May, 844, 847, 899 feeding in peptic ulcer, 1942: May, intubation, biliary drainage by, 1943: Nov., 1659 Duodenum, diseases, pain in, 1941: Jan., ulcer, 1941: Sept., 1363; 1942: May, 645. See also Peptic ulcer. complicating exophthalmic goiter. 1941: Sept., 1355 differential diagnosis, 1943: Jan.,

Duodenum, ulcer, simulating tuberculosis, 1941: Sept., 1264 Dwarfism, pituitary, 1942: Nov., 1668 Dye typing for differentiation of brucella, 1943: May, 600 Dyschezia, 1942: May, 790 Dyschery, 1943: May, 687 amebic 1941: Sept., 1387; 1943: May, 687, 688, 691, Nov., 1480, 1481 simulating tuberculosis, 1941: Sept., 1262 bacillary, 1941: Sept., 1392; 1943: May, 687, 692, Sept., 1206, 1213; Nov., 1481 prevention, in military forces, 941: Sept., 1469 sulfonamides in, 1942: Sept., 1386; 1943: May, 695, Sept., 1207, 1208, 1216, 1254; Nov., 1482 for arthritis, 1942: Sept., 1547 in military forces, 1941: Nov., 1601, 1865 Dyskinesia, biliary, 1942: May, 866, Dysmenorrhea, 1941: Jan., 52; 1943: Jan., 34 hormone therapy, 1943: Jan., 34, Sept., 1376 pessaries in, 1943: Jan., 114 rcentgen treatment, 1941: July, 972 Dyspepsia, fermentative, intestinal, 1942: May, 800 Dyssebacia in early nutritional deficiencies, 1943: March, 490 in pellagra, 1943: March, 385 Dystrophia ystrophia adioposogenitalis, Nov., 1669, 1835, 1837 1942:

EAR, war injuries, 1941: Nov., 1653 Eardrum, incision, 1941: May, 695 Echelons of field medical service, 1941: Nov., 1541 Eclampsia, 1943: Nov., 1596, 1599 Ecthyma, 1942: Jan., 88 Ectopic pregnancy, 1941: Jan., 41; 1943: Nov., 1601, 1603 Eczema, atopic, 1941: Jan., 185, March, 538; 1942: Jan., 14, 102, 153 impetigenized, 1942: Jan., 106 in adults, 1941: Jan., 181 in infants and children, 1941: Jan., 184 nuchae, 1942: Jan., 105 of anus, 1942: Jan., 106 roentgen treatment, 1941: July, 967 varicose, with eczematids, 1942: Jan., Eczema-dermatitis, treatment, in adults, 1942: Jan., 97

1475

Nov., 1552

mesenteric, 1942: March, 334; 1943:

pulmonary, 1942: March, 330, 415;

Embryonal carcinoma of kidney, roent-

gen treatment, 1941: July, 1001

1943: Nov., 1550 pain of, 1941: Jan., 82

Eczematoid ringworm, 1942: Jan., 107 Embryonal carcinoma of testis, roent-Eczematous dermatitis, 1942: Jan., 13 Edema, angioneurotic, 1941: March, 537; 1942: March, 437 cerebral, 1941: March, 395, 399 nephrotic, 1941: Sept., 1411; 1943: Jan., 245 nutritional, 1943: March, 307 of glottis, 1942: March, 524 prevention, in peripheral vascular disease, 1943: July, 958 pulmonary, 1942: March, 422 Effleurage in fibrositis, 1943: July, syndrome in military forces, 1941: Nov., 1621, 1747 thrombosis, 1942: Sept., 1478 El tabardillo, 1943: May, 775 Electric convulsive therapy of mental disease, 1943: July, 1019 Electricity, injuries by, 1942: March, 519 Electrocardiography in cardiac aneurysm, 1942: May, 925 Electrocauterization of cervix, 1943: Jan., 6, 53, 103 Electrocoagulation for carcinoma of rectum, 1941: July, 939 of cervix, 1943: Jan., 103 Electroencephalography, clinical application, 1941: Sept., 1477 Electrolytes, loss of, at operation, 1942: March, 357 Electrophysiology of muscle, 1943: July, 936 Electro-shock treatment of psychoses, 1941: May, 739 Electrosurgery in cl 1943: Jan., 6, 53, 99 chronic cervicitis, Electrotherapy, 1941: May, 818 in peripheral nerve injuries, 1943: July, 1100 Elephantiasis, 1943: May, 865 treatment, 1943: May, 867 Elephantoid fever, 1943: May, 864 Embolism, 1943: Nov., 1545 arterial, 1942: Sept., 1471; 1943: Nov., 1545 cerebral, 1942: March, 328; 1943: Nov., 1554 heparin in prevention, 1942: Sept.,

gen treatment, 1941: July, 1002 Emergencies, abdominal, in medical Naval personnel, 1941: Nov., 1627 medical symposium on, 1942: March, 315 on home front, symposium on, 1943: Nov., 1447 Emetine in amebic dysentery, 1941: Sept., 389; 1943: May, 691 in schistosomiasis, 1943: May, 860 Emmenin, 1941: Jan., 166 Emmetropia, 1942: Sept., 1603 Emotional dermatitis, 1942: Jan., 155 problems, 1943: Nov., 1634 upsets, and irritable colon, 1942: Jan., 229 Emphysemia, pulmonary, 1941: March, 375 traumatic, Empyema, postpneumonic, simulating tuberculosis, 1941: Sept., 1268 sulfonamides in, 1942: Sept., 1379 Encephalitides, 1943: Nov., 1497, 1506 epidemic, of North America, 1943: May, 632 Encephalitis, 1941: March, 497; 1943: Nov., 1506 eastern equine type, 1943: Nov., 1511 epidemic, 1943: May, 632; Nov., 1507 arthropod-borne virus types, 1943: May, 633 serologic tests, 1943: May, 642 vaccines in prevention, 1943: May, 645 neurological residuals, 1943: Nov., 1509 St. Louis type, 1943: May, 633, Nov., 1509 summer type, 1943: Nov., 1509 von Economo's type, 1943: May, 646, Nov., 1507 western equine type, 1943: May, 633, Nov., 1512 hemorrhagic, Nov., 1517 postinfectious, 1943: Japanese, 1943: Nov., 1513 lethargica, 1943: May, 632, Nov., 1507 postinfection, 1941: March, 498 Russian, 1943: Nov., 1513 Strümpell-Marie, 1941: March, 501 Encephalocele, roentgen diagnosis, 1941: July, 1107 Encephalomelalgia, 1941: Jan., 78 Encephalomyelitis, prevention, in military forces, 1941: Sept., 1471

Encephalopathy, hypertensive, in neph-ritis, 1941: Sept. 1406 lead, 1941: March, 505 Endamoeba histolytica, 1943: May, 688 Endarteritis obliterans, physical medicine in, 1943: July, 951 Endocarditis, bacterial, 1941: Sept., subacute, arthritis of, sulfonamides in, 1942: Sept., 1548 fever in, 1941: Jan., 293 vegetative and ulcerative, clinical and pathological conference at Cook County Hospital, 1942: Jan., 296 Endocrine disturbances, acute, 1943: Nov., 1614 hypertension in, 1943: Sept., 1262 hypoglycemic crises in, 1943: Nov., 1617 factors in pathogenesis of peptic ulcer, 1942: May, 683 problems in gynecological practice, 1943: Jan., 9, 27

syndromes of central nervous origin, 1942: Nov., 1897 therapy in amenorrhea, 1942: Nov., 1839, 1848, 1852

in gynecological disorders, 1941: Jan., 155, May, 607; 1943: Jan., 27, Sept., 1373

in male hypogonadism, 1942: Nov., 1867 in male sterility, 1942: Nov., 1863 in menopausal arthralgia, 1943:

Sept., 1316 in migraine, 1941: Sept., 1324 in ovarian cysts. 1942: Nov., 1822 in peptic ulcer, 1941: Sept., 1374

in psychoses, 1941: May, 742; 1942: March, 407 Endocrinology, symposium on, 1942:

Nov., 1655
Endometrial biopsy, 1943: Jan., 64
Endothelioma of bone, roentgen diagnosis, 1941: July, 1047, 1061
roentgen treatment, 1941: July, 1005, 1007

Enemas, irritable bowel to due, 1942: Jan., 228

Enfermedad de Chagas, 1943: May, 822 Enterit's, segmental, 1942: May, 775 Enterogastrone in peptic ulcer, 1942: May, 653

Enzymes, 1943: March, 279 pancreatic, 1942: May, 899 vitamin relationships, 1943: March, 280

Epidemic diseases in wartime, 1943: Sept., 1201 Epidermoid tumor of skull, roentgen study, 1941: July, 1110

Epidermophytosis of feet, 1941: Nov., 1683; 1942: Jan., 151 simulating industrial dermatitis, 1942: Jan., 26

Epidural hemorrhage, 1943: Nov., 1557 Epilepsy, 1941: March, 511, Sept., 1331 electroencephalography in, 1941:

Sept., 1483 Jacksonsian, 1941: Sept., 1332 treatment, 1941: Sept., 1331, 1335

Epileptic equivalent, 941: May, 729 furor, 1941: May, 729 psychoses, 1941: May, 728

Epinephrine in bronchial asthma, 1942: March, 429

Epiphyseal separation, 1941: Jan., 63 Epiphysitis of calcanei, 1941: Jan., 106 Epistaxis in infants and children, 1942: Jan., 243, March, 453

Epithelioma, basal cell, radium treatment, 1942: Jan., 135 Ergonovine in migraine, 1941: Sept.,

1320 Ergosterol in pregnancy, 1941: May,

622 Ergotamine tartrate in migraine, 1941:

Sept., 1320 Ergotism, 1942: March, 340

Erhard's test for malingering in deafness, 1941: Nov., 1665

Erosions, cervical, 1943: Jan., 49, 100 electrosurgical treatment, 1943: Jan., 6, 53, 100

Eructatio nervosa, 1942: May, 880 Erysipelas, 1942: Jan., 89 antitoxin treatment, 1942: Jan., 90 roentgen treatment, 1941: July, 959 sulfanilamide in 1941: March 458:

sulfanilamide in. 1941: July, 959; sulfanilamide in. 1941: March, 458; 1942: Jan., 91, Sept., 1378 ultravliolet light in, 1942: Jan., 91

Erythema group of skin diseases, etiology, 1942: Jan., 139 induration, 1942: Jan., 79 nodosum, 1942: Jan., 147

roentgen ray, 1941: July, 979, 983 Erythematous lupus, 1942: Jan., 29

Erythroblastic anemia, roentgen diagnosis, 1941: May, 671 Erythrocyanosis frigida, 1942: Sept.,

Erythrocyanosis frigida, 1942: Sep 1468 Erythromelalgia, 1942: March, 340

Erythromelalgia, 1942: March, 340 Esophageal hemorrhage, 1942: March, 332

obstruction, acute, 1942: March, 371

Esophagospasm in military forces, 1941: Nov., 1860 Esophagus, diverticula of, 1942: May, | Exhaust ventilation in industry, 1942: 889 pain from, 1941: Jan., 17

Espundia, 1943: Nov., 1493

Estradiol, 1941: Jan., 163; 1942: Nov.,

in dysmenorrhea, 1943: Sept., 1377 in functional uterine bleeding, 1943:

Sept., 1378, 1379 Estriol, 1941: Jan., 166; 1942: Nov.,

Estrogen therapy, 1941: Jan., 155, 157; May, 610

in amenorrhea of ovarian origin, 1942: Nov., 1848 of pituitary origin, 1942: Nov.,

1839 in dysmenorrhea, 1943: Jan., 35 in menopause, 1941: May, 610;

1943: Jan., 10, 39 in senile vaginitis, 1943: Jan., 41

Estrogens, assays, diag 1942: Nov., 1923 natural, 1943: Jan., 29 assays, diagnostic value,

synthetic, 1943: Jan., 29

therapeutic preparations, 1942: Nov., 1840

Estrone, 1941: Jan., 162; 1942: Nov., 1840; 1943: Jan., 29 Ether anesthesia, 1941: March, 584

Eunuchoidism, 1942: Nov., 1869, 1891 hypoglycemic crises in, 1943: Nov., 1624

Evacuation hospital, 1941: Nov., 1547 of wounded, 1941: Nov., 1830

Evipal anesthesia, 1941: March, 588 Ewing's tumor, roentgen diagnosis, 1941: July, 1047, 1061 roentgen treatment, 1941: July,

1007 Examinations, ophthalmologic, written, experience with, 1943: Sept., 1409

Examining physicians, Army, 1941: Nov., 1520 Selective Service, 1941: Nov.

1511 Exercises in after-treatment of amputations, 1943: July, 1113, 1115,

in fibrositis, 1943: July, 908 in postural joint strain, 1943: Sept.,

1313 in rheumatoid arthritis, 1943: Sept.,

passive vascular, 1943: July, 973 postural, in occlusive arterial disease, 1943: July, 962

therapeutic, principles underlying, 1943: July, 923

July, 1169

Exophthalmic goiter, 1941: Sept., 1347; 1942: Nov., 1739

Exostosis, roentgen diagnosis, 1941: July, 1054

subungual, 1941: Nov., 1854

Expert testimony, 1941: March, 310, 315, 435

Extra-uterine pregnancy, 1941: Jan., 41 Extremity, lower, injuries and infec-

tions, physical therapy in, 1943: July, 920

upper, lesions of, physical therapy in, 1943: July, 917

Eyeball, contusions, 1942: May, 954 Eyelids, infections, 1942: May, 955

Eyes, diseases of, vitamin A and, 1942: May, 965, 979

effect of altitude on function, 1941: Nov., 1642

of parachute jumping on, 1941: Nov., 1645

of poisonous gases on, 1941: Nov., 1639

examination, for U. S. Navy and Marine Corps, 1941: Nov., 1639 foreign bodies in, 1941: March, 371; 1942: May, 953

injuries, 1942: May, 953 in industry, 1941: March, 370 lesions of, in nicotinic acid deficiency, 1943: March, 389

nutritional deficiencies as cause, 1943: March, 553

malignant tumors, roentgen treat-ment, 1941: July, 995

protective devices, in war, 1941: Nov., 1645

refractive errors, 1942: Sept., 1595 treatment, in migraine, 1941: Sept.,

war injuries involving, 1941: Nov., 1645

FACE, lymphedema of, radium treatment, 1941: July, 949 war wounds, 1941: Nov., 1669

Facial nerve, injury, in skull fracture, 1941: Nov., 1662

Fainting in children, 1942: March, 449 Fallopian tubes, carcinoma, radium treatment, 1941: July, 905

test for patency, 1943: Jan., 9, 61 Fascit's, 1941: Jan., 68

Fatigue among truck drivers, study of, 1942: July, 1125 arthralgia in, 1943: Sept., 1319

1124 war production and, 1942: July, 1121 selection of personnel for flying and,

1942: July, 1322

unnecessary, resistance to industrial chemical poisoning and, 1942: July, 1157

Febris remittens biliosa, 1943: May,

Feces, examination, 1941: March, 562;

1942: May, 905 Feeblemindedness, military service and, 1941: Nov., 1722, 1733

Feeding of infants and children, 1941:

Sept., 1435; 1943: Sept., 1355, Nov., 1521 of military troops, 1941: Nov., 1699 of premature infants, 1943: Nov.,

1520 Feet. See Foot.

Feminizing tumors of ovary, 1942: Nov., 1826

Fertility, vitamins and, 1941: May, 616 Fever, convulsions of, 1941: March, 493 obscure origin, diagnosis and treat-

ment, 1941: Jan., 287 therapy, 1941: May, 818

brucellosis, 1943: Jan., 267, May, 717 in gonorrhea in women, 1943: Jan.,

in rheumatoid arthritis, 1943: July,

in syphilis, 1941: May, 780; 1942:

Jan., 74

Fibroids. See Fibromyoma.

Fibromyoma of uterus, 1941: Jan., 46 radiologic treatment, 1941: July, 949, 971, 1006

Fibrosarcoma of skull, roentgen study, 1941: July, 1111

roentgen treatment, 1941: July, 1007 Fibrosis, myocardial, interstitial, 1941: May, 794

of bladder neck, 1941: Jan., 257 Fibrositic headache, 1943: July, 905 Fibrositis, physical therapy in, 1943: July, 903, 919

in aged, 1943: July, 1011 Fibrous plaques of penis, radium treatment, 1941: July, 952

Field armies, organization and medical services, 1941: Nov., 1539, 1541 Filariasis, bancroftian, 1943: May, 862,

Nov., 1487 First aid in industrial injuries, 1941: March, 365

Fatigue in industry, 1942: July, 1121, | First aid package, U. S. Army, 1941: Nov., 1762 Nov., 1544 combat service, 1941:

Fish liver oils, 1943: March, 354

in rickets, 1943: March, 366 Fishberg's dilution test of renal function, 1942: Sept., 1399

Fissure in ano, operation for, prevention and management of complications, 1943: Jan., 219

Fistula, arteriovenous of spinal cord, 1941: July, 1084

gastro-intestinal deficiency state due to, 1943: March, 523, 572

in ano, operation for, prevention and management of complications, 1943: Jan., 222

Flatfoot, in soldiers, 1941: Nov., 1849 Fleckfieber, 1943: May, 775

Fluorescein, use, to determine adequacy of circulation, 1942: May, 943 Fluoroscopy, dangers, 1941: March, 345

Follicle cysts of ovary, 1942: Nov., 1819, 1820

Follicle-stimulating hormone, Nov., 1663; 1943: Jan., 27 Folliclis, 1942: Jan., 79

Follutein in hypogonadism, 1942: Nov., 1881

Food allergy, 1941: March, 529 constituents, in relation to Army nu-

trition, 1941: Nov., 1704 diaries in gastro-intestinal allergy, 1942: May, 746

habits, and obesity, 1943: March, 339

Foods, composition, 1943: March, 290 nutritive values, 1943: March, 287, 588, 591

preparation, 1943: losses in March, 585

Foot, athlete's, 1942: Jan., 151 in military forces, 1941: Nov., 1683 care of, in arteriosclerotic arterial de-

ficiency, 1942: Sept., 1458 in peripheral vascular disease, 1943: July, 956

disabilities in relation to military service, 1941: Nov., 1843 physical therapy in, 1943: July, 920

management in Army, 1943: July, 1129

exercises, 1943: Sept., 1314 fractures, 1943: July, 1145

gunshot wounds, 1943: July, 1147 malalignment, posture and, 1943: July, 937

Foot, painful, 1941: Jan., 103; 1943: | July, 1139 puncture wounds, 1943: July, 147 ringworm of, 1941: Nov., 1683; 1942: Jan., 151 sprains, 1943: July, 1146 spreading, with arthritis, 1941: Jan., 115 strain, in soldiers, 1941: Nov., 1848, tropical diseases, 1943: July, 1149 vasomotor disturbances, 1943: July, 1148 wounds, penetrating, 1943: July, 1145 Forceps, Willett's 1941: May, 652 Foreign bodies in eye, 1941: March, 371; 1942: 953 in mastoid process, 1941: Nov., 1654 in orbit, 1941: Nov., 1646 in urethra, acute retention due to, 1943: Nov., 1566 intraocular, in war, 1941: Nov., 1647 Formulas for infant feeding, 1943: Sept., 1356 Fowler's solution in African trypanosomiasis, 1943: May, 842 Fractures, compound, closed plaster dressing, in war, 1941: Nov., 1837 treatment, 1942: March, 482 emergency treatment, 1942: March, immobilization, in war, 1941: Nov., 1840 of foot, 1941: Nov., 1855; 1943: July, 1145 of jaws in war, 1941: Nov., 1671 of skull, 1941: March, 392, 398 labyrinthine injury in, 1941: Nov., 1655 of spine, arthritis in, 1943: Sept., of spinous process, 1943: July, 1080 of transverse processes, 1943: July, 1079 of vertebral bodies, 1943: July, 1080 physical therapy in, 1943: July, 913 to promote calcium metabolism, 1943: July, 1183 reduction, roentgenoscopic, risks to physician, 1941: July, 1013 roentgen examination, medico aspects, 1941: March, 335, 337 medicolegal simple treatment, 1942: March, 480 splinting, in military service, 1941:

Nov., 1764

Frambesia, 1943: Nov., 1495

Freezing, 1942: March, 517 Frei test, 1941: May, 835 Freiberg's disease, 1941: Jan., 104 Friedländer's bacillus pneumonia, 1943: Sept., 1292 Frigidity, testosterone in, 1943: Sept., 1383 Fröhlich's syndrome, 1942: Nov., 1669, 1835, 1837 Frost-bite, hypothermia in, 1943: July, 1173 of foot, 1941: Nov., 1856 Fuadin in schistosomiasis, 1943: May, Fulguration for carcinoma of rectum, 1941: July, 937 Fungous infections in military forces, 1941: Nov., 1683 superficial, 1942: Jan., 151 Furuncle, 1942: Jan., 91, 92, 94 roentgen treatment, 1941: July, 958 sulfonamides in, 1942: Sept., 1382 Fusion in joint injuries, 1941: Jan., 75 GALACTORRHEA, 1942: Nov., 1909 Galactose tolerance test, 1942: May, 903 Gallbladder disease, 1941: Sept., 1377; 1942: May, 778. biliary drainage in, 1943: Nov., 1659 in military forces, 1941: Nov., 1868 pain in, 1941: Jan., 23 treatment, 1941: Sept., 1377 dysfunction, 1942: May, 855 inflammation, acute, 1942: May, 778 Gallstones, 1941: Sept., 1380 formation, 1942: May, 870 Galvanic current, use of, 1941: May, 818 Gamma rays, 1941: July, 876 Gangrene, arteriosclerotic, 1942: Sept., 1459 diabetic, 1942: Sept., 1461 prevention, in peripheral vascular disease, 1943: July, 955 Gas bacillus infection, puerperal, 1941: May, 634 gangrene, chemotherapy, March, 382, 385, 460; 1942: Sept., 1386 in military forces, prevention, 1941: Sept., 1474 Gases, poisonous, effects on eyes, 1941: Nov., 1641 war, injuries from, 1941: Nov., 1675 skin damage by, 1941: Nov., 1686

Gas-saving devices, dangers, 1941:

March, 442 Gastric. See Stomach. Gastritis, 1942: May, 711 gastroscopy in, 1942: May, 702, 713 Gastro-enterostomy for peptic ulcer, 1942: May, 672 Gastro-intestinal allergy, 1941: March, 540; 1942: March, 436, May, 737

540; 1942: March, 436, May, 737 diseases, anemia in relation to, 1942: May, 897 in military, forces, 1941: Nov.

in military forces, 1941: Nov., 1601, 1746, 1859

laboratory aids, 1942: May, 895 psychosomatic manifestations, 1942: May, 877

symposium on, 1942: May, 645 disorders, in infants, 1943: Nov., 1524 emergencies, 1942: March, 361; 1943: Nov., 1575

hemorrhage, 1943: Nov., 1578 irritants, poisoning by, 1942: March, 464

obstructions, laboratory aids, 1942: May, 904

therapy in migraine, 1941: Sept., 1326 tract, carcinoma of, roentgen treatment, 1941: July, 1006

pain, 1941: Jan., 16

roentgen examination, risks to physician, 1941: July, 1013 role in conditioning deficiency

diseases, 1943: March, 519 tuberculosis, 1942: March, 570, 596, May, 819

Gastroscopy, 1941: March, 568; 1942: May, 701, 702, 713

Gault test for malingering in deafness, 1941: Nov., 1664

Gehrung pessary, 1943: Jan., 117, 118, 119

Gelatin in peptic ulcer, 1942: May, 653 Gellhorn pessary, 1943: Jan., 119 General hospitals, Army, buildings, per-

General hospitals, Army, buildings, personnel and services, 1941: Nov., 1537

field service, 1941: Nov., 1547 paresis, 1941: May, 729

Genital dysfunction, neurogenic factors, 1942: Nov., 1908

Genitalia, female, carcinoma, malignancy according to location, 1941: July, 912 radium treatment, 1941: July,

Genito-urinary tract, disorders in infants, 1943: Nov., 1526 injuries, 1941: March 378

injuries, 1941: March, 378 pain, 1941: Jan., 24

tuberculosis, 1942: March, 570, 604 Geriatrics, physical therapy in, 1943: July, 1007 Giant cell tumor of bone, roentgen diagnosis, 1941: July, 1056

Gigantism, 1942: Nov., 1675 Gingivitis in infants, 1943: Nov., 1525

nutrition and, 1943: March, 548 Girls, adolescent, gynecological problems, 1943: Jan., 17

Glioma, cranial changes in, 1941: July, 1111

Glomerulonephritis, 1941: Jan., 169, 173, Sept., 1399; 1943: Jan., 227, 229, 233

Glossitis in early nutritional deficiencies, 1943: March, 490

in nicotinic acid deficiency, 1943: March, 389

in pellagra, 1943: March, 389 in riboflavin deficiency, 1943: March, 402, 405

in sprue, 1943: March, 454 Glottis, edema, 1942: March, 524 Glycosides, digitalis, 1942: May, 929

Glycosides, digitalis, 1942: May, 929 Goiter, adenomatous, 1942: Nov., 1733, 1743

colloid, diffuse, 1942: Nov., 1732, 1743 diagnosis and surgical treatment,

1942: Nov., 1739 exophthalmic. 1941: Sept., 1347:

exophthalmic, 1941: Sept., 1347; 1942: Nov., 1739 inflammatory, 1942: Nov., 1749

nontoxic, diffuse, 1942: Nov., 1730 nodular, 1942: Nov., 1732, 1743 toxic, diffuse, 1942: Nov., 1739,

1742 nodular, 1942: Nov., 1743 use of iodine in, 1942: Nov., 1729,

1731, 1765 Gold salts in lupus erythematosus, 1942: Jan., 43, 45

in rheumatoid arthritis, 1943: Sept., 1336

Gonadin in hypogonadism, 1942: Nov., 1881

Gonadogen in hypogonadism, 1942: Nov., 1881

Gonadotropic hormone, 1942: Nov., 1663

Gonadotropin therapy in amenorrhea of pituitary origin, 1942: Nov., 1844 in gynecologic diseases, 1941: May, 612

in hypogonadism, 1942: Nov., 1879 in male sterility, 1942: Nov., 1863 Gonadotropins, anterior pituitary, 1941:

Jan., 156, 157, 165; 1942: Nov., 1843, 1879

assays, diagnostic value, 1942: Nov.,

Gonadotropins, chorionic, 1942: Nov., 1880, 1881; 1943: Jan., 10, 28, in menorrhagia, 1943: Jan., 38 equine, 1943: Jan., 29 Gonococcal infections, puerperal, 1941: May, 638, 640 sulfonamides in, 1941: March, 470; 1942: Sept., 1385 Gonococcus, custure identification, 1941: May, 833 staining, 1941: May, 833 Gonorrhea in women, 1943: Jan., 5, 46, 83 fever therapy, 1943: Jan., 96 sulfonamides in, 1943: Jan., 47, infantile, estrogen therapy, 1941: May, 610 laboratory diagnosis, 1941: May, 833 sulfamerazine in, 1943: Nov., 1456 sulfonamides in, 1941: March, 470; 1942: Sept., 1385; 1943: Sept., 1254 Gonorrheal arthritis, 1942: Sept., 1531; 1943: Sept., 1326 in child, 1943: Jan., 80 conjunctivitis in military forces, 1941: Nov., 1650 cystitis, 1943: Jan., 88 ophthalmia in child, 1943: Jan., salpingitis, 1941: Jan., 39 vaginitis, 1942: Jan., 203; 1943: Jan., 5, 46 vulvovaginitis, 1943: Jan., 67 Gout, 1941: Jan., 69; 1943: Sept., 1328 Goute épaisse, 1943: May, 838 Grand mal attacks, 1941: Sept., 1331 Granuloma, coccidioidal, 1943: May, 794, 798. Granulosa cell tumors of ovary, 1942: Nov., 1826 Graves' disease, 1941: Sept., 1347 Growth hormone, 1941: May, 612, 1942: Nov., 1662 Gumma, 1942: Jan., 70 of myocardium, 1941: May, 793 Gynecologic examination, 1943: Jan., 1 technic, 1942: Jan., 195 office procedures, 1942: Jan., 195 problems of adolescent girl, 1943: Jan., 17 Gynecology, endocrine problems, 1943: Jan., 9, 27

endocrine therapy in, 1943: Jan., 27,

office, common problems, 1943: Jan.,

symposium on, 1943: Jan., 1

Sept., 1373

HAFFKINE'S vaccine in plague prophylaxis, 1943: May, 763 1942: Hair-dye dermatitis. Jan., 98 Halibut liver oil, 1943: March, 354 Hallucinosis, alcoholic, acute, 1941: May, 716 Hallux flexus, 1943: July, 1134 rigidus, 1943: July, 1134 valgus, 1943: July, 1133 in soldiers, 1941: Nov., 1853 Hammer toe, 1943: July, 1134 in soldier's, 1941: Nov., 1854 Hands, dermatitis, allergic, simulating ringworms, 1942: Jan., 153 injuries and infections, physical therapy in, 1943: July, 918 contact, 1942: Jan., 154 ringworm, 1942: Jan., 151 toxic eruption, with ringworm of feet, 1942: Jan., 151 Hartman's fortified lactate Ringer's solution, 1942: March, 388 Hay fever, 1942: March, 434 perennial, 1941: March, 537 Head, injuries, 1941: March, 367, 392, 393 pain, differential diagnosis and treatment, 1941: Jan., 3 Headache, fibrositic, 1943: July, 905 Horton's, 1941: Jan., 78 in brain tumor, 1941: Jan., 4 in cervical vertebral disease, 1941: Jan., 7, 13 in hypertension, 1943: Sept., 1266 indurative, 1941: Jan., 7, 12 menstrual, hormone therapy, 1943: Sept., 1381 migrainous, 1941: Jan., 9, 12, March, neurotic, 1941: Jan., 10, 13 nodular, 1941: Jan., 7, 12 pituitary, 1942: Nov., 1681 Health hazards in industry, appraisal and control, 1942: July, 1161 poor, in industry, prevention, 1942: July, 1145 programs, adult, value of, 1942: July, Heart, aneurysm, 1942: May, 919 arrest, 1942: March, 316 block, 1943: Nov., 1540 disease, common forms, treatment, 1941: Sept., 1177; 1943: Sept.,

1279

complicating exophthalmic goiter,

1941: Sept., 1351, 1354 coronary, 1941: Sept., 1187, 1190;

1942: May, 907

Heart disease, hypertensive, 1943: Sept., | 1263, 1288 with left ventricular failure, 1943: Jan., 125 in military forces, 1941: Nov., 1615 rheumatic, 1941: Jan., 88, Sept., 1178, 1181; 1942: Sept., 1418; 1943: Sept., 1279 1941: March, 473 nilitic, 1941: sulfanilamide in, syphilitic, 1941: Jan., 91; 1943: Sept., 1288 treatment, 1942: Sept., 1411 disordered action, in World War I troops, 1941: Nov., 1621 emergencies, 1942: March, 315; 1943: Nov., 1531 enlargement, in hypertension, 1943: Sept., 1263 failure, congestive, 1941: Sept., 1192, 1194; 1942: March, 322, Sept., 1419; 1943: Sept., 1283 chemotherapy, 1941: Sept., 1211 with normal rhythm, digitalis in, 1943: Jan., 146 digitalis in, uses and abuses, 1943: Jan., 143 in children, 1942: March, 450 in nephritis, 1941: Sept., 1406 left ventricular, acute, 1943: Nov., 1535 versus right ventricular failure, 1943: Jan., 121, 135 thyrotoxic, 1942: Nov., 1728 infarction, 1942: May, 908 irritable, in American Civil War troops, 1941: Nov., 1617 muscle disease, 1941: Jan., 98 infarction, with left ventricular failure, 1943: Jan., 132 nontraumatic tamponade, 1942: March, 318 pain, relief of, 1941: Jan., 87 soldier's, 1941: Nov., 1621 syphilis, 1941: May, 789 trauma, 1942: March, 317 Heat, application of, after amputations, 1943: July, 1110 in fibrositis, 1943: July, 906 exhaustion, 1942: March, 516 radiant, in occlusive arterial diseases, 1943: July, 963 stroke, 1942: March, 515 Heating boot, 1943: July, 971 sleeve, 1943: July, 971 Heat-regulatory mechanism, disorders of, fever in, 1941: Jan., 296 Heel, painful, 1941: Jan., 68; 1943: July, 1141

Heel, painful, in soldiers, 1941: Nov., 852 Helium-oxygen mixtures in high pres-sure work, 1942: July, 1216, 1219, 1228 Hemangioma of bone, roentgen diagnosis, 1941: July, 1056 of scalp, roentgen study, 1941: July, 1104 of skull, roentgen study, 1941: July, 1110 radium treatment, 1941: July, 946 Hematemesis, 1942: March, 362 Hematocolpos, undiagnosed, in young girl, 1943: Jan., 19 Hematoma, subdural, 1941: March, 369, subperiosteal, 1941: July, 1062 Hematuria, 1943: Nov., 1566 Hemeralopia, 1943: March, 355, 554 Hemianopsia in pituitary adenoma, 1942: Nov., 1684, 1700 Hemiplegia, arthritis in, 1943: Sept., 1332 physical therapy in, 1943: July, 1015 Hemoconcentration in shock, 1942: March, 425 Hemolytic anemia, congenital, 1942: Jan., 219, Sept., 1453 roentgen diagnosis, 1941: May, 671 sternal aspiration in, 1941: May, 669 jaundice, roentgen diagnosis, 1941: May, 671 Hemoptysis, 1942: March, 419 Hemorrhage, 1943: Nov., 1542 acute, into peritoneal cavity, 1942: May, 782 blood and blood substitutes in, 1943: Jan., 164 cerebral, 1942: March, 325; 1943: Nov., 1554 control, in war wounds, 1941: Nov., 1836 epidural, 1943: Nov., 1557 esophageal, 1942: March, 332 first aid, 1941: March, 365, Nov., gastro-intestinal, 1942: March, 332, 362; 1943: Nov., 1470, 1578 in peptic ulcer, 1942: May, 658, 674; 1943: Nov., 1578 intracranial, 1941: March, 395, 400 of newborn, 1941: March, 486 intrapartum, 1942: March, 503 obstetric emergencies associated with, 1942: March, 493; 1943: Nov.,

of pregnancy, 1943: Nov., 1601

Hemorrhage, postpartum, 1942: March, 504; 1943: Nov., 1610 pulmonary, 1942: March, 418 subarachnoid, 1941: March, 499; 1943: Nov., 1554, 1557 subdural, 1943: Nov., 1557 vaginal, 1943: Jan., 6 Hemorrhagic disease of newborn, vitamin K in, 1941: May, 619, 661; Sept., 1452; 1943: March, 377 tendency in vitamin C deficiency, 1943: March, 443 in vitamin K deficiency, 1943: March, 371 Hemorrhoidectomy, complications, prevention and management, 1943: Jan., Hemorrhoids, office treatment, 1942: May, 831 Hemothorax, traumatic, 1941: March, Heparin in prevention of embolism, 1942: Sept., 1475 pulmonary thrombosis, 1942: March, 418 Hepatic. See Liver. Hepatitis, 1942: May, 842 Heredity in diabetes, 1941: Sept., 1213 Hernia, as a compensation problem, 1942: July, 1038 gastric, roentgen diagnosis, 1941: July, 1129 Heroin addiction, psychosis due to, 1941: May, 719 Herpes rabbit vaccine X and F in von Economo's encephalitis, 1943: May, simplex, 1941: Jan., 190; 1942: Jan., zoster, 1941: Jan., 190; 1942: Jan., 185 roentgen treatment, 1941: July, 968

Hewitt pessary, 1943: Jan., 119

treatment, 1941: July, 968

therapy in, 1943: July, 920

studies, 1941: May, 849

Hibernation in cancer, 1941: Jan., 127

suppurativa,

Hexestrol, 1943: Jan., 30

Hidrandenitis

Sept., 1405

May, 850

March, 438, 439 Histidine hydrochloride in peptic ulcer, 1941: Sept., 1375 Hives, 1942: Jan., 145, March, 437, Hodge pessary, 1943: Jan., 109, 111 Hodgkin's disease, clinical and pathological conference at County Hospital, 1942: Jan., 283 cutaneous lesions, 1942: Jan., 4, fever in, 1941: Jan., 295 simulating tuberculosis, 1941: Sept., 1267 sternal aspiration in, 1941: May, 669 Homicide by violence, 1941: March, Hormones, assays of, diagnostic value, 1942: Nov., 1915 follicle-stimulating, 1943: Jan., 27 in carbohydrate metabolism, 1943: March, 319, 323 in maintenance of chemical balance, 1943: Nov., 1615 in pathogenesis of peptic ulcer, 1942: May, 683 luteinizing, 1943: Jan., 27 ovarian, 1943: Jan., 10, 29 pituitary, 1942: Nov., 1660, 1661; 1943: Jan., 27 testicular, 1943: Jan., 33 therapy. See Endocrine therapy. Horton's headache, 1941: Jan., 78 Hospital Center, Army, 1941: Nov., 1549 train, 1941: Nov., 1548 Hospitalization needs of Army, 1941: Nov., 1530 Hospitals, Army camps, 1941: Nov., 1533 Army field service, 1941: Nov., 1547 Hot packs in peripheral vascular disease, 1943: July, 951 Huddleson's dye typing for differentia-Hibbs' spine fusion, 1942: Sept., 1576 tion of brucella, 1943: May, 700 Huhner test for sterility, 1943: Jan., roentgen Hunner's ulcer, 1941: Jan., 265 Hydatidiform mole, 1943: Nov., 1604 High altitudes, emergencies due to, 1942: March, 523 Hydrocephalus, 1941: March, 510 Hip, arthritis, hypertrophic, physical Hydrocyanic acid poisoning, March, 525 Hydrophobia, 1943: Nov., 1514 Hippuric acid test, 1942: May, 902, Hygroma, cystic, irradiation for, 1941: July, 948, 995 Histaminase, experimental and clinical Hypercalcemia, 1943: Nov., 1629 Histamine, experimental studies, 1941: Hyperesthesia of stomach and bowels, 1942: May, 885

Histamine injections in hives, 1942:

Hyperglycemia, neurogenic factor, 1942: Nov., 1902 Hyperhidrosis, roentgen treatment, 1941: July, 968 Hyperinsulinism, 1942: Nov., 1797 Hyperkeratosis, follicular, vitamin A in, 1942: Jan., 52 in early deficiency diseases, 1943: March, 488 in pellagra, 1943: March, 386 vitamin C in, 1942: Jan., 59 Hypermetropia, 1942: Sept., 1603 Hypernephroma, roentgen treatment, 1941: July, 1002 Hyperostosis cranii, 1941: July, 1110 Hyperpituitarism, 1942: Nov., 1675 Hyperpyrexia. See Fever therapy. Hypertension, 1943: Sept., 1257 clinical concept of, 1943: Sept., 1259 emotional factor, 1941: Jan., 144 essential, 1943: Jan., 247, Sept., 1398 in renal disease, 1943: Jan., 247, Sept., 1260 nervous, 1943: Sept., 1260 physiologic mechanisms, with therapeutic implications, 1943: Sept., potassium sulfocyanate in, 1943: Sept., 1268 treatment, 1941: Jan., 129; 1942: Sept., 1421; 1943: Sept., 1268 Hypertensive cardiovascular disease. 1943: Jan., 237, 238, 239 heart disease with left ventricular failure, 1943: Jan., 125 1941: Sept., 1347; Hyperthyroidism, 1942: Nov., 1719, 1751 atypical forms, 1942: Nov., 1721 in military forces, 1941: Nov., 1745 in pregnancy, 1942: Nov., 1728 iodine in, 1941: Sept., 1348; 1942: Nov., 1729, 1741, 1765 neurogenic factor, 1942: Nov., 1898 ophthalmopathy complicating, 1942: Nov., 1729 preoperative and postoperative care, 1942: Nov., 1726, 1741 x-ray treatment, 1942: Nov., 1724, 1751 iodine with, 1942: Nov., 1765 of pituitary gland in, 1942: Nov., 1764 Hypochondiasis, 1942: Sept., 1621 Hypoglycemia of infants and children, 1941: March, 504 of newborn, 1941: March, 491 peptic ulcer and, 1942: May, 691 Hypoglycemic crises in endocrine dis-

orders, 1943: Nov., 1617

Hypogonadism, male, 1942: Nov., 1867 hypoglycemic crises in, 1943: Nov., 1624 severe, suicidal tendencies in, 1943: Nov., 1630 Hypo-insulinism, 1942: Nov., 1785 Hypoparathyroidism, 1943: Nov., 1626 Hypophyseal stalk tumors, 1942: Nov., 1680, 1704, 1708
Hypophysis. See Pituitary gland.
Hypopituitarism, 1942: Nov., 1665, 1688 and personality changes, psychic 1942: Nov., 1671 Hypoproteinemia, 1943: March, 305, 306, 307 in hepatic disease, 1943: March, 308 nutritional, 1943: March, 307 postoperative, 1943: March, 306 serum transfusion in, 1943: Jan., 172 wound healing and, 1943: March, 563 Hypoprothrombinemia, 1943: March, 517 vitamin K in, 1941: Sept., 1452 Hypothermia in military practice, 1943: July, 1166 Hypothyroidism, 1942: Nov., 1711 arthralgia in, 1943: Sept., 1315 in hypogonadism, 1942: Nov., 1873 paradoxical, 1942: Nov., 1712 Hysteria, 1942: Sept., 1621 conversion, military service and, 1941: Nov., 1723, 1739 Hytakerol, 1943: Nov., 1627 ICTERUS. See also Jaundice. gravis neonatorum, 1941: March, 492 index, 1942: Sept., 1404 Ileitis, terminal, 1942: May, 775 Ileocecal tuberculosis, 1942: March, 596, May, 819 Ileum, diseases, pain in, 1941: Jan., 19, 20 Ileus, paralytic, 1942: May, 781 Iliotibial bands, contracted, 1943: July, 1068 Ill health in industry, prevention, 1942: July, 1145 Immersion foot, 1943: July, 1149 hypothermia in, 1943: July, 1173 Immunotransfusion, 1943: Jan., 157 Impetigo, 1941: Jan., 189

Bockhart's, 1942: Jan., 87

treatment, 1942: Jan., 86

circinata, 1942: Jan., 85, 86 contagiosa, 1942: Jan., 84, 168

bullosa, 1942: Jan., 86

Infants, emergencies of, 1942: March, Improvised dressings in military surgery, 1941: Nov., 1761 1941: Incompentency proceedings, March, 321 Indigestion, intestinal, 1942: May, 805 Indoor environmental atmosphere in industry, 1942: July, 1179 Induction Boards, Army, 1941: Nov., Industrial dermatitis, 1942: Jan., 21 in military forces, 1941: Nov., 1684 hazards, 1941: March, 358 injuries, 1941: March, 365 medical service, organization management, 1942: July, 1005 medicine, symposium on, March, 303; 1942: July, 997 poisons, 1941: March, 359 psychiatry, wartime survey, 1942: July, 1085 skin cleansers, 1942: July, 1195, 1203 Industry, application of psychiatric principles to, 1942: July, 1101 between-meal feedings in, 1942: July, 1075 disabling sickness in, factors concerned, 1942: July, 1110 fatigue in, war production and, 1942: July, 1121 health hazards in, methods employed in appraisal and control, 1942: July, 1161 ill health due to exposure to harmful chemicals, prevention, 1942: July, 1145 indoor environmental atmosphere and its control, 1942: July, 1179 nutrition in, 1942: July, 1067 physical examinations in, 1942: July, 1012, 1019 pneumoconioses in, 1942: July, 1239 protective ointments, cleansers, 1942: July, 1195 psychiatric bulk in, 1942: July, 1098 role of physician in, 1942: July, 999 sickness among workers, urement, 1942: July, 1105 tuberculosis as compensation problem in, 1942: July, 1053 work week, length in war, 1942:

July, 1136

1035

workmen's compensation, 1942: July,

Infantile paralysis. See Poliomyelitis.

Infantilism, pituitary, 1942: Nov., 1668

Infants, blood disorders in, 1941: May,

digestive disorders, 1942: May, 725

445; 1943: Nov., 1520 examinations, 1943: Nov., 1523 feeding, 1941: Sept., 1435; 1943: Sept., 1355 immunizations, 1943: Nov., 1521 normal, care and feeding of, 1943: Nov., 1521 premature, 1943: Nov., 1520 respiratory tract, diseases in, 1942: Jan., 237 skin diseases in, 1942: Jan., 163 Infarctions, mesenteric, 1942: March, 373 miscellaneous, 1943: Nov., 1552 myocardial, 1942: March, 320 Infections, acute, chemotherapy, 1941: Nov., 1799 Infectious diseases, symposium on, 1943: May, 601 Inflammatory lesions, radiologic treatment, 1941: July, 953, 957, 962 Influenza, chemotherapy, 1941: Sept., 1211 in military forces, 1941: Sept., 1463, Nov., 1595 Influenzal infections, sulfamerazine in, 1943: Nov., 1456 meningitis, 1941: Sept., 1307; 1943: Nov., 1505 Injection treatment of hemorrhoids, 1942: May, 836 Injuries, industrial, 1941: March, 365 unconsciousness in, care of patient, 1941: March, 389 war, minor, treatment, 1941: Nov., 1829 Inoculation tuberculosis, 1942: Jan., 77, 78 Insanity, medicoles 1941: March, 313 medicolegal aspects, 1941: Insolation fever, 1943: May, 808 Insulin in diabetes mellitus, 1941: Sept., 1213; 1942: Nov., 1793 in diabetic acidosis, 1942: March, 385 protamine zinc, 1941: Sept., 1213; 1942: Nov., 1794 reaction, 1941: Sept., 1224; 1942: Nov., 1794 shock treatment of psychoses, 1941: May, 736 Insurance, compensation, 1942: July, sickness, in industry, comparison of sickness rates, 1942: July, 1109 Intermittent arterial compression, 1943: July, 989 suction and pressure, 1943: July, 973; Sept., 1403

Intermittent venous compression, 1943: July, 981, Sept., 1402

Intervertebral disk lesions, 1941: Jan., 61, 70; 1942: Sept., 1570; 1943: July, 1068

contrast myelography in, 1941: July, 1076, 1090, 1098 physical therapy, 1943: July, 1004

Intestinal absorption, inadequate, deficiency state due to, 1943: March, 526

auto-intoxication, 1942: May, 791 fermentative dyspepsia, 1942: May, 800

flora, effects of nutrients on, 1943: March, 285

indigestion, 1942: May, 731, 805 intoxication with dehydration in children, 1942: March, 454

obstruction, 1942: March, 366, May, 779; 1943: Nov., 1469, 1592 in Naval forces, 1941: Nov., 1633 roentgen diagnosis, 1941: July,

pain, 1941: Jan., 19

parasites, fever from, 1941: Jan.,

spasm, 1942: May, 884

strangulation, diagnosis, 1943: Nov., 1468

tuberculosis, 1942: March, 596 Intracranial aneurysm, 1942: March, 329

hemorrhage, 1941: March, 395, 400 of newborn, 1941: March, 486 infections in infants and children,

1941: March, 494 lesions, traumatic, 1941: March, 393 vascular disease in children, 1941:

March, 498 Intracutaneous tests for brucellosis, 1943: May, 708

Intramarrow injection in gastro-intestinal hemorrhage, 1943: Nov., 1580 Intra-oral carcinoma, roentgen treat-

ment, 1941: July, 991 Intrapartum hemorrhage, 1942: March,

503 Intraperitoneal injury in Naval forces,

1941: Nov., 1635 Intravenous drip, arsenicals by, in syphilis, 1941: May, 780, 781 Intussusception, 1942: March, 367;

1943: Nov., 1524 Involutional melancholia, 1941: May,

723; 1942: March, 409 Iodine in hyperthyroidism, 1942: Nov., 1729, 1741 Iodine in hyperthyroidism, in conjunction with irradiation, 1942: Nov., 1765

preoperative, 1941: Sept., 1348; 1942: Nov., 1741

in nontoxic goiter, 1942: Nov., 1731 Iodized oil for contrast myelography, 1941: July, 1068

Iron as nutrient, 1943: March, 284 dietary requirements, 1943: March, 298

in pregnancy, 1943: March, 539
Irradiation. See Roentgen and Radium.
Irritable colon, treatment, 1942: Jan.,
227, May, 805; 1943: Sept., 1385
heart in American Civil War trease.

heart in American Civil War troops, 1941: Nov., 1617

stomach, treatment, 1943: Sept., 1385 Ischiorectal abscess, operation for, prevention and management of complications, 1943: Jan., 221

Ito-Reenstierna intradermal test for chancroid, 1941: May, 835

JACKET, Risser, in scoliosis, 1943: July, 1035

Jacksonian epilepsy, 1941: Sept., 1332 Jail fever, 1943: May, 775

Japanese encephalitis, 1943: Nov., 1513 Jaundice, and liver dysfunction, 1942:

May, 841 catarrhal, in military forces, 1941: Nov., 1867

differential diagnosis by combined serum phosphatase determination and cephalin flocculation test, 1941: May, 837

hemolytic, congenital, 1942: Jan., 220, Sept., 1453

roentgen diagnosis, 1941: May, 671 laboratory procedures employed in, 1941: May, 837, 839

of newborn, 1941: March, 492 Jaws, fractures, in war, 1941: Nov., 1671

Jejunal feeding in hemorrhagic peptic ulcer, 1942: May, 664

Jejunum, pain from, 1941: Jan., 19 Joint strain, postural, 1943: Sept., 1311 symptoms, specific diseases with, 1943: Sept., 1310

Joints, disease of, degenerative, 1943: Sept., 1338

injuries, 1941: March, 385

pain in, 1941: Jan., 63; 1943: Sept., 1311

tuberculosis, 1942: March, 605 Jury, doctor as witness before, 1941: March, 303, 434 KALA-AZAR, 1943: Nov., 1492 Karotin in hypogonadism, 1942: Nov., Kata-thermometer, 1942: July, 1182, 1183 Keloid, radium treatment, 1942: Jan., 136 roentgen treatment, 1941: July, 969 Kenny treatment of poliomyeltis, 1943: July, 883 evaluation, 1941: Sept., 1587; 1943: Sept., 1345, 1348 Kerandel's sign, 1943: May, 841 Keratitis, 1942: May, 957 interstitial, in riboflavin deficiency, 1943: March, 402, 405 Keratoconjunctivitis, epidemic, 1943: Nov., 1641 phlyctenular, 1943: March, 556 tuberclin in, 1942: March, 593 Keratomalacia, 1943: March, 357 Keratosis pilaris, vitamin A in, 1942: Jan., 52 senile, radium treatment, 1942: Jan., 135 Ketogenic diet in epilepsy, 1941: Sept., 1342 Ketosis, 1942: March, 375 17-Ketosteroids, assays, diagnostic values, 1942: Nov., 1932 Kidney, diseases, pain in, 1941: Jan., treatment, 1943: Jan., 227 unilateral, hypertension of, 1943: Sept., 1397 emergencies, 1942: March, 343; 1943:

functional tests, 1942: Sept., 1396; 1943: Sept., 1263 in hypertension, 1943: Sept., 1263, 1264 infarction of, 1943: Nov., 1553 injuries, 1941: March, 378 malignant tumors, roentgen treatment, 1941: July, 1001 tuberculosis, 1942: March, 603 Kinases, 1943: March, 279

Nov., 1559

Koch's pressure dressing in burns, 1943: Sept., 1237 Korsakoff's psychosis, 1941: May, 716 K-strophanthin, 1942: May, 940

Kyphosis, physical therapy, 1943: July,

LABOR, hemorrhage at, 1942: March, prognosis, from roentgenologic pelvimetry, 1941: July, 1035 third stage, complications, 1943: Nov., 1608

Laboratories, clinical, relation to the practicing physician, 1941: May, 823 Laboratory aids in gastro-intestinal disorders, 1942: May, 895 to diagnosis and treatment, 1942: Sept., 1391

Labyrinth, war injuries, 1941: Nov., 1654

Lacerations of cervix, 1943: Jan., 50 of eye, 1941: March, 372 of scalp, 1941: March, 398
Lacrimators, effects on eyes, 1941: Nov.,

1642 Lactation, vitamins and, 1941: May,

625
Lactogenic hormone, 1942: Nov., 1664
Laguere's sign, 1940: Nov., 1759
Lanatoside, 1942: May, 935
Lanatoside-C, 1943: Jan., 153
Laryngitis, acute, in infants and chil-

dren, 1942: Jan., 245 catarrhal, 1942: Jan., 248 subglottic, 1942: March, 449 tuberculous, 1942: March, 569, 599

Laryngotracheobronchitis, acute, 1942: Jan., 246, March, 449

Larynx, carcinoma, roentgen treatment, 1941: July, 992 war injuries, 1941: Nov., 1674
Lashmet and Newburgh test of renal

Lashmet and Newburgh test of renal function, 1942: Sept., 1398 Lead absorption, occupational, 1942:

July, 1261 encephalopathy, 1941: March, 505 exposure, dangerous, recognition of, 1942: July, 1266

safe, 1942: July, 1275 standards of measurement, 1942: July, 1276

line on gums, 1942: July, 1265 poisoning, 1942: July, 1261, 1267 ascorbic acid in, 1943: March, 578

Legal medicine, symposium on, 1941: March, 303 Leishmaniasis, cutaneous, 1943: Nov.,

1493 mucocutaneous, American, 1943: Nov., 1493

visceral, 1943: Nov., 1492 Leontiasis ossea, 1941: July, 1107 Leprosy, 1943: Nov., 1484

Leukemia cutis, 1942: Jan., 3, 6 symptoms and treatment, Jan., 251 lymphatic, simulating tuberculosis, 1941: Sept., 1270

roentgen diagnosis, 1941: May, 669 treatment, 1941: July, 987 Leukoplakia, radiotherapy, 1942: Jan

Leukoplakia, radiotherapy, 1942: Jan., 135 Leukorrhea, 1942: Jan., 202, 208; 1943: | Jan., 3, 43 in children, 1943: Jan., 48 Levator ani test, 1943: Jan., 2 Levulose tolerance test, 1942: May, 903 Lewisite injuries, 1941: Nov., 1675, 1687 Lichen scrofulosorum, 1942: Jan., 79 simplex chronica, 1941: roentgen treatment, July, 967 spinulosis, vitamin A in, 1942: Jan., 52 urticatus, 1942: Jan., 163 Widal, 1941: July, 967 Ligaments of back, pain from, 1941: Jan., 73 Ligamentum flavum, hypertrophy of, 1942: Sept., 1570 contrast myelography in, 1941: July, 1078, 1099 treatment of rickets, 1943: March, 366 Lightning, injuries by, 1942: March, Lip, impetigo, 1942: Jan., 85 perlèche, 1942: Jan., 172 Lipiodol for contrast myelography, 1941: July, 1068 subarachnoid injection, deleterious effects, 1942: Jan., 255 sternal aspiration in, 1941: May, 669 Lipophilia, 1943: March, 336 Lithiasis following sulfonamides, anuria due to, 1942: March, 352 recumbent, anuria due to, March, 351 urinary, following sulfonamides, 1943: Nov., 1570 Livedo reticularis, 1942: Sept., 1469 Liver, carcinoma, primary, 1942: May, 855 diseases, laboratory aids, 1942: May, hypoproteinemia of, 1943: March, 308 malnutrition due to, 1943: March, 525, 573 pain in, 1941: Jan., 23 dysfunction, common clinical varieties, 1942: May, 841 extract, in skin diseases, 1942: Jan., functional tests, 1942: May, 900, Sept., 1401 practical application, 1941: March, 593 preparations, 1942: Sept., 1365 therapy in nutritional macrocytic anemia, 1943: March, 479

Liver therapy in pernicious anemia, 1943: March, 477 in sprue, 1943: March, 462 in subacute combined degeneration, 1943: March, 427 Lobar pneumonia. See Pneumonia. Local Boards, Selective Service, 1941: Nov., 1511 Lombard's test for malingering in deafness, 1941: Nov., 1664 Lordosis, physical therapy, 1943: July, 1001 Lotio sulfurata, 1942: Jan., 41 Low frequency currents, use of, 1941: May, 819 Lumbar puncture in cerebral edema, 1941: March, 399 in meningitis, 1943: Nov., 1500 in poliomyelitis, 1941: May, 690 sympathetic procaine block in thrombophlebitis, 1942: Sept., 1476 Lumbosacral instability, low back pain due to, 1942: Sept., 1551 spine, anatomic variations, 1942: Sept., 1552 strain, acute, 1943: July, 1066 Lunch room menus in industry, 1942: July, 1068, 1080 Lung, abscess, diagnosis and treatment, 1941: March, 545 simulating tuberculosis, 1941: Sept., 1257 simulating tuberculosis, carcinoma, 1941: Sept., 1257 congestion, acute, 1942: March, 422 roentgen diagnosis, medicolegal aspects, 1941: March, 342 edema, acute, 1942: March, 422 hemorrhage from, 1942: March, 419 infarction, abdominal pain in, 1941: Jan., 29 injuries, 1941: March, 373 monilia infection, simulating tuberculosis, 1941: Sept., 1265 tuberculosis. See Tuberculosis, pulmonary. Lupus erythematosus, 1942: Jan., 29 nicotinic acid in, 1942: Jan., 56 vulgaris, 1942: Jan., 75 Luteinizing hormone, 1942: Nov., 1663; 1943: Jan., 27 Luteoma, 1942: Nov., 1826 Luxuskonsumption, 1943: March, 335 Lymph glands, cervical, actinomycosis of, irradiation in, 1941: July, 955 metastatic tumor, irradiation of, 1941: July, 995 tuberculosis, 1942: March, 566, 607 Lymph scrotum, 1943: May, 864 Lymphangioma, radium treatment, 1941: July, 947 Lymphangitis, arteriosclerotic, 1942: Sept., 1460 Lymphedema of face, radium treatment, 1941: July, 949 prevention of edema, 1943: July,

958 Lymphoblastoma cutis, 1942: Jan., 1 roentgen treatment, 1941: July, 987 Lymphocytic choriomeningitis, 1943

Nov., 1517 Lymphogranuloma venereum, arthritis of, sulfonamides in, 1942: Sept.,

1546
Frei test, 1941: May, 836
in military forces, 1941: Nov., 1697
sulfanilamide in, 1941: March, 462
Lymphogranulomatosis cutis, 1942:
Jan., 4, 10, 11

MACROCYTIC anemias, nutritional, 1943: March, 467, 479

Madura foot, 1943: July, 1150 Magmasil in peptic ulcer, 1942: May,

Magnesium, toxic properties, 1942:

July, 1291 Malaria, 1943: May, 615, 617, Sept., 1417, Nov., 1477

benign, 1943: Sept., 1418 control measures, 1943: May, 629,

Sept., 1422, Nov., 1478 diagnostic blood films, 1943: Sept.,

parasites of, 1943: May, 621, Sept., 1418

pernicious or malignant, 1943: Sept., 1419

prophylaxis and treatment, 1943: May, 626, 627, Sept., 1423, Nov., 1479

in military forces, 1941: Sept., 1472 sternal puncture in, 1943: Sept., 1426 symptoms, 1943: May, 624

time factor in military operations, 1943: Sept., 1425

war, 1943: May, 615, Sept., 1417 Male climacteric, 1942: Nov., 1891 hormone therapy, 1942: Nov., 1867, 1888

Malignancy of carcinoma of female genitalia, 1941: July, 912 Malignant tumors, roentgen treatment,

1941: July, 973, 979 Malingering, deafness, tests for, 1941: Nov., 1662

foot disabilities and, 1943: July, 1151

Malingering in U. S. Navy and Marine Corps, 1941: Nov., 1648 neurotic aspects in military service,

1941: Nov., 1738

Malnutrition, 1943: March, 567 serum transfusion in, 1943: Jan., 172

Malta fever. See Brucellosis.

Mandelic acid in pyelonephritis, 1943: Nov., 1561 in urinary infections, 1941: Sept.,

1426 Mandible, fracture, in war, 1941: Nov.,

1672 Manganese as nutrient, 1943: March,

284 toxic properties, 1942: July, 1297 Manic-depressive psychosis, 1941: May,

712; 1942: March, 408 military service and, 1941: Nov., 1722, 1736

Manipulative therapy for backache, 1943: July, 1071

Mapharsen in relapsing fever, 1943: May, 743

in syphilis, 1941: May, 777, 781 March foot, 1941: Nov., 1856; 1943: July, 1148

Marijuana addiction, psychosis due to, 1941: May, 722

Marine Corps, visual requirements, 1941: Nov., 1639

Marriage, preparation for, 1942: Sept., 1630

Masculinizing tumors of ovary, 1942: Nov., 1828 Masculinovoblastoma, 1942: Nov., 1830

Masklike expression in pellagra, 1943:
March, 391

Massage in after treatment of amounts

Massage in after-treatment of amputations, 1943: July, 1110 in fibrositis, 1943: July, 906

Mastitis, puerperal, roentgen treatment, 1941: May, 641

Mastoid process, foreign bodies in, 1941: Nov., 1654 Maxilla, fracture, in war, 1941: Nov.,

1672 Measles convalescent serum, in prophylaxis, 1941: Jan., 230 in treatment, 1941: Jan., 232

in infants, 1943: Nov., 1527 in military forces, 1941: Sept., 1463, Nov., 1596

Mebaral in epilepsy, 1941: Sept., 1339 Mecholyl in paroxysmal tachycardia, 1943: Nov., 1539

Medical Advisory Boards, Selective Service, 1941: Nov., 1511, 1513 Medical emergencies on home front, symposium on, 1943: Nov., 1447 organization in permanent Army camps and in field, 1941: Nov., 1527

Medical Reserve Corps, requirements, 1941: Nov., 1520

Medical service, industrial, organization and management, 1942: July, 1005 Medicolegal aspects, symposium on,

1941: March, 303 Melancholia, involutional, 1941: May,

723; 1942: March, 409 Melanoma, malignant, roentgen treatment, 1941: July, 1007

of retina, treatment, 1941: July, 995 Melena in infants and children, 1942: May, 735

Melitene in brucellosis, 1943: May, 716 Membranes, rupture, in placenta praevia, 1941: May, 651

Menge pessary, 1943: Jan., 116, 119 Meninges, tuberculosis, 1942: March, 568, 608

Meiningioma, cranial changes in, 1941: July, 1111

of spinal cord, 1941: July, 1072, 1082

Meningismus in infants, 1943: Nov., 1530

Meningitis, 1943: Nov., 1496 aseptic, acute, 1943: Nov., 1517 bacterial, diagnosis and treatment,

1941: Sept., 1287 hemolytic streptococcus, 1941: Sept., 1290: 1943: Nov. 1503

1299; 1943: Nov., 1503 influenzal, 1941: Sept., 1307; 1943: Nov., 1505

sulfamerazine in, 1943: Nov., 1456 sulfonamides in, 1942: Sept., 1386 in infants, 1943: Nov., 1529

meningococcal, 1941: March, 459, 494, 1295; 1943: Sept., 1204, Nov., 1496

in military forces, 1941: Sept., 1467, Nov., 1604

serum therapy, 1943: Nov., 1502 sulfamerazine in, 1943: Nov., 1454 sulfonamides in, 1942: Sept., 1384; 1943: Sept., 1204, 1205, 1253, Nov., 1454, 1500

pneumococcal, 1941: March, 495, Sept., 1301: 1943: Nov., 1504 sulfonamides in, 1941: March, 469; 1942: Sept., 1383

1942: Sept., 1383 staphylococcal, 1941: Sept., 1312; 1943: Nov., 1506 Meningitis, staphylococcal, sulfonamides in, 1942: Sept., 1382 streptococcal, 1941: March, 496

sulfonamides in, 1941: March, 457; 1942: Sept., 1378

1699

tuberculous, 1941: March, 496 Meningocele, roentgen diagnosis, 1941: July, 1107

Meningococcal infections, sulfamerazine in, 1943: Nov., 1454 sulfonamides in, 1941: March, 459; 1942: Sept. 1384, 1543

1942: Sept., 1384, 1543 Meningococcemia, 1943: Sept., 1205 Meningo-encephalitides, 1941: March,

Menopause, arthralgia of, 1943: Sept., 1316

artificial, creation by x-rays, 1941: July, 972 endocrine therapy, 1943: Jan., 39

endocrine therapy, 1943: Jan., 39 estrogen therapy, 1941: May, 610 treatment, 1943: Jan., 10 ulcer syndrome, 1942: May, 690

Menorrhagia, 1943: Jan., 37 hormone therapy, 1943: Jan., 37, Sept., 1378

in girls and young women, radium treatment, 1941: July, 951 of menopause, radium treatment.

1941: July, 951 thyroid therapy, 1941: May, 609

Menstrual calendar records, 1943: Jan., 63 Menstruation, functional disorders, hor-

mone therapy, 1943: Sept., 1373 Mental alienation, Kenny concept. 1943: July, 889

Mental disease, 1941: May, 703 electric convulsive therapy, 1943: July, 1019 medicolegal aspects, 1941: March. 313

disorders, electroencephalography in. 1941: Sept., 1486 following injury, 1941: March, 323 in adolescents, 1941: March, 515 in industrial workers, 1942: July, 1085

hygiene, program of, 1942: Sept.,

symptoms, and organic disease, 1941: May, 742

Menus, cafeteria, in industry, 1942: July, 1068, 1080

Mercury in impetigo, contagiosa, 1942: Jan., 170

poisoning, suicide from, 1941: March, 403 treatment, 1941: March, 407

Merycism, 1942: May, 881

Mesenteric thrombosis and embolism, 1942: March, 334, 373, May, 781; 1943: Nov., 1552 abdominal pain in, 1941: Jan.,

Mess, problems of, in Army, 1941: Nov., 1699

Metabolic arthritis, 1943: Sept., 1328 diseases, abdominal symptoms, 1943: Nov., 1474

Metabolism, altered, as cause of deficiency states, 1943: March, 529 basal, in cachexia nervosa, 1941: May, 769

in hypothyroidism, 1942: Nov.,

1713, 1720

Metal compounds, toxic properties, 1942: July, 1282

Metals, less familiar, toxic properties, 1942: July, 1281

Metaphyseal aclasis, 1941: July, 1054 Metatarsal bones, short, 1941: Jan.,

Metatarsalgia in soldiers, 1941: Nov., 1941: Metatarsophalangeal arthritis,

Jan., 108

Methenamine in urinary tract infections, 1941: Sept., 1431

Methyl testosterone, 1941: Jan., 159 Metrazol shock therapy in psychoses, 1941: May, 736; 1942: March, 408 Metreurysis in placenta praevia, 1941:

May, 652 Metrorrhagia, hormone therapy, 1943:

Sept., 1378 treatment, 1941: May, 609

Meulengracht diet in hemorrhagic peptic ulcer, 1942: May, 661; 1943: Nov., 1582

Microcephaly, 1941: March, 510 Middle ear inflammation. See Otitis

media. Migraine, 1941: Jan., 9, 12, March, 539, Sept., 1317, 1320 suicidal tendencies in, 1943: Nov.,

1630 Mikulicz's disease, 1941: July, 995 Miliary tuberculosis, 1942: March, 568, 602, 627

in infants, 1942: March, 582 Military medicine, preventive aspects, 1941: Sept., 1459

symposium on, 1941: Nov., 1509 personnel, nutrition as it affects, 1943: March, 581

physical medicine, symposium on, 1943: July, 1024

Minerals, function, in nutrition, 1943: March, 283

Mitral stenosis simulating tuberculosis, 1941: Sept., 1263 with right ventricular failure, 1943:

Jan., 121

Mobilization program, general features, 1941: Nov., 1527

Mole, hydatidiform, 1943: Nov., 1604 Monilia infection of lung simulating tuberculosis, 1941: Sept., 1265

vaginitis, 1943: Jan., 5, 46 Moniliasis, 1942: Jan., 160, 167 Moniliatin, 1942: Jan., 151

Mononucleosis, subacute, fever in, 1941: Jan., 294

Morphine addiction, psychosis due to, 1941: May, 719

Morton's toe in soldiers, 1941: Nov., 1850

Mother's Milk Directories, 1941: Sept., 1436

Mouth lesions in pellagra, 1943: March, 388, 548 in riboflavin deficiency, 1943:

March, 401, 550 in sprue, 1943: March, 454

Mucin, gastric, in peptic ulcer, 1941: Sept., 1374

in peptic ulcer, 1942: May, 653 Mucocele of sinus, cranial changes in, 1941: July, 1112

Mucous colitis, 1942: May, 805 patches, 1942: Jan., 68

Mumps, 1943: Nov., 1529 convalescent serum in, 1941: Jan., 233, 234

in military forces, 1941: Nov., 1599 Muscle reeducation following nerve suture, 1943: July, 1096

pain in, 1941: Jan., 63 Muscular action, basic principles in, 1943: July, 925

atrophy after nerve damage, 1943: Sept., 1404 incoordination, Kenny concept, 1943:

July, 889 spasm, Kenny concept, 1943: July, 888 Mustard gas injuries, 1941: Nov., 1641, 1675, 1687

Mycosis fungoides, 1942: Jan., 3, 7 roentgen treatment, 1941: July, 969 Mycotic dermatitis, 1941: Jan., 188

vaginitis, 1942: Jan., 203, 207, 209 Myelitis, ascending, 1943: Nov., 1516 Myelography, contrast, 1941:

1067, 1089, 1091 Myeloma, roentgen diagnosis, 1941: July, 1047

Myocardial infarction, 1941: Sept.,

1190; 1942: March, 320 Myocardium, syphilis, 1041: May, 792

Myopia, 1942: Sept., 1602 Myringotomy, 1941: May, 695

Myringotomy, 1941: May, 695 Myxedema, 1942: Nov., 1711

following thyroidectomy, 1941: Sept., 1356

NaIL polish dermatitis. 1942: Jan., 16 Nails, ringworm, 1942: Jan., 160 Narcotic addiction, psychoses due to,

1941: May, 729 Nasal allergy, 1942: March, 434

drops, administration to children, 1942: Jan., 239-241

sprays in sinusitis, 1942: Sept., 1519, 1520

Nasopharynx, chemicals to, for prevention of poliomyelitis, 1941: May, 687Naval medicine, comparison with civilian practice, 1941: Nov., 1627

Navy, cardiovascular disease in, 1941: Nov., 1622

communicable diseases in, 1941: Nov., 1589

examination for special branches, 1941: Nov., 1518

medical abdominal emergencies in. 1941: Nov., 1627

physical therapy in, symposium on, 1943: July, 1024

skin diseases in, 1941: Nov., 1577 syphilis in, 1941: Nov., 1691 tuberculosis in, 1941: Nov., 1553

visual requirements, 1941: Nov., 1639 Neck injuries and infections, physical

therapy in, 1943: July, 919 lymph nodes, actinomycosis of, irradiation in, 1941: July, 955 metastatic tumor, irradiation of,

1941: July, 995 Neoantimosan in schistosomiasis, 1943: May, 859

Neoarsphenamine in bacterial endocarditis, 1941: Sept., 1184

in pulmonary abscess, 1941: March, 550

in relapsing fever, 1943: May, 743 in syphilis, by intravenous drip, 1941: May, 780

in urinary tract infections, 1941: Sept., 1431

Neoprontosil, 1941: March, 471 Nephrectomy in hypertension, 1942: Sept., 1433

Nephritis, acute, 1943: Nov., 1571

Nephritis, acute, convulsions in, 1941: March, 502

treatment, 1941: Jan., 169, Sept., 1399; 1943: Jan., 227

Nephrosis, 1941: Jan., 173

serum transfusion in, 1943: Jan., 173 treatment, 1941: Sept., 1399, 1411 Nerves, lesions, pain from, 1941: Jan.,

55 peripheral, injuries of, physical therapy in, 1943: July, 1097

suture of, physical therapy following, 1943: July, 1091

Nervous system, central, affections of, in aged, physical therapy, 1943: July, 1015

depressants, poisoning by, 1942: March, 466

irritants, poisoning by, 1942: March, 466

lesions of, endocrine syndromes due to, 1942: Nov., 1897 diseases of, abdominal symptoms,

1943: Nov., 1473 tumors, roentgen treatment, 1941: July, 993

vomiting, 1942: May, 882

Nervousness in nutritional deficiency, 1943: March, 434

Neural arches, weak, 1942: Sept., 1564, 1565

Neuralgia, headache from, 1941: Jan.,

Neurasthenia, military service and, 1941: Nov., 1723, 1740 Neuritis, alcoholic, 1943: March, 424

avitaminotic, 1941: Jan., 58 from focal infection, 1941: Jan., 59 multiple. See Polyneuritis. nutritional, 1943: March, 419

postherpetic, 1941: Jan., 57 retrobulbar, vitamin therapy, 1943: March, 559

Neuroblastoma of adrenal medulla, 1942: Nov., 1806

of skull, metastatic, 1941: July, 1111 Neurocirculatory asthenia in military forces, 1941: Nov., 1747

Neurodermite, roentgen treatment, 1941: July, 967

Neurofibroma of spinal cord, 1941: July, 1083, 1084 peripheral, pain from, 1941: Jan., 59

peripheral, pain from 1941: Jan., 59 Neurogenic bladder, 1943: Nov., 1566 Neurologic manifestations of thiamine deficiency, 1943: March, 415

deficiency, 1943: March, 415 of nicotinic acid deficiency, 1943: March, 390

Neuropathic arthritis, 1943: Sept., 1331

Neuropsychiatric aspects of military medicine, 1941: Nov., 1717 emergencies in military forces, 1941: Nov., 1755 Neuroses, gastro-intestinal, 1942: May,

877

in military forces, 1941: Nov., 1871 post-traumatic, 1941: March, 323 prevention, role of psychiatry, 1942: Sept., 1619

sexual factors, 1943: Nov., 1639 Neurosyphilis, military service and, 1941: Nov., 1725, 1751

Neurotic excoriations, 1942: Jan., 119

headache, 1941: Jan., 10, 13 Neutralization test for arthropod-borne virus encephalitides, 1943: May, 642 Nevus, congenital, radium treatment, 1941: July, 946

vasculosus, radium treatment, 1942: Jan., 134

Newborn, convulsions of, 1941: March, 486

vitamin K in, 1941: May, 619, 661, Sept., 1452; 1943: March, 377

vitamin requirements, 1941: May, 625 Niacinamide, dosages, 1942: Sept., 1368 Niche of peptic ulcer, 1941: July, 1118 Nicotinamide in arthralgia of vitamin B deficiency, 1943: Sept. 1319

deficiency, 1943: Sept., 1319 Nicotinic acid deficiency. See Pellagra. dietary requirements, 1943: March, 294

> enzyme relationships, 1943: March, 280

> in chemotherapy, 1943: March, 578

in deficiency diseases, 1943: March, 274

in pellagra, 1943: March, 394 in radiation sickness, 1943: March, 578

in skin diseases, 1942: Jan., 55 laboratory tests, 1942: Sept., 1394 Night blindness, 1943: March, 355, 554

in military forces, 1941: Nov., 1649 Nikolsky sign, 1942: Jan., 35 Nitrates and nitrites in hypertension,

Nitrates and nitrites in hypertension, 1942: Sept., 1430 Nitrogen absorption under high pres-

sures, effects, 1942: July, 1215 bodies in blood, 1942: May, 904 treatment of psychoses, 1941: May, 738

Nitroglycerin in angina pectoris, 1943: Sept., 1286

Nitroprusside test for acid in urine, 1941: Sept., 1343 Nitrous oxide oxygen anesthesia, 1941: March, 587 Nose, lesions, in riboflavin deficiency,

1943: March, 402

war injuries, 1941: Nov., 1665 Nosebleed, 1942: Jan., 243, March, 453 Nutrients, foods as sources, 1943: March, 287

biological significance, 1943: March, 277

Nutrition, adenylic acid in, 1943: March, 483

fatigue and, 1942: July, 1138 eye lesions and, 1943: March, 553 ill health and, 1942: July, 1154 in industry, 1942: July, 1067

in military medicine, 1941: Nov.,

in practice of medicine, 1943: March, 567

in pregnancy, 1943: March, 537 military aspects, 1943: March, 581 new yardstick for, 1942: July, 1077 symposium on, 1943: March, 273 teeth and, 1943: March, 545

wound healing and, 1943: March, 561 Nutritional deficiencies, central nervous system manifestations, 1943:

March, 431 neuritis of, 1943: March, 419 subacute combined degeneration of spinal cord in, 1943: March,

425 deficiency diseases. See Deficiency diseases.

macrocytic anemia, 1943: March, 467, 479

Nutritive enema in hemorrhagic peptic ulcer, 1942: May, 662 Nyctalopia, 1943: March, 355, 554

OBER reaction, 1943: July, 1068 Obesity, 1943: March, 327 and diabetes, 1941: Sept., 1213 cerebral, 1942: Nov., 1676 of central nervous origin, 1942: Nov., 1909

Obessive-compulsive states, military service and, 1941: Nov., 1739 Obstetric emergencies, 1943: Nov., 1596 associated with hemorrhage, 1942:

March, 493; 1943: Nov., 1601 Occupational dermatitis, 1941: Jan., 183 diseases, 1942: July, 1239 compensation for, 1942: July, 1036,

> 1038 control and prevention, programs for, 1942: July, 1047

medical aspects, 1941: March, 357

Occupational diseases, medicolegal aspects, 1941: March, 347
health clinics, 1942: July, 1046
therapy after amputations, 1943:
July, 1120
in the war, 1943: July, 1154
psychiatric value, 1943: July, 1161
value in maintenance and restoration of functions of joints and muscles, 1943: July, 1156
Ocular. See Eye.
Office gynecology, symposium on, 1943:

Jan., 1 procedures, gynecologic, 1942: Jan., 195

Ointments, protective, in industry, 1942: July, 1195 list of, giving composition, 1942:

July, 1199 vehicles of, 1942: Jan., 108

Oliguria, acute, treatment, 1943: Jan., 242 in penhritis 1941: Sept. 1405

in nephritis, 1941: Sept., 1405 Onychomycosis, 1942: Jan., 160 Ophthalmia, gonorrheal, in child, 1943: Jan., 80

sympathetic, in war, 1941: Nov., 1647 Ophthalmologic examinations, written, experience with, 1943: Sept., 1409 Ophthalmology, military, 1941: Nov.,

recent advances, 1942: May, 953 vitamin A in, 1942: May, 965 Ophthalmopathy, hyperthyroidism complicated by, 1942: Nov., 1729

Opiate and cocaine addiction, combined, 1941: May, 721

Opiates in cancer, 1941: Jan., 118 Opsonocytophagic index in brucellosis, 1943: May, 712

Optic atrophy in pituitary adenoma, 1942: Nov., 1684, 1700
Orbit, foreign bodies in, 1941: Nov., 1646

tumors, treatment, 1941: July, 995 Organic tradition in medicine, 1943: Nov., 1635

Oriental sore, 1943: Nov., 1493 Orr's treatment of wounds, 1941: March, 383, Sept., 1475, Nov., 1837 Orthopedics, physical therapy in, 1943: July, 913

Oscillating bed, 1943: July, 985
Oslo cold diet in industry, results in
England, 1942: July, 1070

Osteitis, carcinomatous, differentiated from osteitis deformans, 1941: July, 1063 chronic sclerosing, 1941: July, 1062 Osteitis circumscripta, 1941: July, 1114

deformans of skull, 1941: July, 1114 Osteoarthritis, 1943: Sept., 1338 physical therapy, 1943: July, 1008 Osteochondroma, 1941: July, 1054

Osteodystrophia fibrosa cystica, roentgen diagnosis, 1941: July, 1058 Osteogenic tumors of bone, roentgen

diagnosis, 1941: July, 1043, 1052, 1060

Osteoma, 1941: July, 1054, 055 of skull, roentgen diagnosis, 1941: July, 1109

Osteomalacia, 1943: March, 515 Osteomyelitis, nonsuppurating, of Garré, 1941: July, 1063

of skull, roentgen diagnosis, 1941: July, 1112 sulfonamides in, 1942: Sept., 1381

Osteoporosis, senile, physical therapy, 1943: June, 1010

Otitis media, 1941: May, 693 chemotherapy, 1941: May, 697 1942: Sept., 1379, 1518, 1528 in infants, 1943: Nov., 1525

Ouabain, 1942: May, 940; 1943: Jan., 153

Ovary, cysts, 1942: Nov., 1818 with absent or scanty menstruation, 1942: Nov., 1823 with excessive or irregular uterine

bleeding, 1942: Nov., 1820 dermoid tumor, pregnancy complicating, in young girl, 1943: Jan., 23

diseases, abdominal pain in, 1941: Jan., 28

dysfunction, roentgen treatment, 1941: July, 972

hormones, 1943: Jan., 10, 29 tumors, 1941: Jan., 46

tumors, 1941: Jan., 46 adrenal-like, 1942: Nov., 1830 feminizing, 1942: Nov., 1826 malignant, radiologic treatment, 1941: July, 905, 1004

masculinizing, 1942: Nov., 1828 with endocrine manifestations, diagnosis and treatment, 1942: Nov., 1817

Overstrain, treatment, in hypertension, 1943: Sept., 1272

Ovulation, disorders associated with, hormone therapy, 1943: Sept., 1382 Oxygen, administration, in aviation.

1942: July, 1304 apparatus for, 1942: July, 1308 high pressures, reactions associated with, 1942: July, 1217 Oxygen poisoning, in aviation, 1942: July, 1306

Oxygen therapy in asthma, 1942: March, 433

in coronary occlusion, 1943: Nov., 1535

in left ventricular failure, 1943: Nov., 1537

in migraine, 1941: Sept., 1322

value, in prevention of compressed air illness, 1942: July, 1229

PACHYMENINGITIS hemorrhagica interna,

1941: March, 498

Paget's disease of skull, 1941: July, 1114 Pain, abdominal, 1941: Jan., 15, Nov., 1630

acute, diagnosis, 1943: Nov., 1456 in infants and children, 1942: May, 734

arising from female pelvis, 1941: Jan., 35

from lesions of nerves and spinal cord, 1941: Jan., 55

cardiac, 1941: Jan., 87

control of, in cystic ovary, 1942: Nov., 1822

gastro-intestinal tract, 1941: Jan., 16 genito-urinary tract, 1941: Jan., 24 head, 1941: Jan., 3. See also Headache.

in cancer, 1941: Jan., 115

of cervix, 1941: July, 888 in circulatory disease, 1941: Jan., 77 in joints, 1943: Sept., 1311

in muscles, bones and joints, 1941: Jan., 63

jan., 63 intractable, subarachnoid alcohol injections for, 1942: Jan., 264

liver and biliary tract, 1941: Jan., 23 pancreas, 1941: Jan., 26 radicular, 1943: July, 994

physical therapy for, 1943: July,

renal, 1941: Jan., 24 symposium on, 1941: Jan., 1 Painful feet, 1941: Jan., 103

heel, 1941: Jan., 68

Pancreas, diseases, diarrhea due to, 1942: May, 730 pain in, 1941: Jan., 26

endocrine consideration, 1942: Nov., 1785

enzymes, study of, 1942: May, 899 Pancreatitis, 1942: May, 783; 1943: Nov., 1472, 1587

in military forces, 1941: Nov., 1870 Para-aminobenzoic acid, enzyme relationships, 1943: March, 283 Parachute jumping, effects on ocular function, 1941: Nov., 1645

Paraffin boot in peripheral vascular disease, 1943: July, 989

Paralysis in poliomyelitis, 1941: May, 683

infantile. See Poliomyelitis. spastic, cerebral, physical therapy in,

1943: July, 914
Paranasal sinuses. See Sinuses.

Paranoia, alcoholic, 1941: May, 715,

Paranoid schizophrenia, 1941: May, 711, 712

Parasitic skin diseases in military forces, 1941: Nov., 1683 Parathyroid insufficiency, neurogenic

Parathyroid insufficiency, neurogenic factor, 1942: Nov., 1899

fever, prevention, in military forces, 1941: Sept., 1468 Paresis, general, 1941: May, 729

Paresthesia of stomach and bowels, 1942: May, 886

Parietal bones, symmetrical thinness, 1941: July, 1107 foramina, congenital, 1941: July, 1107

Parkinsonism, postencephalitic, 1943: Nov., 1509

Parotitis, acute postoperative, radium treatment, 1941: July, 954 Paroxysmal tachycardia, 1942: March,

321; 1943: Nov., 1537 Parsons-McConnell effective temperature chart, 1942: July, 1187

Passive vascular exercises, 1943: July, 973

Pasteur treatment of rabies, 1943: Nov., 1516 Pasteurella pestis, 1943: May. 750, 758 Patch test in industrial dermatitis, 1942:

Jan., 23 Patency, tubal, Rubin test, 1943: Jan., 9, 61

Pavaex therapy in occlusive arterial disease, 1943: July, 973

Pediatric emergencies, 1943: Nov., 1520 Pediculosis in military forces, 1941: Nov., 1683

Pellagra, 1943: March, 379 alcoholic, 1943: March, 393

central nervous system manifestations, 1943: March, 431

early, 1943: March, 495 laboratory diagnosis, 1943: March,

mouth lesions, 1943: March, 389, 548 nicotinic acid in, 1942: Jan., 56 pathology, 1943: March, 513 psychoses in, 1943: March, 391, 432

March, | Pellagra, recurrent, sine pellagra, 1943: March, 393 treatment, 1943: March, 274, 394 Pelvic inflammatory disease, 1941: Jan., tilt, back pain due to, 1942: Sept., 1570 roentgenogram, 1943: July, 1032 tumors, 1941: Jan., 45 Pelvimetry, roentgenologic, 1941: July, Pelvis, female, architectural types, 1941: July, 1029 pain arising from, 1941: Jan., 35 Pemphigoid, 1942: Jan., 86 Pemphigus neonatorum, 1942: Jan., 86 vulgaris, vitamin D in, 1942: Jan., 63 Penicillin in hemolytic streptococcus in-

1943:

fections, 1943: Sept., 1203, Nov., 1504 Penis, fibrous plaques, radium treat-ment, 1941: July, 952

Pentothal anesthesia, 1941: March, 588 Peptic ulcer, 1941: Sept., 1363; 1942: May, 645 choice of treatment, 1942: May,

constitutional diathesis, 1942: May, 684

gastroscopy in, 1942: May, 705, 706 hemorrhage in, 1942: May, 658,

674; 1943: Nov., 1578 in military forces, 1941: Nov., 1861 management, 1942: May, 645 neurohormonal relationships, 1942:

May, 685 pain in, 1941: Jan., 17 pathogenesis, endocrine factors, 1942: May, 683

perforated, 1942: March, 363, May, 674, 776; 1943: Nov., 1575 in Naval forces, 1941: Nov., 1633 physiologic balance in, 1942: May,

roentgen diagnosis, 1941: July, 1117 surgical indications, 1942: May, 669

with stenosis, 1942: May, 657 Percomorph liver oil, 1943: March, 354

in rickets, 1943: March, 368 Perforations, gastro-intestinal, diagnosis, 1943: Nov., 1470

of peptic ulcer, 1943: Nov., 1575 Periarteritis nodosa, abdominal pain in, 1941: Jan., 27

Periarthritis of shoulder, physical therapy in, 1943: July 917, 1012

Pericarditis, rheumatic, acute, 1942: Sept., 1418

Periodontoclasia, teeth and, 1943: March, 548 arterial occlusion, 1943: Peripheral

Nov., 1546 nerve injuries, physical therapy in,

1943: July, 917, 1097 vascular diseases, 1942: Sept., 1457 physical medicine in, 1943: July,

in aged, 1943: July, 1013 venous thrombosis, 1943: Nov., 1548

Peristaltic unrest, 1942: May, 884 Peritoneal cavity, acute hemorrhage into, 1942: May, 782

Peritoneum, tuberculosis, 1942: March,

Peritonitis, pneumococcal, sulfamera-zine in, 1943: Nov., 1454 sulfonamides in, 1942: Sept., 1384 tuberculous, . roentgen treatment.

1941: July, 964 Perivascular drainage in poliomyelitis, 1941: May, 689

Perlèche, 1942: Jan., 172 Pernicious anemia, 1942: Sept., 1439; 1943: March, 467, 477

Pernio, 1942: Sept., 1468 Personality, psychopathic, 1941: May, 732

worker's, 1942: July. 1095 Personnel of industrial medical service, 1942: July, 1006

Pertussis. See Whooping cough. Pes cavus, 1943: July, 1135 valgoplanus, 1943: July, 1133

Pessaries in dysmenorrhea, 1943: Jan., 114

in nonreplaceable uterus, 1943: Jan., 114 in prolapse of uterus, 1943: Jan., 11,

in retrodisplacement of uterus, 1943: Jan., 11, 109

in sterility, 1943: Jan., 113 use of, in gynecology, 1943: Jan., 109

Petechial fever, 1943: May, 775 hemorrhages, 1941: March, 396, 401 Petit mal attacks, 1941: Sept., 1332 Peyronie's disease, radium treatment,

1941: July, 952 Phagocytic index in brucellosis, 1943: May, 712

Phenobarbital in epilepsy, 1941: Sept.,

in peptic ulcer, 1941: Sept., 1365 Phenolphthalein, skin eruption due to, 1942: Jan., 143

Phenolsulfonphthalein test of renal function, 1942: Sept., 1400; 1943: Sept., 1268

Pheochromocytoma of adrenal medulla, 1942: Nov., 1806

Phlebitis, acute, anesthetization of lumbar ganglia in, 1943: July, 990

Phlebothrombosis, 1942: Sept., 1473 Phlegmasia alba dolens, 1942: Sept.,

Phosphatase, serum, in differential diagnosis of jaundice, 1941: May, 841,

Phosphorus as nutrient, 1943: March, 283

dietary requirements, 1943: March,

in pregnancy, 1943: March, 538 Photoroentgenography, 1941: Nov.,

Phrenic nerve crushing in tuberculosis, 1942: March, 552

Phrynoderma, 1943: March, 356 Physical agents, emergencies

arising from, 1942: March, 510 allergy, 1942: March, 439

examinations in industry, 1942: July,

1012, 1019 status, psychoses and, 1941: May, 705

therapy, calcium metabolism and, relationships, 1943: July, 1178 following suture of nerves, 1943: July, 1091

in after-treatment of amputations, 1943: July, 1109

in backache, 1943: July, 1057 in fibrositis, 1943: July, 903

in general practice, 1941: March,

479 in orthopedics, 1943: July, 913

in peripheral nerve injuries, 1943: July, 1097

in poliomyelitis, 1942: Sept., 1590; 1943: July, 883, 915 in radicular pain, 1943: July, 994

in relation to geriatrics, 1943: July, 1007

in scoliosis, 1943: July, 1025

in vascular disease, 1940: July, 951 in war injuries of spine and spinal cord, 1943: July, 1077

military, symposium on, 1943: July, 1024 recent advances, 1941: May, 815

symposium on, 1943: July, 883 Physician in Selective Service and Army, requirements, duties, opportunities, 1941: Nov., 1511

role of, in industry, 1942: July, 999

Physiological treatment of psychoses, 1941: May, 735

Phytobezoar, roentgen diagnosis, 1941: July, 1130

Pilots, factor of fatigue in, 1942: July, 1322

selection of, 1942: July, 1325, 1326 Pitchblende, 1941: July, 878

Pitocin, 1942: Nov., 1660; 1943: Jan.,

Pitressin, chemical uses, 1942: 1658, 1660; 1943: Jan., 29

Pituitary adenoma, 1942: Nov., 1679, 1698, 1706

basophilism, 1942: Nov., 1692 extract, anterior, and thyroid in hypogonadism, 1942: Nov., 1882

factor in pathogenesis of peptic ulcer, 1942: May, 686 gland, anterior lobe hormones, 1942:

Nov., 1661 diseases of, 1942: Nov., 1657 hypoglycemic crises in, 1943:

Nov., 1623 posterior lobe, 1942: Nov., 1657

roentgen irradiation, in hyperthyroidism, 1942: Nov., 1764 gonadotropins, 1942: Nov., 1843, 1879

headache, 1942: Nov., 1681 hormones, 1941: May, 612; 1943: Jan., 27

clinical uses, 1942: Nov., 1657 infantilism, 1942: Nov., 1668 preparations, posterior lobe, 1942: Nov., 1660

teratoma, 1941: Jan., 153 tumors, 1942: Nov., 1679

treatment, indications. surgical 1942: Nov., 1697

Pityriasis rosea, 1941: Jan., 191; 1942: Jan., 182 rubra pilaris, vitamin A in, 1942:

Jan., 52 Placenta accreta, 1943: Nov., 1609 praevia, 1941: May, 649; 1942: March, 500; 1943: Nov., 1604 premature separation, 1942: March,

497; 1943: Nov., 1607 retained, 1943: Nov., 1608 Plague, 1943: May, 745, Nov., 1489

as war and post-war problem, 1943: May, 746 bubonic, 1943: May, 753

clinical features and diagnosis, 1943: May, 752

pneumonic, 1943: May, 753, 755 prophylaxis, 1943: May, 762, Nov.,

in military forces, 1941: Sept., 1472

Plague, septicemic, 1943: May, 753, 755 | sylvatic, 1943: May, 749 treatment, 1943: May, 760 Plantar calluses and corns, 1943: July, 1135, 1142 warts, 1942: Jan., 191, 194; 1943: July, 1143 in soldiers, 1941: Nov., 1851 radium treatment, 1942: Jan., 135 Plasma, administration, in burns, 1941: Nov., 1819; 1942: March, 510, 513; 1943: Sept., 1231, 1235 in gastro-intestinal hemorrhage, 1943: Nov., 1579 in hemorrhage, 1943: Nov., 1544 application in medicine, 1943: Jan., composition, 1943: Jan., 177 dried, 1943: Jan., 184 frozen, 1943: Jan., 183 liquid, 1943: Jan., 181 proteins, 1943: March, 305 transfusions, 1943: March, 310 Plasmochin in malaria, 1943: Nov., 1480 Plasmodia, 1943: May, 618, Sept., 1417 Plasmoquin in malaria, 1943: May, Plaster dressings, closed, in compound fracture in war, 1941: Nov., 1837 Pleura, tuberculosis, 1942: March, 609 Pleurisy with effusion, in tuberculosis, 1942: March, 559 rheumatic, simulating tuberculosis, 1941: Sept., 1266 Plumbism, 1942: July, 1267 Pneumococcal infections, puerperal, 1941: May, 631, 640 sulfamerazine in, 1943: Nov., 1452 sulfonamides in, 1941: March, 469; 1942: Sept., 1383, 1545 meningitis, 1941: March, 469, 495, Sept., 1301; 1943: Nov., 1504 Pneumoconioses, 1942: July, 1239, 1243 simulating tuberculosis, 1941: Sept., 1258 Pneumonia, 1941: Sept., 1199; 1943: Sept., 1291

abdominal pain in, 1941: Jan., 29

atypical, primary, etiology unknown, 1943: May, 670, Sept., 1294

common forms, differential diagnosis.

1943: Sept., 1300 Friedländer's bacillus, 1943: Sept.,

hemolytic streptococcus, 1943: Sept.,

sulfonamides in, 1942: Sept.,

aspiration, 1942: Jan., 253

1292

1379

Pneumonia in childhood, 1943: Nov., 1526 in military forces, 1941: Nov., 1602 laboratory examinations, 1943: Sept., 1295 lobar, in infants and children, 1942: Jan., 250 nonspecific therapy, 1943: Sept., 1305 pneumococcal, 1943: Sept., 1291 serotherapy and chemotherapy, 1941: Jan., 205, March, 464, Sept., 1199, Nov., 1602; 1942: Sept., 1383, 1487, 1489, 496; Sept., 1383, 1487, 1-1943: Sept., 1299, 1302 sulfamerazine in, 1943: Nov., 1452 prevention, in military forces, 1941: Sept., 1464 rheumatic, 1942: Jan., 253 serum treatment, 1942: Sept., 1496 staphylococcal, 1943: Sept., 1293 sulfonamides in, 1942: Sept., 1382 sulfonamides in, 1941: Jan., 210, 214, March, 464, Sept., 1200, 1201; 1942: Sept., 1383, 1487, 1489, 1943: Sept., 1299 treatment, recent advances, 1942: Sept., 1483; 1943: Sept., 1291, 1299 tuberculous, 1942: March, 561 virus, 1943: Sept., 1293 Pneumoperitoneum, artificial, in tuberculosis, 1942: March, 553 Pneumothorax, artificial, in tuberculosis, 1941: Sept., 1248; 1942: March, spontaneous, 1942: March, 423 abdominal pain in, 1941: Jan., 30 in tuberculosis, 1942: March, 560 traumatic, 1941: March, 375 Poisonings, acute, management, 1942: March, 459 Poisons, industrial, 1941: March, 359 Poliomyelitis, 1941: March, 497; 1943: Nov., 1530 acute stage, treatment, 1943: Sept., 1339 bulbar, 1942: March, 453 diagnosis and treatment, recent advances, 1941: May, 677 Kenny treatment, 1943: July, 883 concept of, 1943: July, 887 evaluation, 1942: Sept., 1943: Sept., 1345, 1348 1587; introduction in United States, 1943: July, 883 technic, 1943: July, 895, 896 nonparalytic, 1943: Sept., 1339 physiotherapy, 1942: Sept., 1589; 1943: July, 883, 915

Poliomyelitis, prophylactic measures, 1941: May, 686

in military forces, 1941: Sept., 1468

respirator in, 1943: Sept., 1350 serum therapy, 1941: Jan., 233 treatment, 1942: Sept., 1581

with bulbar paralysis, 1943: Sept., 1351

with spinal type of respiratory paralysis, 1943: Sept., 1349

with temporary paralysis of left leg, 1943: Sept., 1344

Polka fever, 1943: May, 808 Polyansyn, 1942: Nov., 1879

Polyneuritis, arsenical, pyridoxine in, 1942: Jan., 57

of nutritional deficiency, 1943: March, 419

Polyps of urethra, 1941: Jan., 248 rectal, precancerous, 1941: July, 922

Polysensitivity, dermatitis due to, 1942: Jan., 14, 19

Port-wine stains, radium treatment, 1941: July, 947

Posterolateral sclerosis in nutritional deficiency, 1943: March, 425

Postnasal infection, fever in, 1941: Jan. 288

Postoperative uremic symptoms, 1942: March, 355

Postpartum hemorrhage, 1942: March, 504; 1943: Nov., 1610

Postural abnormalities, physical therapy, 1943: July, 1001 drainage in pulmonary abscess, 1941:

March, 551 exercises in occlusive arterial diseases,

1943: July, 962 joint strain, 1943: Sept., 1311

strain, backache due to, 1943: July, 1064

Posture, malalignment of feet and, 1943: July, 944

physical principles in, 1943: July, 937 poor, as cause and effect of disease, 1943: July, 946

1943: July, 946 physical therapy in, 1943: July, 919 Potassium iodide in bronchial asthma, 1942: March, 430

sulfocyanate in hypertension, 1943: Sept., 1268

Pranturon in hypogonadism, 1942: Nov., 1881

Precipitation tests in syphilis, 1941: May, 829, 835

Pre-eclamptic toxemia, prevention, 1943: Nov., 1597 treatment, 1943: Nov., 1598 Pre-employment physical examinations, 1942: July, 1012, 1019

Pregnancy, dermoid tumor of ovary and, in young girl, 1943: Jan., 23 ectopic, 1941: Jan., 41; 1943: Nov., 1601, 1603

gonadotropins in, 1942: Nov., 1920 hemorrhage of, 1943: Nov., 1601 hyperthyroidism in, 1942: Nov., 1728 mental disorders of, 1941: May, 725 nutrition in, 1943: March, 537, 574 pyelonephritis of, 1941: Sept., 1432 toxemia of, 1943: Nov., 1596

vitamins and, 1941: May, 615 Pregnandiol, assays, diagnostic value, 1942: Nov., 1929

Pregnant mare's serum gonadotropins, 1942: Nov., 1880, 1881

Pregneninolone, 1941: Jan., 159 Pregnyl in hypogonadism, 1942: Nov.,

Pregnyl in hypogonadism, 1942: Nov., 1881 Prehabilitation of selectees, 1941: Nov.,

1515, 1516 Premarital advice, 1943: Jan., 14 Premature infant, 1943: Nov., 1520

Premenstrual tension, 1943: Jan., 38, Sept., 1381 Prephysin in hypogonadism, 1942: Nov.,

1879 Pressure dressings in burns, 1943: Sept.,

1237 exercises in after-treatment of ampu-

tations, 1943: July, 1115 Pressures, high, effects of, 1942: July, 1213

Primrose dermatitis, 1942: Jan., 18 Procaine block, lumbar sympathetic, in thrombophlebitis, 1942: Sept., 1476 Proctosigmoidoscopy, 1942: May, 762 Progestational preparations, 1941: Jan.,

156, 157 Progesterone, 1941: Jan., 164; 1943: Jan., 29, 31

assays, diagnostic value, 1942: Nov., 1928

in amenorrhea, 1943: Sept., 1375 in dysmenorrhea, 1943: Jan., 35 in functional uterine bleeding, 1943:

Sept., 1378, 1379 in threatened abortion, 1942: March, 496

Progestin therapy, 1941: May, 612 Prolactin, 1943: Jan., 28

Prolactin, 1943: Jan., 28 Prolapse of uterus, pessaries in, 1943: Jan., 11, 115

Prontylin. See Sulfanilamide.

Prostatic enlargement, acute urinary retention due to, 1943: Nov., 1563 infection, fever in, 1941: Jan., 288

Prosthesis after amputation, 1943: July, | Psychiatry, industrial, wartime survey, Protamine zinc insulin, 1941: Sept., 1213; 1942: Nov., 1794 Protective ointments, industrial, 1942: July, 1195 list of, giving composition, 1942: July, 1199 Protein alimentation, oral, 1943: March, 308 parenteral, 1943: March, 308 deficiency, clinical March, 306 types, dietary requirements, 1943: March, 296 hydrolyzed. See Amigen. metabolism, 1943: March, 303 Prothrombin determinations, 1941: May, 660; 1943: March, 372, 505 relation of vitamin K to, 1941: May, Pruritus ani, 1942: Jan., 117 roentgen treatment, 1941: July, 970 essential, 1942: Jan., 109, 110, 117 of scalp, 1942: Jan., 119 secondary, 1942: Jan., 120 treatment, 1942: Jan., 109 vulvae, 1942: Jan., 118; 1943: Jan., 5 roentgen treatment, 1941: July, Pseudo-acromegaly, 1942: Nov., 1912 Pseudohemophilia, hereditary, diagnosis, bone marrow examination by sternal puncture in, 1941: May, 668 Psoriasis, 1941: Jan., 192; 1942: Jan., 187 roentgen treatment, 1941: July, 970 vitamin D in, 1942: Jan., 62 Psychiatric Advisory Committee, Selective Service, 1941: Nov., 1514 aspects of military medicine, 1941: Nov., 1717 bulk in industry, 1942: July, 1098 disorders in Army selectees, detection, 1941: Nov., 1719, 1721 in military personnel, 1941: Nov., 1731 in 1917-1918 Army, prevalence and costs, 1941: Nov., 1718 types, 1941: Nov., 1721 examination for selectees, 1941: Nov., 1726 principles, application to industry,

1942: July, 1101

Sept., 1619

Psychiatry, fundamentals of, 1941: May, 703

in prevention of neuroses, 1942:

1942: July, 1085 peculiarities in development, 1942: July, 1085 Psychic equivalents, 1941: Sept., 1333 Psychogenic states, arthralgia in, 1943: Sept., 1320 Psychomotor attacks, 1941: Sept., 1333 Psychoneuroses, 1942: Sept., 1619 in cachexia nervosa, 1941: May, 770 military service and, 1941: Nov., 1723, 1737, 1739 torticollis, in, 1941: May, 749 Psychopathic personality, 1941: May, 732 military service and, 1941: Nov., 1722, 1734 Psychoses, 1941: May, 703 adolescent, 1941: March, 515 alcoholic, 1941: May, 715 antepartum and puerperal, 1941: May, 725 diagnostic approach, 1941: May, 703 diet and, 1941, May, 742 drug, 1941: May, 717 electric convulsive therapy, 1943: July, 1019 epileptic, 1941: May, 728 hormone therapy, 1941: May, 742 Korsakoff's, 1941: May, 716 management, in general practice, 1942: March, 401 manic-depressive, 1941: May, 712, Sept., 1494, 1409; 1942: March, 408 military service and, 1941: Nov., 1722, 1736 metrazol shock therapy, 1942: March, 408 pellagrous, 1943: March, 391, 431 physiological treatment, 1941: May, post-traumatic, 1941: March, 325 schizophrenic, 1941: May, 710 shock therapy, 1941: May, 735 torticollis in, 1941: May, 749 Psychosomatic aspects of medical practice in wartime, 1943: Nov., 1633 disorders, military service, and 1941: Nov., 1723, 1737, 1742 manifestations of gastro-intestinal disorder, 1942: May, 877 Psychotherapy in hypertension, 1942: Sept., 1426; 1943: Sept., 1273 in migraine, 1941: Sept., 1328 in neuropsychiatric emergencies in military forces, 1941: Nov., 1756

Psychrometer, sling, 1942: July, 1181,

1182

Pubertas praecox, neurogenic factor, 1942: Nov., 1908 Puerperal mastitis, roentgen treatment, 1941: May, 641 psychosis, 1941: May, 726 sepsis, 1943: Nov., 1611 prophylactic measures, 1941: May, 631 sulfonamides in, 1941: March, 459; 1942: Sept., 1379 vitamin requirements, 1941: May, 625 Pulmonary. See also Lungs. embolism, 1943: Nov., 1550 pain of, 1942: March, 330, 415; 1941: Jan., 82 thrombosis, 1942: March, 330, 415; 1943: Nov., 1550 Purpura, 1942: Jan., 146 allergic, 1942: March, 440 Purpuric states, differentiation, bone marrow examination by sternal puncture for, 1941: May, 666 Pusey's calamine lotion, 1942: Jan., 116

Pyelitis in infants, 1943: Nov., 1526 Pyelonephritis, 1943: Jan., 246; 1943:

Nov., 1559 of pregnancy, 1941: Sept., 1432 Pyloric obstruction, 1942: March, 370 in infants, 1943: Nov., 1524 Pylorospasm, 1942: May, 883

in infants, 1943: Nov., 1524 Pyogenic infections of skin, 1942: Jan., 83 Pyridoxine in skin diseases, 1942: Jan.,

Pyorrhea, dentition and, 1943: March, 548

Q FEVER, 1941: Sept., 1473 Quinidine in paroxysmal tachycardia, 1943: Nov., 1539 Quinine in lupus erythematosus, 1942: Jan., 42 in malaria, 1943: May, 626, 628, Nov., 1479

RABBIT serum in pneumococcus pneumonia, 1941: Jan., 206 Rabies, 1943: Nov., 1514 Radiation sickness, vitamin therapy,

1943: March, 578 Radicular pain, 1943: July, 994 physical therapy for, 1943: July,

Radiculitis, tabetic, 1941: Jan., 56 Radiologic associations and publications, 1941: July, 882

Radiosensitiveness of cells, specific, 1941: July, 975 Radium, discovery and properties, 1941: July, 875

source and supply, 1941: July, 876 treatment, computation of dosage, 1941: July, 8800

historical development, 1941: May,

introduction and general considerations, 1941: July, 873 of benign tumors, 1941: July, 946

of carcinoma of cervix, 1941: July, 885, 899, 908

of female genitalia, 1941: July, 905

of rectum, 1941: July, 929 of inflammatory lesions, 1941: July, 953

of nonmalignant conditions, 1941: July, 945 of skin diseases, 1942: Jan., 123,

132 principles of, 1941: July, 879 recent advances, 1941: May, 803 skin damage from, 1942: Jan., 137

symposium on, 1941: July, 873 Radon, 1941: May, 810; July, 876 in skin diseases, 1942: Jan., 137 Rash in dengue fever, 1943: May, 815 in Rocky Mountain spotted fever, 1943: May, 727

Rat-bite fever, 1941: Sept., 1474 Rathke's cleft, cysts of, 1942: Nov., 1680

Rations, military, 1941: Nov., 1699; 1943: March, 581

Raynaud's disease, 1942: March, 339, Sept., 1467 pain in, 1941: Jan., 77

Reading problems, 1942: May, 961 Recompression in compressed air illness, 1942: July, 1233

Reconnaissance survey of workroom environment, 1942: July, 1163 Rectal swabs in shigellosis, 1943: May,

Rectocolonic disease, diagnostic pitfalls, 1942: May, 755

Rectum, carcinoma, advances in treat-ment, 1941: July, 915 irradiation of, 1941: July, 1005 diseases, pain in, 1941: Jan., 22 polyps, precancerous, 1941: July, 922

tumors, 1942: May, 768 Reduction diet, 1943: March, 345, 346 Refraction, principles of, 1942: Sept.,

Refrigeration in cancer, 1941: Jan., 127

Rheumatic valvular disease, chronic,

Rheumatismus febrilis exanthematicus,

Rheumatoid arthritis, 1943: Sept., 1332 fever therapy, 1943: July, 1123

Rhinitis, allergic, 1941: March, 537;

vasomotor, histaminase in, clinical results, 1941: May, 859

spondylitis, 1943: Sept., 1338

1942: March, 434

physical therapy, 1943: July, 1008

1943: Sept., 1282

1943: May, 808

Refrigeration in impaired arterial circulation, 1943: July, 954 use of, in military medicine, 1943: July, 1166 Regurgitation, 1942: May, 881 Rehabilitation after amputations, 1943: July, 1121 of selectees, 1941: Nov., 1515, 1516 Relapsing fever, 1941: Jan., 292; 1943: May, 734, Nov., 1485 louse-borne, 1943: May, 737, Nov., tick-borne, 1943: May, 738, Nov., 1485 treatment, 1943: May, 743 Renal. See also Kidney. colic, 1942: March, 347; 1943: Nov., 1569 Respiration, artificial, Schaefer method, 1942: March, 520 Respirator in poliomyelitis, 1943: Sept., 1350 Respiratory diseases, emergencies in, 1942: March, 415 in aged, physical therapy in, 1943: July, 1016 in infants, 1943: Nov., 1525 failure in children, 1942: March, infections, prevention, in military forces, 1941: Sept., 1462, 1466 Responsibility, criminal, insanity and, 1941: March, 313 Rest in hypertension, 1942: Sept., 1425 in peptic ulcer, 1941: Sept., 1363 Retina, central artery, occlusion of, 1943: Nov., 1552 Retinal detachment, 1942: May, 958 in war injuries of eye, 1941: Nov., melanoma, treatment, 1941: July, 995 Retinitis, hemorrhagic, vitamin therapy, 1943: March, 559 Retrodisplacements of uterus, pessaries in, 1943: Jan., 11, 109 Rheumatic conditions, common, treat-

Rib, cervical, 1941: Jan., 60 Riboflavin deficiency, 1943: March, 399 early, 1943: March, 495 mouth lesions, 1943: March, 401, 550 pathology, 1943: March, 514 dietary requirements, 1943: March, dosages, 1942: Sept., 1368 enzyme relationship, 1943: March, 280 in deficiency diseases, 1943: March, in skin diseases, 1942: Jan., 55 laboratory tests, 1942: Sept., 1393 therapeutic uses, 1941: May, 621 Rickets, 1943: March, 361 early, 1943: March, 495 pathology, 1943: March, 516 physical therapy in, 1943: July, 915 Rickettsia prowazeki, 1943: May, 777 rickettsii, 1943: May, 723 Rickettsial infections, fever in, 1941: Jan., 292 prevention, 1941: Sept., 1473 Ring pessaries, 1943: Jan., 111, 116, Ringworm, 1941: Jan., 188 eczematoid, 1942: Jan., 107 in military forces, 1941: Nov., 1683 of hands and feet, 1941: Nov., 1683; 1942: Jan., 151 of nails, 1942: Jan., 160 of scalp, 1942: Jan., 161 ment, 1943: Sept., 1309 treatment and prophylaxis, 1942: Rheumatic fever, 1941: Jan., 293; 1943: Jan., 157 Risser jacket in scoliosis, 1943: July, 1035 Sept., 1280 heart disease, 1941: Jan., 88, Sept., 1178, 1181; 1942: Sept., 1418; Rocky Mountain spotted fever, 1941: 1943: Sept., 1279 Ifanilamide in, Sept., 1473; 1943: May, 722 1941: March, 473 sulfanilamide diagnosis, 1943: May, 729 prevention. and treatment 1943: May, 731, 732 infection, recurrence of, 1943: Sept., Roentgen aspects of tuberculosis, 1942: pleural effusion simulating tuberculo-March, 537, 615 sis, 1941: Sept., 1266 pneumonia, 1942: Jan., 253 in infants, 1942: March, 580 in juveniles, 1942: March, 588

Roentgen burns, vitamin D in, 1942: | Jan., 63 defined, 1941: July, 984 diagnosis, blood dyscrasias, 1941: May, 669 carcinoma of stomach, 1941: July, 1125 cardiac aneurysm, 1942: May, 925 coccidioidomycosis, 1943: May, gastric cancer, 1941: July, 1125 disease, 1941: March, 565 ulcer, 1941: July, 1117 gastritis, 1942: May, 715 goiter, 1942: Nov., 1753 intestinal obstruction, 1941: July, 1143 tuberculosis, 1942: May, 826 placenta praevia, 1943: Nov., 1605 rickets, 1943: March, 365 scurvy, 1943: March, 444 sprue, 1943: March, 460 symposium on, 1941: July, 1011 thymic hyperplasia, 1942: Nov., tumors of bone, 1941: July, 1041 examination of chest for U.S. Army, 1941: Nov., 1773 rays, biologic, histologic and cytologic effects, 1941: July, 977 discovery of, 1941: July, 873 skin unit, 1941: July, 965 specific sensitiveness of cells to, 1941: July, 976 types employed, 1941: July, 975 screening procedure in chest examinations, 1941: Nov., 1779 treatment, amenorrhea, 1942: Nov., 1841, 1849 anatomic arrangement, 1941: July, benign lesions, 1941: July, 957 carcinoma of breast, 1941: July, 996 of cervix, 1941: July, 989 of rectum, 1941: July, 936 divided dose, 1941: July, 979 erythema dose, 1941: July, 979, historical development, 1941: May, hyperthyroidism, 1942: Nov., 1724, by irradiation of pituitary, 1942: Nov., 1764 iodine with, 1942: Nov., 1765

leukemia, 1943: Jan., 255

979, 984, 987

malignant tumors, 1941: July, 973,

1041: July, 982 peripheral vascular disease, 1943: July, 989 pituitary adenoma, 1942: Nov., 1695, 1707 prime essential factors in, 1941: July, 975 puerperal mastitis, 1941: May, 641 reaction to 1941: July, 978 recent advances, 1941: May, 803 skin damage from, 1942: Jan., 137 diseases, 1941: July, 965; 1942: Jan., 123 symposium on, 1941: July, 957 thymic hyperplasia, 1942: Nov., 1779 Roentgenogram, pelvic tilt, 1943: July, Roentgenologic pelvimetry, 1941: July, 1019 risks sustained by physician not trained in roentgenology, 1941: July, 1011 Roentgenology, medicolegal aspects. 1941: March, 331 Rosacea, 1941: Jan., 193; 1942: Jan., 178 Roseola, 1942: Jan., 66, 178 infantum, 1943: Nov., 1527 Rovsing's sign, 1941: Jan., 21 Rubin test for tubal patency, 1943: Jan., 9, 61 Rumination, 1942: May, 881 Rumpel-Leeds test for capillary fragility, 1942: Jan., 59 Rupture of aorta, 1942: March, 331 of uterus, 1942: March, 503 Russian encephalitis, 1943: Nov., 1513 SACRALIZATION of transverse spinous processes, 1942: Sept., 1560 Sacro-iliac strain, acute, 1943: July, 1066 Salicylates in rheumatic fever, 1943: Sept., 1281 Salivary glands, malignant to treatment, 1941: July, 995 tumors. war wounds, 1941: Nov., 1670 Salpingitis, abdominal pain in, 1941: Jan., 28 acute, 1941: Jan., 37, 38; 1942: May, 782 gonorrheal, 1941: Jan., 39 tuberculous, 1941: Jan., 39 Sanders oscillating bed, 1942: March, 337; 1943: July, 985 Sarcoma of bone, roentgen diagnosis, 1941: July, 1060

Roentgen treatment, massive doses,

Sarcoma of bone, roentgen treatment, 1941: July, 1005 of skull, roentgen study, 1941: July, 1110

Scabies, 1941: Jan., 192

in military forces, 1941: Nov., 1680,

Scalenus syndrome, 1942: Sept., 1469 Scalp, lacerations, 1941: March, 398 pruritus, 1942: Jan., 119

ringworm, 1942: Jan., 161 tumors, roentgen study, 1941: July,

1103 Scarlatina mitis exanthemis arthrosia,

1943: May, 808 Scarlet fever, 1941: Sept., 1279; 1943: May, 661, Nov., 1528

convalescent serum in, 1941: Jan., 222, 223

in other streptococcal infections, 1941: Jan., 224 in military forces, 1941: Nov., 1607 sulfonamides in, 1941: March, 457;

1942: Sept., 1378 for arthritis, 1942: Sept., 1547

Scars, hypertrophic, radium treatment, 1942: Jan., 136

Schaefer method of artificial respiration, 1942: March, 520

Schick test in diphtheria, 1943: May, 656, 659

Schiller test, 1942: Jan., 213

Schistosoma haematobium, 1943: May, 848

infection with, 1943: May, 853 japonicum, 1943: May, 848 infection with, 1943: May, 856

mansoni, 1943: May, 848 infection with, 1943: May, 854

Schistosomiasis, 1943: May, 848, Nov., 1494

Asiatic, 1943: May, 856 intestinal, 1943: May, 854 urinary, 1943: May, 853

urinary, 1943: May, 853 Schizophrenia, 1941: May, 710, 711,

prepsychotic and postpsychotic personalities, military service and, 1941: Nov., 1723, 1749

shock therapy, 1941: May, 735 Schizotrypanosomiasis, 1943: May, 822 Schüller-Christian syndrome, skull in,

1941: July, 1114 Scleroderma, vitamin D in, 1942: Jan., 63

Sclerosis, combined, in aged, physical therapy in, 1943: July, 1016 physical therapy in, 1943: July, 919, 1002 Sclerosis, posterolateral, in nutritional deficiency, 1943: March, 425

Scoliosis, structural, treatment, 1943: July, 1025

Scotoma in pituitary adenoma, 1942: Nov., 1687

Screening in malaria control, 1943: May, 629

Scrofuloderma, 1942: Jan., 76 roentgen treatment, 1941: July, 964

Scrotum, lymph, 1943: May, 864 Scurvy, 1943: March, 441

pathology, 1943: March, 515 vitamin therapy, 1943: March, 274 wound healing and, 1943: March, 561

Seasickness, benzedrine sulfate in, therapeutic evaluation in 100 cases, 1943: Nov., 1652

Seborrhea in riboflavin deficiency, 1943: March, 402, 405

Seborrheic dermatitis, 1942: Jan., 180 wart, 1942: Jan., 191, 193 Secretions, internal, decreased, as cause

Secretions, internal, decreased, as cause of deficiency states, 1943: March, 525

Sedatives in alcoholism, 1942: March, 411

in hypertension, 1942: Sept., 1429 in psychoses, 1942: March, 407

Selectees, psychiatric examination for, 1941: Nov., 1726

Selective Service, examination of registrants, 1941: Nov., 1511

physician in, requirements, duties and opportunities, 1941: Nov., 1511

plan of organization, 1941: Nov., 1511

Sella turcica, ballooning of, 1942: Nov., 1687, 1700

Semen, examination, 1942: Nov., 1861; 1943: Jan., 60

Seminoma of testis, roentgen treatment, 1941: July, 1002

Sepsis, puerperal, 1943: Nov., 1611 prophylactic measures, 1941: May, 631

Serological tests for arthropod-borne virus encephalitides, 1943: May, 642 Serum, blood. See Blood serum.

convalescent. See Convalescent serum. dried, 1943: Jan., 181 human, applications in medicine.

1943: Jan., 157 as blood substitute, 1941: Jan., 235 composition, 1943: Jan., 177

liquid, 1943: Jan., 180 pooled adult, 1943: Jan., 159

Serum, reactions, 1942: March, 440; 1943: Sept., 1304 sickness, 1942: March, 444 therapy in bacillary dysentery, 1943: Sept., 1215 in brucellosis, 1943: Jan., 265, May, in meningococcal meningitis, 1941: Sept., 1298; 1943: Sept., 1205, Nov., 1502 in plague, 1943: May, 761 in pneumococcal meningitis, 1941: Sept., 1306; 1943: Nov., 1505 in pneumonia, 1941: Jan., 205, Sept., 1209; 1942: Sept., 1496; 1943: Sept., 1303 in scarlet fever, 1941: Sept., 1279 Sesamoiditis, 1941: Nov., 1855 Seven-day fever, 1943: May, 808 Sex education, 1942: Sept., 1627 factors in neuroses, 1943: Nov., 1639 in gynecology, hormone therapy 1941: Jan., 155 in male hypogonadism, 1942: Nov., 1867 hormones, in pathogenesis of peptic ulcer, 1942: May, 689 Shark liver oil, 1943: March, 354 Shigella dysenteriae, 1943: May, 692 Shigellosis, 1943: May, 687, 692 treatment, 1943: May, 694 Ship fever, 1943: May, 775 Shock, 1942: March, 424 blood and blood substitutes in, 1943: Jan., 164, 167 first aid, 1941: March, 365 heart in, 1942: March, 316 in burns, 1941: Nov., 1667, 1818; 1943: Sept., 1230, 1233 in fractures, 1942: March, 479 irreversible, prevention, 1943: Sept., 1401 management, 1941: Nov., 1813; 1942: March, 425 physiologic mechanisms, with therapeutic implications, 1943: Sept., plasma in, 1941: Nov., 1816 specific gravity test, 1942: March, 425 treatment of psychoses, 1941: May, 735; 1943: July, 1019
Shoes, faulty, and foot disability in Army, 1943: July, 1136 in foot disorders, 1941: Jan., 111, Short wave diathermy, 1941: May, 815

Shoulder, injuries and infections, physical therapy in, 1943: July, 917

Shoulder, periarthritis, physical therapy, 1943: July, 1012 Shwartzman phenomenon, 1942: Jan., 36 Sickle cell anemia, 1942: Jan., 224 roentgen diagnosis, 1941: May, Sickness absenteeism rates in industry, 1942: July, 1106 benefit organizations, comparison of sickness rates, 1942: July, 1109 disabling, in industry, factors con-cerned, 1942: July, 1110 measurement among industrial workers, 1942: July, 1105 prevention, in industry, 1942: July, 1145 Sidero-silicosis, 1942: July, 1239 Siderosis, 1942: July, 1239, 1243 Sigmoidoscopy, 1942: May, 763 Silicosis, 1942: July, 1239, 1245 rapidly developing, 1942: July, 1256 roentgen diagnosis, 1941; March, 344 tubercu!osis and, 1942: July, 1249 Silver nitrate in hemorrhagic peptic ulcer, 1942: May, 667 in impetigo contagiosa, 1942: Jan., 171 Simmonds' disease, 1942: Nov., 1672, 1714; 1943: Nov., 1616, 1622 anorexia nervosa and, 1941: May, 756 neurogenic factors, 1942: Nov., Sinus pericranii, 1941: July, 1104 thrombosis, cavernous, sulfonamides in, 1942: Sept., 1382 cerebral, 1941: March, 500 Sinuses, intracranial, thrombosis of, 1942: March, 330 Sinusitis, acute, roentgen treatment, 1941: July, 959, 963 sulfonamides in, 1942: Sept., 1379 treatment, 1942: Sept., 1511 local, by general practitioner, 1942: Sept., 1516 by rhinologist, 1942: Sept., 1522 Sippy diet, modified, 1943: Nov., 1581 Six-day fever, 1943: May, 808 Skeleton, injuries, 1941: March, 382 Skin cleansers, industrial, 1942: July, 1195, 1203 list of, giving composition, 1942: July, 1211 synthetic wetting agents and detergents, 1942: July, 1204

damage, by chemical warfare agents, 1941: Nov., 1686

diseases, common, 1941: Jan., 181

roentgen treatment, 1942: Jan., 123, 132
roentgen treatment, 1941: July, 965; 1942: Jan., 123

symposium on, 1942: Jan., 1 vitamin A and, 1942: May, 981 vitamins in, 1942: Jan., 47 fungous infections, 1942: Jan., 151 in military forces, 1941: Nov.,

1683 grafting, in burns, 1943: Sept., 1243 lesions, in early nutritional deficiencies, 1943: March, 488

in pellagra, 1943: March, 382 in vitamin A deficiency, 1943: March, 356

leukemic lesions, 1942: Jan., 3 pyogenic infections, 1942: Jan., 83 radiotherapy damage, 1942: Jan., 137 syphilitic lesions, 1942: Jan., 65 tests in gastro-intestinal allergy, 1942:

May, 746 tuberculosis, 1942: Jan., 74 unit of roentgen rays, 1941: July,

965 Skull, fractures, 1941: March, 392, 398 labyrinthine injury in, 1941: Nov., 1655

tumors, and conditions which may simulate them roentgenologically, 1941: July, 1106

Sleeping sickness, African, 1943: May, 835 Sling psychrometer, 1942: July 1181

Sling psychrometer, 1942: July, 1181, 1182

Smallpox, 1943: May, 603, 615, Nov., 1528

prevention, in military forces, 1941: Sept., 1463 Smears, obtaining, in gonorrhea in

women, 1943: Jan., 90 Smith pessary, 1943: Jan., 109, 111 Snellen test chart, 1942: Sept., 1605

Soap Lake treatment of thrombo-angiitis obliterans, 1943: July, 952 Soaps. use of, in industry, 1942: July,

1203 Sodiùm bicarbonate in acidosis, 1942: March, 379

Soldier's heart, 1941: Nov., 1621
Sore throat, septic, common source with scarlet fever, 1943: May, 664
streptococcal, 1943: Sept., 1202

Sore throat, streptococcal, sulfanilamide in, 1941: March, 457

Spanish Civil War, surgical team of, 1941: Nov., 1830

Spastic irritable bowel, 1942: Jan., 227, May, 805

paralysis, cerebral, physical therapy in, 1943: July, 914

Specific gravity test for shock, 1942: March, 425

Spectacles in the Services, 1941: Nov., 1650
Spectacles in the Services, 1941: Nov., 1942:

Spermatogenesis, disturbances in, 1942: Nov., 1860

Spinal cord lesions, pain from, 1941: Jan., 55 subacute combined degeneration. in

mutritional deficiency, 1943
March, 425

tumors, contrast myelography in, 1941: July, 1067 war injuries, 1943: July, 1083

after-care, 1943: July, 1087 fluid examination in syphilis, 1941: May, 832

Spine, congenital anomalies, 1943: July, 1070

fractures, arthritis in, 1943: Sept., 1332

fusion of Hibbs, 1942: Sept., 1576 injuries and infections, arthritis in, 1943: Ju'y, 919

lesions, roentgen diagnosis, medicolegal aspects, 1941: March, 337 lumbosacral, anatomic variations,

1942: Sept., 1552 war injuries, with special reference to physical treatment, 1943: July,

1077, 1079 Spinous process, fractures, 1943: July.

Spirillum cholerae asiaticae, 1943: May, 766

Spirochaeta duttoni, 1943: May, 736 pallida, darkfield identification, 1941: May, 827

staining characteristics, 1941: May, 828

recurren'is, 1943: May, 736 venezuelensis, 1943: May, 740

Splanchnicectomy in hypertension, 1942: Sept., 1434

Spleen, infarction of, 1943: Nov., 1552 Splenectomy, bone marrow examination by sternal puncture as guide, 1941: May, 666

Splints, arthroplasty, 1943: July, 916 emergency, in fractures, 1942: March, 471-476

Splints for war wounded, 1941: Nov., | Stilbestrol in amenorrhea, 1943: Jan., 1764, 1841 Spondylitis, physical therapy, 1943: July, 1003 rheumatoid, 1943: Sept., 1338 Spondylolisthesis, 1942: Sept., 1565; 1943: July, 1070 physical therapy in, 1943: July, 920 Spotted fever, Rocky Mountain, 1943: May, 722 typhus, 1943: May, 775 Sprains, ankle, 1941: Nov., 1855 foot, 1943: July, 1146 Sprays, nasal, in sinusitis, 1942: Sept., 1519, 1520 Sprue, 1943: March, 451 Sputum examinations in pneumonia, 1943: Sept., 1295 St. Louis type of encephalitis, 1943: May, 633, Nov., 1509

Staphylococcal infections, puerperal, 1941: May, 631, 640 sulfamerazine in, 1943: Nov., 1455 sulfonamides in, 1941: March, 469; 1942: Sept., 1380, 1542; 1943: Sept., 1253 meningitis, 1941: Sept., 1312; 1943: Nov., 1506

pneumonia, 1943: Sept., 1293 Starvation treatment of gastro-intes-tinal hemorrhage, 1943: Nov., 1580 Station hospitals, Army, buildings, personnel and services, 1941: Nov., 1533 Status asthmaticus, 1942: March, 432 epilepticus, 1941: Sept., 1345 thymicolymphaticus, 1942: Nov., 1776

Stenger test for malingering in deafness, 1941: Nov., 1663 Sterility, 1943: Jan., 7 diagnosis, by general practitioner, 1943: Jan., 55

endometrial biopsy in, 1943: Jan., hormone therapy, 1943: Sept., 1383 Huhner test, 1943: Jan., 59 male, diagnosis and treatment, 1942:

Nov., 1857 pessaries in, 1943: Jan., 113 roentgen treatment, 1941: July, 972 Rubin test, 1943: Jan., 9, 61 seminal examination, 1942: 1857; 1943: Jan., 60 vitamins and, 1941: May, 616

Sternal puncture, bone marrow examination by, 1941: May, 663 Stethoscope test for malingering in deafness, 1941: Nov., 1664

Stilbestrol, 1941: Jan., 158, 163; 1943: Jan., 29

38, Sept., 1375 Fröhlich's syndrome, Nov., 1841 in dysmenorrhea, 1943: Sept., 1377 in gonococcal vulvovaginitis, 1943:

in menopause, 1943: Jan., 40, Sept., 1382

in premenstrual tension, 1943: Sept., 1381

Still's disease, 1943: Sept., 1338 Stippling of erythrocytes in lead poisoning, 1942: July, 1265 Stokes-Adams syndrome, 1943: Nov.,

Stomach, carcinoma, in military forces,

1941: Nov., 1864 roentgen diagnosis, 1941: July, 1125

contents, examination, 1941: March, 563 dilatation, acute, 1942: March, 364 diseases, gastroscopy in, 1942: May,

pain in, 1941: Jan., 17 examination, technic, 1941: March,

hemorrhage from, 1942: March, 332, 362; 1943: Nov., 1578 irritable, treatment, 1943:

1385 psychosomatic disorders, 1942: May, 877

resection, subtotal, for peptic ulcer, 1942: May, 673 secretory status, 1942: May, 895

ulcer, 1941: Sept., 1363; 1942: May, 645. See also Peptic ulcer. choice of treatment, 1942: May, 671 gastroscopy in, 1942: May, 706

pain in, 1941: Jan., 17 roentgen diagnosis, 1941: July, 1117 Strabismus, 1942: May, 959

Strain, lumbosacral, acute, 1943: July, 1066

postural, bachache due to, 1943: July, 1064

sacro-iliac, acute, 1943: July, 1066 intestinal, Strangulations, diagnosis, 1943: Nov., 1468

Streptococcal infections, in military forces, 1941: Nov., 1607 puerperal, 1941: May, 631, 634,

sulfamerazine in, 1943: Nov., 1455 scarlet fever convalescent serum in, 1941: Jan., 224

Streptococcal infections, sulfonamides in, 1941: March, 437; 1942: Sept., 1377, 1540; 1943: Sept., 1253
 meningitis, 1941: March. 496, Sept., 1299

sore throat, 1943: Sept., 1202 Streptococcus hemolyticus infections,

Streptococcus hemolyticus infections 1943: Sept., 1202 meningitis, 1943: Nov., 1503

Stricture of urethra, 1941: Jan., 251 acute retention due to, 1943: Nov., 1563

Strümpell-Marie arthritis, 1943: Sept., 1338

encephalitis, 1941: March, 501 Sturge-Weber syndrome, 1941: July, 1104

Subacromial bursitis, physical therapy in, 1943: July, 917

Subarachnoid hemorrhage, 1941: March, 395, 400, 499; 1943: Nov., 1554, 1557 Subdeltoid bursitis, diathermy in, 1943: July, 1184

physical therapy in, 1943: July, 917, 1012

Subdural hematoma, 1941: March, 369, 498; 1943: Nov., 1557

Submarine Service, examination for, 1941: Nov., 1518

Subungual exostosis, 1941: Nov., 1854 Succinylsulfathiazole. See Sulfasuxidine. Suction and pressure, intermittent, in occlusive arterial disease, 1943: July, 973, Sept., 1403

Suffocation, 1942: March, 523
Suicide by mercury ingestion, 1941:

March, 403 by veronal ingestion, 1941: March, 415

by violence, 1941: March, 423 tendencies in migraine and hypogon-

adism, 1943: Nov., 1630 Sulfadiazine in acute infections, 1941:

Nov., 1799, 1810 in bacillary dysentery, 1943: May, 695, Sept., 1208, 1218

695, Sept., 1208, 1218 in carbuncle or furuncle, 1942: Sept., 1382

in colon bacillus arthritis, 1942: Sept., 1544

in diabetic gangrene, 1942: Sept., 1463

in erysipelas, 1942: Sept., 1378 in gas gangrene, 1942: Sept., 1386

in gonococcal infections, 1942: Sept., 1385, 1535; 1943: Jan., 76, Sept., 1254

in hemolytic streptococcus meningitis, 1941: Sept., 1301; 1943: Nov., 1503

Sulfadiazine in infectious arthritis, 1943: Sept., 1327

in influenzal meningitis, 1942: Sept., 1386

in meningococcal infections, 1941: Sept., 1295; 1942: Sept., 1384, 1543; 1943: Sept., 1205

in otitis media, 1942: Sept., 1518, 1528

in pneumococcal arthritis, 1942: Sept., 1546

in pneumococcal meningitis, 1941: Sept., 1306; 1942: Sept., 1382; 1943: Nov., 1505

in pneumonia, 1941: Sept., 1201;
 1942: Sept., 1488; 1943: Sept., 1301
 in puerperal sepsis, 1943: Nov., 1612
 in pyelonephritis, 1943: Nov., 1562
 in scarlet fever, 1942: Sept., 1378

in sinusitis, 1942: Sept., 1518, 1528 in staphyloccal infections, 1942: Sept., 1380; 1943: Sept., 1253

in streptococcal infections, 1942: Sept., 1377; 1943: Sept., 1253, Nov., 1503

in urinary tract infections, 1942: Sept., 1382

toxic reactions, 1941: Nov., 1803; 1942: Sept., 1376

Sulfaguanidine in bacillary dysentery, 1941: Sept., 1394; 1943: May, 695, Sept., 1219, 1254, Nov., 1482

Sulfamerazine, clinical evaluation in 400 cases, 1943: Nov., 1447

in meningococcal meningitis, 1943: Sept., 1205 toxic manifestations, 1943: Nov., 1457

Sulfanilamide, 1941: March, 453

blood reactions, bone marrow examination by sternal puncture in, 1941: May, 663

dosage and administration, 1941: March, 454

in acute infections, 1941: Nov., 1799, 1809

in bacillary dysentery, 1943: Sept., 1217

in burns, 1941: Nov., 1832

in chanchroid, 1941: March, 459 in common cold, 1941: Jan., 197

in common cold, 1941: Jan., 197 in compound fracture, 1942: March, 491

in diabetic gangrene, 1942: Sept., 1463

in erysipelas, 1942: Jan., 91, Sept., 1378

in gas gangrene, 1941: March, 460; 1942: Sept., 1386

Sulfanilamide in gonococcal infections, 1942: Sept., 1385, 1533, 1536

in hemolytic streptococcal infections, 1941: March, 457, Sept., 1301

in influenzal meningitis, 1941: Sept., 1312; 1942: Sept., 1386

in lupus erythematosus, 1942: Jan.,

in lymphogranuloma venereum for arthritis, 1942: Sept., 1546

in meningococcal infections, 1941: March, 459, Sept., 1295 in otitis media, 1941: May, 697

in plague, 1943: May, 761

in pneumonia, 1941: Sept., 1200, Nov., 1603; 1942: Sept., 1488

in puerperal infections, 1941: May, 637

in pulmonary abscess, 1941: March, 550

in rheumatic infection, prophylactic, 1943: Sept., 1283

in scarlet fever, 1941: Sept., 280; 1942: Sept., 1378

in streptococcal infections, 1942: Sept., 1377; 1943: Sept., 1253, Nov., 1503

in urinary tract infections, 1941: March, 461, Sept., 1427

in war injuries, 1941: Nov., 1836 in wound therapy, 1941: March, 382, 385, Sept., 1475

toxic reactions, 1941: March, 462. 475, 476, Nov., 1803; 1942: Sept., 1375

Sulfanilylguanidine, 1941: March, 471 in acute infections, 1941: Nov., 1810 Sulfapyridine, 1941: March, 463

in acute infections, 1941: Nov., 1799, 1809

in bacillary dysentery, 1943: Sept., 1217

in bacterial endocarditis, 1941: Sept., 1183

in gonorrhea, 1941: March, 470; 1942: Sept., 1385; 1943: Jan., 76

in influenzal meningitis, 1941: Sept., 1312; 1942: Sept., 1386

in meningococcal meningitis, 1941: Nov., 1605

in otitis media, 1941: May, 698 in plague, 1943: May, 761

in pneumococcal meningitis, 1941: March, 469, Sept., 1306; 1942: Sept., 1383

in pneumonia, 1941: Jan., 210, March, 464, Sept., 1200, Nov., 1603; 1942: Sept., 1488 Sulfapyridine in staphylococcal infections, 1941: March, 469

in streptococcal infections, 1942 Sept., 1377; 1943: Nov., 1503

toxic reactions, 1941: March, 466, 475, 476, Nov., 1803; 1942: Sept., 1375

Sulfasuxidine in bacillary dysentery, 1943: May, 695, Sept., 1208, 1225, 1254

in infectious diseases of colon, 1943: Jan., 189

Sulfathiazole, 1941: March, 463

in acute infections, 1941: Nov., 1799,

in bacillary dysentery, 1941: Sept., 1394; 1943: May, 695, Sept., 1217

in carbuncle, 1942: Jan., 96, Sept., 1382

in colon bacillus arthritis, 1942: Sept., 1544

in compound fracture, 1942: March, 491

in diabetic gangrene, 1942: Sept., 1463

in furuncle, 1942: Jan., 94, Sept., 1382

in gas gangrene, 1942: Sept., 1386 in gonococcal arthritis, 1942: Sept., 1534

in gonorrhea, 1941: March, 470; 1942: Sept., 1385; 1943: Sept., 1254

in women, 1943: Jan., 47, 76, 93 in impetigo contagiosa, 1942: Jan., 172

in infectious arthritis, 1943: Sept., 1327

in influenzal meningitis, 1942: Sept., 1386; 1943: Nov., 1505

in men'ngococcal meningitis, 1941: Sept., 1298. Nov., 1605

in ostromyelitis, 1942: Sent., 1381 in otitis media, 1941: May, 698,

Sept., 1518. 1528 in plague, 1943: May, 760

in pneumococcal arthritis, 1942: Sept., 1546

in pneumonia, 1941: Jan., 214, March, 464, Sept., 1201, Nov., 1603; 1942: Sept., 1488; 1943: Sept., 1301

in puerperal sepsis, 1943: Nov.,

in pulmonary abscess, 1941: March, 550

in pyelonephritis, 1943: Nov., 1562 in sinusitis, 1942: Sept., 1528

Sulfathiazole in staphylococcal infections, 1941: March, 469; 1942: Sept., 1380; 1943: Sept., 1253, Nov., 1506 streptococcal infections, 1942: in

Sept., 1377 in urinary tract infections, 1941: March, 470, Sept., 1427; 1942: Sept., 1382, 1385; 1943: Sept., 1254 in wound therapy, 1941: March, 383 toxic reactions, 1941: March, 466, 475, 476, Nov., 1803; 1942: Sept., 1376

Sulfonamides. See also the individual

drugs.

activity against various organisms, 1941: Nov., 1608

comparative effectiveness against various organisms, 1943: Sept., 1248 crystals in urine, 1943: Nov., 1501 dosage schedules, 1943: Sept., 1249 effective blood concentrations, 1943: Sept., 1250

in acute infections, 1941: Nov., 1799 in arthropod-borne virus encephalitides, 1943: May, 644

in bacillary dysentery, 1943: May, 695, Sept., 1207, 1208, 1216, 1254, Nov., 1482

in brucellosis, 1943: Jan., 265, May, 716

in burns, 1943: Sept., 1231, 1238

in diabetic gangrene, 1942: Sept., 1462

in elephantiasis, 1943: May, 869 in gas gangrene, 1942: Sept., 1386 in gonococcal infections, 1942: Sept.,

1385, 1531; 1943: Sept., 1254 in women, 1943: Jan., 47, 76, 93 in hemolytic streptococcal infections,

1943: Sept., 1203 in infectious arthritides, 1942: Sept.,

1529; 1943: Sept., 1327 in infectious diseases of colon, clin-

ical evaluation, 1943: Jan., 189 in meningitis, 1942: Sept., 1384; 1943: Sept., 1204, 1205, 1253, Nov., 1500, 1505

in plague, 1943: May, 760

pneumococcal infections, 1942: Sept., 1383

in pneumonia, 1941: Sept., 1199; 1942: Sept., 1383; 1943: Sept.,

in puerperal sepsis, 1943: Nov., 1612 in pyelonephritis, 1943: Nov., 1562

in rheumatic infection, prophylactic, 1943: Sept., 1283

in sinusitis, 1942: Sept., 1518, 1528

Sulfonamides in smallpox, 1943: May. 615

in staphylococcal infections, 1942: Sept., 1380; 1943: Sept., 1253. Nov., 1506

in streptococcal infections, 1942: Sept., 1377; 1943: Sept., 1253; Nov., 1503

in urinary tract infections, 1942: Sept., 1382, 1384; 1943: Sept., 1254 in virus infections, 1942: Sept., 1387 niacin with, 1943: March, 578

pharmacology, 1941: Nov., 1800 prophylactic uses, 1941: March 473

skin eruption due to, 1942: Jan.

therapy with, as hazard for workers with industrial chemicals, 1942. July, 1157

present status, 1942: Sept., 1375; 1943: Sept., 1247

toxicology, 1941: Nov., 1802; 1942: Sept., 1375, 1493, 1494; 1943: Sept., 1250

urinary lithiasis following, March, 352; 1943: Nov., 1570

uses and abuses, 1941: March, 453 Sulfur in impetigo contagiosa, 1942: Jan., 171

Sulkowitch test, 1943: Nov., 1629 Suprapubic cysbotomy, 1943: Nov., 1565

Suprarenal. See Adrenal.

Sympathectomy for cancer, 1941: Jan., 123

Syncope in children, 1942: March, 449 Syphilids, 1942: Jan., 66

Syphilis, cutaneous, 1942: Jan., 65 early, treatment, 1941: May, 775 eruptions of. See Syphilids.

in military forces, 1941: Nov., 1691 laboratory diagnosis, 1941: May, 827 of central nervous system, military service and, 1941: Nov., 1725, 1751 of coronary arteries, 1941: May, 789 of heart, 1941: Jan., 91, May, 789,

of stomach, roentgen diagnosis, 1941: July, 1131

serologic tests and interpretation, 1941: May, 829, 830

spinal fluid examination, 1941: May.

treatment, 1942: Jan., 71 Syphilitic aortitis, 1941: Sept., 1185 arthritis, 1943: Sept., 1326

heart disease, 1943: Sept., 1288 Syphilology, military, 1941: Nov., 1677 TABETIC radiculitis, 1941: Jan., 56 Tachycardia, paroxysmal, 1941: Sept., 1196; 1942: March, 321; 1943: Nov., 1537 Tannic acid in burns, 1943: Sept., 1232,

1237

Target cell in Cooley's anemia, 1941: May, 673

Tartar emetic in African trypanosomiasis, 1943: May, 843

Teeth, nutrition and, 1943: March, 545 Teething, 1943: Nov., 1525

Temperature, body, regulation of, 1942: July, 1179 effective, in industry, 1942: July,

1181, 1186, 1189
Parsons-McConnell chart, 1942:
July, 1187

environmental, measuring, 1942: July, 1181 Tenosynovitis Achilles in soldiers

Tenosynovitis, Achilles, in soldiers, 1941: Nov., 1853

Teratoma of pituitary body, 1941: Jan., 153
Testicules, deficiency, diagnosis and

Testicules, deficiency, diagnosis and treatment, 1942: Nov., 1867 mailgnant tumors, roentgen treat-

ment, 1941: July, 1002 Testimony, court, by doctor, 1941:

March, 303, 315, 434 Testosterone, 1941: Jan., 159, 164 in dysmenorrhea, 1943: Jan., 35, Sept., 1377

in frigidity, 1943: Sept., 1383 in functional uterine bleeding, 1943:

Sept., 1379 in gynecologic disorders, 1943: Jan., 33

in male hypogonadism, 1942: Nov., 1888

in menopause, 1943: Jan., 40 in menorrhagia, 1943: Jan., 38

in premenstrual breast pain and secretion, 1943: Sept., 1382 preparations, 1942: Nov., 1888

Tests, laboratory, as aid in diagnosis and treatment, 1942; Sept., 1391 in gastro-intestinal disorders, 1942; May, 895

relation to practicing physician, 1941: May, 823

Tetanus in infants and children, 1941: March, 507

neonatorum, 1041: March, 491 prevention, in military forces, 1941: Sept., 1475

Tetany following thyroidectomy, 1941: Sept., 1357 infantile, 1941: March, 502 Tetany of newborn, 1941: March, 488

Thecoma, 1942: Nov., 1826 Theelin, 1941: Jan., 162

Thermometers for air temperature, 1942: July, 1181

Thermotherapy, 1941: May, 815

Thiamine deficiency, 1943: March, 409 central nervous system manifestations, 1943: March, 431 early, 1943, March, 495

laboratory diagnosis, 1943: March, 504

dosages, 1942: Sept., 1368 enzyme relationships, 1943: March, 280

in alcoholism, 1942: March, 412 in arthralgia of vitamin B deficiency, 1943: Sept., 1319

in deficiency diseases, 1943: March, 274

in foods, 1943: March, 411 in pregnancy, 1941: May, 621; 1943: March, 540

in radiation sickness, 1943: March, 577

in skin diseases, 1942: Jan., 54 laboratory tests, 1942: Sept., 1392 requirements, 1943: March, 292, 412 Thiocyanates in hypertension, 1942: Sept., 1430

Thoracic organs, roentgen examination, risks to physician, 1941: July, 1015
Thoraconlasty, in tuberculesis, 1942:

Thoracoplasty in tuberculosis, 1942: March, 555 Thorium dioxide sol, contrast myelography with, 1941: July, 1089

Three-day fever, 1943: May, 808 Throat, war injuries, 1941: Nov., 1665

Thrombo-angiitis obliterans, 1942: March, 338, Sept., 1463 pain of, 1941: Jan., 79 physical medicine in, 1943: July,

Thrombopathy, constitutional, 1941: May, 668

Thrombophlebitis, 1942: Sept., 1475 pain of, 1941: Jan., 84

peripheral, 1942: March, 341 Thrombosis, 1943: Nov., 1545 arterial, peripheral, 1943: Nov., 1546 cerebral, 1942: March, 327; 1943:

Nov., 1554 coronary. See Coronary thrombosis. mesenteric, 1942: March, 334, May. 781; 1943: Nov., 1552

of deep veins, 1942: Sept., 1472

Thrombosis of intracranial sinuses, 1942: March, 330 of superficial veins, 1942: March, 341, Sept., 1478 pulmonary, 1942: March, 330, 415; 1943: Nov., 1550 sinus, cerebral, 1941: March, 500

venous peripheral, 1943: Nov., 1548 Thrush, 1942: Jan., 160 Thymic hyperplasia, 1942: Nov., 1771 Thyroid crisis, 1942: Nov., 1727

desiccated, in Fröhlich's syndrome, 1942: Nov., 1838 in hypothyroidism, 1942: Nov.,

1716, 1717 in prevention of colds, 1941: Jan., 202

gland, diseases, 1942: Nov., 1711 malignancy of, 1942: Nov., 1733 roentgen treatment, 1941: July, 996

therapy in gynecologic disorders, 1941: May, 608; 1943: Jan., 10, 34, 38

with anterior pituitary extract in hypogonadism, 1942: Nov., 1882 Thyroidectomy for hyperthyroidism,

1942: Nov., 1725 preoperative and postoperative care, 1941: Sept., 1348; 1942: Nov., 1726, 1741

Thyroiditis, 1942: Nov., 1749 nonsuppurative, 1942: Nov., 1733 Thyrotoxic heart failure, 1942: Nov., 1728

Thyrotropic hormone, 1942: Nov., 1663 Thyroxin in hypothyroidism, 1942:

Nov., 1717 Tibia, lower end, ridging of, 1943: July, 1134

fever. See Rocky Mountain spotted fever. African, 1943: May, 734
"Time lag" in war injurie

in war injuries, 1941: Nov., 1542

Tinea, 1942: Jan., 151 cruris, 1942: Jan., 159 marginatum, 1942: Jan., 159 tonsurans, 1942: Jan., 161 Toad-skin, 1943: March, 356

Tobacco, use of, in hypertension, 1942: Sept., 1428

Toenails, ingrowing, 1941: Nov., 1854; 1943: July, 1143

Toes, deformities, in soldiers, 1941: Nov., 1853

fifth, congenital deformity, 1941: Jan., 114

Tongue lesions. See Glossitis.

Tongue, war wounds, 1941: Nov., 1670

Tonsillectomy, diphtheria and, 1943: May, 655

relation to incidence of poliomyelitis, 1941: May, 688

Tonsillitis in infants, 1943: Nov., 1525 sulfonamides in, 1942: Sept., 1379 Tormina intestinorum nervosa, 1942: May, 884

Torticollis of central origin, 1941: May, 747

Toxemia of burns, 1943: Sept., 1236 of pregnancy, 1943: Nov., 1596 pre-eclamptic, prevention, 1943: Nov., 1597

treatment, 1943: Nov., 1598 Toxic properties of selected less familiar metals, 1942: July, 1281 Tracheobronchial tuberculosis,

March, 564, 600 Trachoma, sulfanilamide in, March, 46

Tranfusions in gastro-intestinal hemorrhage, 1943: Nov., 1579 in hemorrhage, 1943: Nov., 1544

of pregnancy and labor, 1943: Nov., 1611

in peptic ulcer, 1942: May, 660 puerperal sepsis, 1943: Nov., 1612

in undulant fever, 1943: Jan., 267 indications, 1943: Jan., 164 of immune blood, 1943: Jan., 157 plasma, 1943: March, 310 test in hemorrhagic peptic ulcer,

1942: May, 675
Transportation in fractures,
March, 477

of war wounded, 1941: Nov., 1768 Transverse processes, fractures, 1943: July, 1079

sacralization, 1942: Sept., 1560 Trauma in diabetes, 1941: Sept., 1213 of abdomen, 1942: May, 783 of eyes, 1942: May, 953

of heart, 1942: March, 317 Treatment, specific methods, symposium on, 1941: Sept., 1177; 1942: Sept.,

1347; 1943: Sept., 1201 Trench foot, 1941: Nov., 1857; 1943: July, 1148

hypothermia in, 1943: July, 1173 Trichinosis, fever in, 1941: Jan., 294 Trichomonas vaginitis, 1942: 203, 205, 208; 1943: Jan., 4, 45

Trichophytin, 1942: Jan., 151 Trichophytosis in military forces, 1941: Nov., 1680, 1683

Trichosis, roentgen treatment, 1941: July, 969 Trisodarsen in syphilis, 1941: May, 777 Troops, military, feeding of, 1941: Nov., 1699

Tropical diseases of concern to the home front, 1943: Nov., 1476 symposium on, 1943: May, 601 medicine in United States today,

1942: Sept., 1615

Trypanosoma congolense, 1943: May, 843

cruzi, 1943: May, 824 gambiense, 1943: May, 835 rhodesiense, 1943: May, 836

Trypanosomiasis, African, 1943: May, 835, Nov., 1491

American, 1943: May, 822, Nov., 1492

Brazilian, 1943: May, 822

Tryparsamide in African trypanosomiasis, 1943: May, 845 Tubal patency, Rubin test, 1943: Jan.,

9, 61 Tuberculin test, 1941: Nov., 1566

Truck drivers, fatigue among, study of, 1942: July, 1125 Tuberculids, 1942: Jan., 79, 147

Tuberculin test, 1942: March, 538, 580 Tuberculo-silicosis, 1942: July, 1250 Tuberculosis, anorectal, 1942: March,

598 as a compensation problem, 1942: July, 1053

cutaneous, 1942: Jan., 74 cutis verrucosa, 1942: Jan., 77 extrapulmonary, 1942: March, 595 gastro-intestinal, 1942: March, 570,

596, May, 819 genito-urinary, 1942: March, 570, 604

infantile, 1942: March, 576 inoculation, 1942: Jan., 77, 78 intestinal, 1942: March, 596, May,

juvenile, 1942: March, 585 medicolegal phases, in industry, 1942:

July, 1055 miliary, 1942: March, 568, 602, 627 in infants, 1942: March, 582 of adrenal gland, 1942: March, 608 of bones and joints, 1942: March,

605 physical therapy in, 1943: July,

of ear, nose and throat, 1942: March,

of kidney, 1942: March, 603 of larynx, 1942: March, 569, 599 Tuberculosis of lymph glands, 1942: March, 566, 607

of meninges, 1942: March, 568, 608 of peritoneum, 1942: March, 611 of pleura, 1942: March, 609

pulmonary, and military medicine, 1941: Nov., 1553 chemotherapy, 1941: Sept., 1211 complications, management, 1942:

March, 559 conditions simulating, 1941: Sept.,

1248 control during World War I, 1941:

Nov., 1566 in present military emergency,

1941: Nov., 1579 diagnosis, 1941: Sept., 1239, Nov.,

1566; 1942: March, 527 in children, 1942: March, 575 fever in, 1941: Jan., 289 importance in U. S. Army, 1941:

Nov., 1773 in military forces, 1941: Nov., 1553

economic aspect, 1941: Nov., 1574 miniature film roentgen surveys,

1942: March, 634 pathogenesis, 1941: Nov., 1557 prevalence, 1941: Nov., 1560

primary and reinfection phases, 1941: Nov., 1564 rehabilitation of rejected Army enrollees, 1941: Nov., 1586

roentgen aspects, 1941: Nov., 1787; 1942: March, 615

diagnosis, importance in Army, 1941: Nov., 1775 silicosis and, 1942: July, 1249

1941: Sept., treatment, 1941: S 1942: March, 541 1239;

in children, 1942: March, 575 symposium on, 1942: March, 527 tracheobronchial, 1942: March, 564,

Tuberculous adenitis, radiologic treatment, 1941: July, 954, 963 arthritis, 1943: Sept., 1326

infections, sulfamerazine in, 1943: Nov., 1456

meningitis, 1941: March, 496 peritonitis, roentgen treatment, 1941: July, 964

pneumonia, 1942: March, 561 salpingitis, 1941: Jan., 39 Tularemia, fever in, 1941: Jan., 291

prevention, in military forces, 1941:

Sept., 1472 nors, benign, radium treatment, Tumors, benign, 1941: July, 946

Tumors, hypophyseal stalk, 1942: Nov., 1680, 1704, 1708 intracranial, head pain from, 1941: Jan., 4, 12

malignant, roentgen treatment, 1941: July, 973, 984, 987

of adrenal cortex, 1942: Nov., 1811 medulla, 1942: Nov., 1806 of bladder, 1941: Jan., 268

of bone, roentgen diagnosis. 1941: July, 1041

roentgen treatment, 1941: July, 1004

of brain, electroencephalography in, 1941: Sept., 1486

of ovary with endocrine manifestadiagnosis and treatment, 1942: Nov., 1817

of pituitary gland, 1942: Nov., 1679 surgical treatment, indications, 1942: Nov., 1697 of rectum, 1942: May, 768

of scalp and skull, roentgen study, 1941: July, 1103

of spinal cord, contrast myelography in, 1941: July, 1067 pain in, 1941: Jan., 55 pelvic, pain in, 1941: Jan., 45

Typhoid fever, 1941: Jan., 291 in military forces, 1941: Sept., 468, Nov., 1601

vaccine therapy in rheumatoid arthritis, 1943: July, 1125

Typhoidal arthritis, sulfonamides in, 1942: Sept., 1548

Typhus exanthematicus, 1943: May.

fever, 1941: Sept., 1473; 1943: May, 775

endemic or murine, 1943: May, 775, 784, 787 epidemic, 1943: May, 775, 779,

ULCER, duodenal. See Duodenal ulcer and Peptic ulcer. gastric. See Stomach ulcer and Pep-

tic ulcer.

782

Hunner's, 1941: Jan., 265 peptic. See Peptic ulcer.

varicose, 1942: Sept., 1481

Ultraviolet irradiation, 1941: May, 819 in erysipelas, 1942: Jan., 91 in impetigo contagiosa, 1942: Jan., 172

in rickets, 1943: March, 366 of environment to control com-

municable diseases, 1941: Nov., 1598

Unconscious injured person, care of, 1941: March, 389

Underwater exercises, 1941: May, 821 Undulant fever. See Brucellosis. Unna's boot, 1943: July, 958

Uranium, investigation of, 1941: July, 873

Urea clearance test of renal function, 1942: Sept., 1396

Uremia in nephritis, 1941: Sept., 1414 Uremic symptoms, postoperative, 1942: March, 355

Ureter, injuries, 1941: March, 379 pain from, 1941: Jan., 24

Urethra, female, cysts, 1941: Jan., 248

diverticulum, 1941: Jan., 253 polyps, 1941: Jan., 248 stricture, 1941: Jan., 251

foreign body in, acute retention due to, 1943: Nov., 1566 male, injuries, 1941: March, 381

stricture, acute retention due 1943: Nov., 1563

Urethral caruncles, 1941: Jan., 255 catheters, 1943: Nov., 1563, 1564 smears, 1943: Jan., 90

Urethritis, chronic granular and cicatricial, in female, 1941: Jan., 246 Urinalysis, in office gynecology, 1943:

Jan., 1 Urinary lithiasis following sulfonamides, 1942: March, 352; 1943: Nov., 1570

tract infections, chemotherapy, 1941: March, 461, 470, Sept., 1427; 1942: Sept., 1382, 1384; 1943: Sept., 1254

chronic, 1943: Jan., 236 management, 1941: Sept., 1419 mandelic acid in, 1941: Sept., 1426

methenamine in. 1941: Sept., 1431

neoarsphenamine in, 1941: Sept.,

sulfonamides in, 1941: March, 461, 470, Sept., 1427; 1942: Sept., 1382, 1384; 1943: Sept., 1254

lower, in female, chronic diseases, 1941: Jan., 245

Urine, concentration test, in hypertension, 1943: Sept., 1267 retention, acute, 1942: March, 343; 1943: Nov., 1562

vitamin levels, 1942: Sept., 1395 Urobilinogen test of hepatic function,

1942: Sept., 1402

Urogastrone in peptic ulcer, 1942: May, 653 Urologic symptoms in gynecologic disorders, 1943: Jan., 13 Urticaria, 1941: Jan., 191, March, 537; 1942: Jan., 145, March, 437 histaminase in, clinical results, 1941: May, 860 papular, of childhood, 1942: Jan., 163 Uterine bleeding, functional, hormone therapy, 1943: Sept., 1378 in carcinoma of cervix, 1941: July, 887 Uterus, carcinoma, radium treatment, 1941: July, 909 roentgen treatment, 1941: July, cervix. See Cervix uteri. diseases, abdominal pain in, 1941: Jan., 28 fibromyoma, 1941: Jan., 47 radiologic treatment, 1941: July, 949, 1006 nonreplaceable, pessaries in, 1943: Jan., 114 prolapse, pessaries in, 1943: Jan., retrodisplacements, pessaries in, 1943: Jan., 11, 109 rupture, 1942: March, 503

VACCINES in arthropod-borne virus encephalitides, prophylaxis, 1943: May, 645 in bacillary dysentery, 1943: Sept., 1216 in brucellosis, 1943: Jan., 265, May,

715 in cholera prophylaxis, 1943: May, 774

in elephantiasis, 1943: May, 868 in endemic typhus fever prophylaxis, 1943: May, 788

in epidemic typhus fever prophylaxis, 1943: May, 783 in plague prophylaxis, 1943: May,

763 in prevention of colds, 1941: Jan., 203

in Rocky Mountain spotted fever prophylaxis, 1943: May, 732

in von Economo's encephalitis, 1943: May, 648 Vagina, carcinoma, radium treatment,

1941: July, 911 diseases, as cause of leukorrhea, 1943: Jan., 45 Vaginal bleeding, 1943: Jan., 6 discharges, etiologic diagnosis, 1942: Jan., 202 excessive, in young girl, 1943: Jan., 20 in carcinoma of cervix, 1941: July, 887

Vaginitis, bacterial, various types, 1943: Jan., 46 due to hyperestrogenism, 1943: Jan.,

48 gonorrheal, 1942: Jan., 203; 1943: Jan., 5, 46

in infants, 1943: Nov., 1527 monilia, 1943: Jan., 5, 46 mycotic, 1942: Jan., 203, 207, 209 nonspecific, 1943: Jan., 5, 46 senile, 1943: Jan., 40, 49 vitamins in, 1941: May, 624

trichomonas, 1942: Jan., 203, 205, 208; 1943: Jan., 4, 45 alvular disease, rheumatic, chronic,

Valvular disease, rheumatic, chronic, 1943: Sept., 1282 Van den Bergh reaction, 1942: May, 901, Sept., 1404

901, Sept., 1404 Varicose eczema with eczematids, 1942: Jan., 105

ulcers, 1942: Sept., 1481 veins, 1942: Sept., 1481 thrombosis in, 1942: Sept., 1480 Varicosities, 1942: March, 341

Variola. See Smallpox. Varnish remover dermatitis, 1942: Jan., 25

Vascular anomalies of skull, 1941: July, 1107 disease, intra-abdominal, pain in, 1941: Jan., 26

peripheral, 1942: Sept., 1457 physical medicine in, 1943: July, 951

emergencies, 1942: March, 325; 1943: Nov., 1542 extracardiac, 1943: Nov., 1540

occlusion, 1943: Nov., 1545 mesenteric, 1943: Nov., 1552 miscellaneous, 1943: Nov., 1552

physiology, recent advances, therapeutic implications, 1943: Sept., 1397

Vasomotor rhinitis, histaminase in, clinical results, 1941: May, 859 Vasospasm, 1943: Nov., 1546

Velometer, 1942: July, 172 Venereal disease, diagnosis, laboratory assistance in, 1941: May, 827

prevention, in military forces, 1941: Sept., 1470

Venous compression, intermittent, in peripheral vascular disease, 1943: July, 981, Sept., 1402 insufficiency, prevention of edema, 1943: July, 958

thrombosis, deep, 1942: Sept., 1472 peripheral, 1942: March, 341. Sept., 1478; 1943: Nov., 1548 Ventilation, exhaust, in factories, 1942:

July, 1169

in industry, 1942: July, 1188 Ventricular failure, left, acute, 1943: Nov., 1535

versus right, 1943: Jan., 121, 135 Veronal ingestion, suicide from, 1941: March, 415

treatment, 1941: March, 419 Verruca acuminata, 1942: Jan., 191 plantaris, roentgen treatment, 1941: July, 970

vulgaris, 1942: Jan., 190 radiologic treatment, 1941: July, 953, 970

Version, Braxton Hicks, in placenta praevia, 1941: May, 653 external, in breech presentation,

1941: Jan., 278

Vertebrae, articular facets, inflammation in, 1941: Jan., 71 cervical, disease of, head pain from,

1941: Jan., 7, 13

fifth lumbar, posterior prominence, 1942: Sept., 1568 Vertebral bodies, fractures, 1943: July,

Vesicant agents, skin damage by, 1941: Nov., 1686

Vibrio comma, 1943: May, 766 Vincent's infection, nutrition and. 1943: March, 550

Vinethene anesthesia, 1941: March, 588 Vioform in amebiasis, 1943: May, 691
Violence, homicide and suicide by, 1941: March, 423
Viosterol, 1942: Jan., 60

in pregnancy, 1941: May, 622 in rickets, 1943: March, 368

Viral infections, sulfamerazine in, 1943: Nov., 1456

Virilism, adrenal, 1942: Nov., 1811 Virus infections, sulfonamides in, 1942: Sept., 1387

pneumonia, 1943: Sept., 1293 Vision, vitamin A in, 1942: May, 965 Visual disturbances in pituitary adenoma, 1942: Nov., 1681, 1684-

1687, 1692, 1699, 1702 requirements of U. S. Navy and Marine Corps, 1941: Nov., 1639

Vitamin A, 1943: March, 349 clinical considerations, 1942: May, 965, Sept., 1369

deficiency, 1943: March, 349, 355 early, 1943: March, 495 laboratory diagnosis, 1943: March, 503

1725

pathology, 1943: March, 512 wound healing and, March, 564

in lactation, 1941: May, 627 in pregnancy, 1941: May, 623; 1943: March, 539

laboratory tests, 1942: Sept., 1392 requirements, 1943: March, 291,

Vitamin B. See also Thiamine, Nicotinic acid and Riboflavin. deficiency, arthralgia in, Sept., 1317

in migraine, 1941: Sept., 1325 laboratory tests, 1942: Sept., 1392 sources, 1942: Sept., 1364

Vitamin B1 in lactation, 1941: May,

in pregnancy, 1941: May, 620 Vitamin B2 in pregnancy, 1941: May, 621

Vitamin C. See also Ascorbic acid. in lactation, 1941: May, 626 in pregnancy, 1941: May, 622 laboratory tests, 1942: 1394

Vitamin D, 1943: March, 362 clinical uses, 1942: Sept., 1369 deficiency. See Rickets. in lactation, 1941: May, 627 in pregnancy, 1941: May, 622; 1943: March, 541

in rickets, 1943: March, 366 Vitamin E in habitual abortion, 1941: May, 616

in lactation, 1941: May, 625 in prevention of stillbirths, 1941: May, 617

in sterility, 1941: May, 616 Vitamin K, 1941: May, 617, 659; 1943: March, 371

deficiency, 1943: March, 371 early, 1943: March, 495 pathology, 1943: March, 517 in acute cholecystitis, 1943: Nov., 1586

in habitual abortion, 1941: May,

in hemorrhagic disease of newborn, 1941: May, 619, 661; 1943: March, 377

in lactation, 1941: May, 625

Vitamin K in liver dysfunction, 1942: May, 849 laboratory tests, 1942: Sept., 1395; 1943: March, 372 preparations, dosages, and administration, 1943: March, 375 preoperative use, 1943: March, 377 relation to prothrombin, 1941: May, 659; 1943: March, 372 therapeutic test, 1942: May, 903 uses, 1941: May, 660, Sept., 1451 Vitamin therapy, general rules, 1943: March, 579 in deficiency diseases, 1943. March, 274, 533 early cases, 1943: March, 496 in eye lesions, 1943: March, 558 gastro-intestinal hemorrhage. 1943: Nov., 1583 in irritable stomach, 1943: Sept., 1392 in peptic ulcer, 1941: Sept., 1367 in psychoses, 1942: March, 407 pulmonary abscess, 1941: March, 551 1943: various conditions, March, 577 Vitamins, concentrates, 1943: March. daily needs, 1942: Sept., 1349 deficiencies, causes, 1942: Sept., 1353 early, 1943: March, 485 evidences of, 1943: Sept., 1365 laboratory tests, 1942: Sept., 1391; 1943: March, 501 mixed nature of, 1943: March, 274 pathology, 1943: March, 509 and secondary, 1942: Jan., 49 role of gastro-intestinal tract in conditioning, 1943: March, 519 enzyme relationships, 1943: March, 280 general practitioner and, 1942: Sept., in common foods, 1942: Sept., 1356 in dermatology, 1942: Jan., 47 in infant feeding, 1941: Sept., 1446; 1943: Sept., 1359, 1363 in ophthalmology, 1942: May, 959, 965 in pregnancy, 1941: May, 615; 1943: March, 539 in various conditions, 1943: March. 577 massive doses, 1943: March, 534

relation to poliomyelitis, 1941: May,

687, 689

Vitamins, requirements, 1941: Nov., 1705 antepartum fetal and maternal, 1941: May, 617 in certain disorders, 1942: Sept., 1363, 1371 in deficiency diseases, 1943: March, 274, 572 puerperal and neonatal, 1941: May, 625 sources, 1941: Nov., 1705; 1942: Sept., 1364 sterility, fertility and abortion and, 1941: May, 616 supplementary, in worl 1942: July, 1075, 1155 workers' synthetic, 1943: March, 533 Vocal cord paralysis in exophthalmic goiter, 1941: Sept., 1354 Volkmann's ischemic myositis, physical therapy in, 1943: July, 917 Volvulus, 1942: March, 366 Vomiting, deficiency 1943: March, 523 deficiency state in infants and children, 1942: May, 725 nervous, 1942: May, 882 Von Economo's type of encephalitis, 1943: May, 646, Nov., 1507 Von Willebrand's syndrome, 1941: May, 668 Vulva, carcinoma, radium treatment, 1941: July, 911 pruritus, 1942: Jan., 118; 1943: Jan., roentgen treatment, 1941: July, 970 Vulvovaginitis, gonococcal, 1943: Jan., laboratory diagnosis, 1941: May, 835 WAR gas injuries, 1941: Nov., 1639, 1675, 1686 wounds, minor, treatment, 1941: Nov., 1829 Warm dressings, sterile, in peripheral vascular disease, 1943: July, 951 Warts, 1941: Jan., 190; 1942: Jan., 190 flat, 1942: Jan., 191, 194 plantar, 1942: Jan., 191, 194; 1943: July, 1143 in soldiers, 1941: Nov., 1851 radium treatment, 1942: Jan., 135 radiologic treatment, 1941: July, 953, seborrheic, 1942: Jan., 191, 193

Waterhouse-Friderichsen disease, 1943:

Nov., 1624

Weight, normal, for boys, girls, men and women, 1943: March, 327

Weil's disease, 1941: Sept., 1474 in military forces, 1941: Nov., 1868

Weil-Felix reaction in Rocky Mountain spotted fever, 1943: May, 730 in typhus fever, 1943: May, 781 Wernicke's disease, 1943: March, 415,

514

West Nile fever, 1943: Nov., 1516 Western equine type of encephalitis, 1943: May, 633

Wet dressings, continuous, in peripheral vascular disease, 1943: July, 951

Wetting agents for industrial cleansers, 1942: July, 1204

Wheat germ, 1942: Sept., 1365 Whooping cough, 1943: Nov., 1529 convalescent serum, 1941: Jan., 235

convulsions in, 1941: March, 498 Willett's forceps, 1941: May, 652 Wilms' tumor, roentgen treatment,

1941: July, 1001

Winkelstein intragastric drip in peptic ulcer, 1941: Sept., 1372

Winterbottom's sign, 1943: May, 839 Witness, doctor as, 1941: March, 303, 434

Work week, length of, in war, 1942: July, 1136

Workers, industrial, diets of, 1942: July 1068, 1076, 1079, 1154 ill health in, prevention, 1942: July, 1145

sickness among, measurement, 1942: July, 1105

Workmen's compensation, 1941: March, 347; 1942: July, 1035

administration of, 1942: July, 1040 role of medicine, 1942: July, 1040

development of, 1942: July, 1036 insurance, 1942: July, 1043 medical relationships, 1942: July, 1044 Workmen's compensation, legal-medical problem, 1942: July, 1037

legislative methods, 1942: July, 1039

medicine and, 1942: July, 1035 tuberculosis as problem, 1942: July, 1053

value of medical testimony, 1942: July, 1042

Workroom environments, study of, 1942: July, 1163

Wound healing, nutrition and, 1943: March, 561 Wounded, evacuation of, 1941: Nov.,

1830 transportation of, 1941: Nov., 1768

transportation of, 1941: Nov., 1768 Wounds, chemotherapy, 1941: March, 382

infection, prevention in military forces, 1941: Sept., 1474, Nov., 1609

Orr's treatment, 1941: March, 383, Sept., 1475, Nov., 1837

sulfonamides in, 1942: Sept., 1382 war, closed plaster dressing in compound fracture, 1941: Nov., 1837 débridement, 1941: Nov., 1834 minor, treatment, 1941: Nov., 1829 Wuchereria bancrofti, 1943: May, 862

XANTHOMATOSIS, skull in, 1941: July, 1114

Xenodiagnosis in American trypanosomiasis, 1943: May, 829 Xerophthalmia, 1943: March, 357 x-Ray. See Roentgen.

YAWS, 1943: Nov., 1495 Yeast, brewers', 1942: Sept., 1366 in pregnancy, 1941: May, 621 infection of lip, 1942: Jan., 172 of vagina, 1942: Jan., 203, 207,

Yellow fever, 1943: Nov., 1487 in military forces, 1941: Nov., 1470, 1600

ZINC as nutrient, 1943: March, 284